



2011 - 2012



CARLTON®

2011 - 2012







			2 - 6
			7 - 10
			32 - 38
			39 - 48
			49 - 50
			51 - 67
			68
			69
			70 - 82
			83 - 88



1/4" 	E1MC-BL	.050" (1,3 mm)		
---	----------------	----------------	---	--

3/8" LP  	N4C-BL	.043" (1,1 mm)		
---	---------------	----------------	---	--

3/8" LP	N1C	.050" (1,3 mm)		
---------	------------	----------------	---	--

3/8" LP 	N1C-BL	.050" (1,3 mm)		
--	---------------	----------------	---	--

.325"	K1L K2L K3L	.050" (1,3 mm) .058" (1,5 mm) .063" (1,6 mm)		
-------	----------------------------	--	---	--

.325"  	K1NK-BL	.050" (1,3 mm)		
---	----------------	----------------	--	---

.325"	K1C K2C K3C	.050" (1,3 mm) .058" (1,5 mm) .063" (1,6 mm)		
-------	----------------------------	--	---	--


.325" 	K1C-BL K2C-BL K3C-BL	.050" (1,3 mm) .058" (1,5 mm) .063" (1,6 mm)		
--	-------------------------------------	--	---	--







3/8"	A1LM A2LM A3LM	.050" (1,3 mm) .058" (1,5 mm) .063" (1,6 mm)		
------	-------------------------------	--	---	--

3/8"	A1EP A2EP A3EP	.050" (1,3 mm) .058" (1,5 mm) .063" (1,6 mm)		
------	-------------------------------	--	---	--

3/8" 	A1EP-GL A2EP-GL A3EP-GL	.050" (1,3 mm) .058" (1,5 mm) .063" (1,6 mm)		
---	--	--	---	--



.404"	B2LM B3LM	.058" (1,5 mm) .063" (1,6 mm)		
.404"	B2EP B3EP	.058" (1,5 mm) .063" (1,6 mm)		
.404"	B3H	.063" (1,6 mm)		
.404"	B3H-RP	.063" (1,6 mm)		
.404"	B3S	.063" (1,6 mm)		
 .404" 10°	B3RM10	.063" (1,6 mm)		

							
E1MC-BL	90°	30°	.025"	85°-90°	60°	5/32" 4,0 mm	
K1L, K2L, K3L	80°	30°	.025"	80°-90°	60°	11/64" 4,5 mm	
K1NK-BL	90°	30°	.025"	85°-90°	60°	3/16" 4,8 mm	
K1C, K2C, K3C	90°	30°	.025"	85°-90°	60°	3/16" 4,8 mm	
K1C-BL, K2C-BL, K3C-BL	90°	30°	.025"	85°-90°	60°	3/16" 4,8 mm	
N4C-BL	90°	35°	.025"	85°-90°	60°	5/32" 4,0 mm	
N1C, N1C-BL	90°	35°	.025"	85°-90°	60°	5/32" 4,0 mm	
A1LM, A2LM, A3LM	80°	30°	.025"	80°-90°	60°	7/32" 5,5 mm	
A1EP, A2EP, A3EP	90°	35°	.025"	85°-90°	60°	7/32" 5,5 mm	
A1EP-GL, A2-EP-GL, A3EP-GL	90°	35°	.025"	85°-90°	60°	7/32" 5,5 mm	
B2LM, B3LM	80°	35°	.040"	80°-90°	60°	7/32" 5,5 mm	
B2EP, B3EP	90°	35°	.030"	85°-90°	60°	7/32" 5,5 mm	
B3H	90°	35°	.040"	85°-90°	60°	7/32" 5,5 mm	
B3H-RP	90°	5°-10°	.036"	85°-90°	60°	7/32" 5,5 mm	
B3S	90°	35°	.030"	85°-90°	60°	7/32" 5,5 mm	
B3RM10	80°	10°	.040"	50°-55°	60°	7/32" 5,5 mm	



K1C-BL-072E

K


1

C

BL

072

E



ft.




.325"	.050" Gauge	Semi-Chisel	Bumper link	Drive link count or Reel size (ft.)	Loop box, global
A 3/8"	1 .050" (1,3 mm)	C Semi-Chisel	GL		E
B .404"	2 .058" (1,5 mm)	EP Type "E" professional (Semi-Chisel)	BL		G
E 1/4"	3 .063" (1,6 mm)	H Machine/Semi-Chisel			R*
K .325"	4 .043" (1,1 mm)	L Chisel			U*
N 3/8" Lo Pro		LM Magna Chisel			C
		MC Micro Chisel			K
		NK Narrow Kerf			
		RM Microcut®			
		RP Ripping			
		S Chipper			

*100 ft.



x 24





*25 ft.



x 6




								
								
A1EP	43106	43003	43012	43074	43075	41106		
A2EP	43107	43003	43012	43074	43075	41107		
A3EP	43108	43003	43013	43074	43075	41108		
A1EP-GL	43106	43003	43012	43074	43075		43115	41140
A2EP-GL	43107	43003	43012	43074	43075		43115	41141
A3EP-GL	43108	43003	43013	43074	43075		43115	41142
A1LM	43106	43003	43012	43191	43190	41106		
A2LM	43107	43003	43012	43191	43190	41107		
A3LM	43108	43003	43013	43191	43190	41108		
B3H	43111	43004	43015	43066	43069			41114
B3H-RP	43111	43004	43015	43003	43094			41114
B3M	43112DL	42995TS	42996PS	43095CT	43096CT	41115RK		
B3S	43111	43004	43015	43097	43098			41114
B2EP	43110	43004	43015	43066	43086	41113		
B3EP	43111	43004	43015	43066	43086	41114		
B2LM	43110	43004	43015	43300	43301			41113
B3LM	43111	43004	43015	43300	43301			41114
B8HC	43118DL	42997TS	42998PS	43088RH	43089LH	41118RK		
E1MC-BL	43113	43044	43045	43046	43047	43133		41112
K1C	43100	43000	43008	43070	43071	41100		
K2C	43101	43000	43008	43070	43071	41101		
K3C	43102	43000	43009	43070	43071	41102		
K1NK-BL	43100	43039	43034	43040	43041			41122
K1C-BL	43100	43000	43008	43070	43071	43037	41122	
K2C-BL	43101	43000	43008	43070	43071	43038	41123	
K3C-BL	43102	43000	43009	43070	43071	43036	41124	
K1L	43100	43000	43008	43060	43061			41100
K2L	43101	43000	43008	43060	43061			41101
K3L	43102	43000	43009	43060	43061			41102
N1C	43105PK	43002PK	43011PK	43063PK	43064PK	43105PK		
N1C-BL	43105PK	43002PK	43011PK	43063PK	43064PK	46103PK	43105PK	
N4C-BL	43122PK	43002PK	42993PK	43063PK	43064PK	43123PK		43049PK
G7SP	43204DL	43202TS	43203PS	43200CT	43201CT	43206RK		



					
E1MC-BL	1/4"	.050" (1,3 mm)	25AP	13RM	50K
K1L	.325"	.050" (1,3 mm)	20LPX	23RS	50JL
K2L	.325"	.058" (1,5 mm)	21LPX	25RS	58JL
K3L	.325"	.063" (1,6 mm)	22LPX	26RS	63JL
K1NK-BL	.325"	.050" (1,3 mm)	95VPX	-	50JSG
K1C	.325"	.050" (1,3 mm)	20BPX	-	50J
K2C	.325"	.058" (1,5 mm)	21BPX	-	58J
K3C	.325"	.063" (1,6 mm)	22BPX	-	63J
K1C-BL	.325"	.050" (1,3 mm)	20BPX	23RM2	50JG
K2C-BL	.325"	.058" (1,5 mm)	21BPX	25RM2	58JG
K3C-BL	.325"	.063" (1,6 mm)	22BPX	26RM2	63JG
N4C-BL	3/8" LP	.043" (1,1 mm)	90SG	61PMMC3	43RG
N1C	3/8" LP	.050" (1,3 mm)	91VXL	63PM	50R
N1C-BL	3/8" LP	.050" (1,3 mm)	91VG	63PMC3	50RG
A1LM	3/8"	.050" (1,3 mm)	72LGX	33RS	50APL
A2LM	3/8"	.058" (1,5 mm)	73LGX	35RS	58APL
A3LM	3/8"	.063" (1,6 mm)	75LGX	36RS	63APL
A1EP	3/8"	.050" (1,3 mm)	72DP	33RM	50A
A2EP	3/8"	.058" (1,5 mm)	73DP	35RM	58A
A3EP	3/8"	.063" (1,6 mm)	75DP	36RM	63A
A1EP-GL	3/8"	.050" (1,3 mm)	72V	33RM2	-
A2EP-GL	3/8"	.058" (1,5 mm)	73V	35RM2	-
A3EP-GL	3/8"	.063" (1,6 mm)	75V	36RM2	-
B2EP	.404"	.058" (1,5 mm)	26	45RM	58B
B3EP	.404"	.063" (1,6 mm)	27	46RM	63B
B3H	.404"	.063" (1,6 mm)	16H	-	-
B3H-RP	.404"	.063" (1,6 mm)	-	-	63BR
B2LM	.404"	.058" (1,5 mm)	58L	45RS	-
B3LM	.404"	.063" (1,6 mm)	59L	46RS	-
B3M	.404"	.063" (1,6 mm)	16H	46RMH	1HC
B3RM10	.404"	.063" (1,6 mm)	27R	46RCX	-
B3S	.404"	.063" (1,6 mm)	27	-	63B
B8HC	.404"	.080" (2,0 mm)	18HX	40RMHS	8HC
G7SP	3/4"	.122" (3,1 mm)	11BC	-	3HC

Carlton®, Windsor® and OREGON® are registered trademarks of Blount, Inc. All other marks are property of their respective owners.



16-81-A260-SP

16	81	A	2	60	SP	
12	01	A 3/8"	1 .050"			RK Safe Tip
13	01W	K .325"	2 .058"			PT Semi-Pro Tip
14	10	N 3/8" Lo Pro	3 .063"			SP Super Pro
15	10W					ST Speed Tip
16	26					
18	38					
20	42					
22	71					
24	81					






16-81-058-DT

16	81	058	DT	
				
13	01W	058 .058"		
15	42	063 .063"		
16	55			
18	57			
20	81			
24				
25				
28				
30			DT Dura Tip	
33				
36				





SAFE TIP™ (RK)

						
Safe Tip	Mini Hobby Champ	Roll Top Safe Tip	3/8" Lo Pro	7 T	≤ 2.5 cu. in. ≤ 40 cc	12" – 18" 30 – 45 cm





SEMI-PRO TIP™ (PT)

						
Semi-Pro Tip	Hobby Champ	Roll Top Mini & Roll Top Semi Pro	3/8" Lo Pro .325" 3/8" .325"	9 T 10 T 11 T 12 T	2.5–3.5 cu. in. 40–57 cc	12" – 20" 30 – 50 cm





SUPER PRO™ (SP)

						
Super Pro	Timber Champ	Roll Top Super Pro	.325" 3/8" .325"	10 T 11 T 12 T	≤ 3.8 cu. in. ≤ 61 cc	13" – 20" 33 – 50 cm







SPEED TIP™ (ST)


						
Speed Tip	Sprocket Tip	Speed Tip	.325" 3/8" .404"	12 T 11 T 10 T	≥ 3.5 cu. in. ≥ 58 cc	16" – 24" 40 – 60 cm




DURA TIP™ (DT)


					
Dura Tip	Hard Tip	Dura Tip	3/8" .404"	≥ 2.3 cu. in. ≥ 38 cc	13" – 36" 32 – 90 cm




							
543533 = 11028	11028	NKSPNA50	4		3/8"	.050"	11
543534 = 11028	11028	NKSPNA58	4		3/8"	.058"	11
543535 = 11029	11029	NKSPNA63	4		3/8"	.063"	11
543536 = 11026	11026	NKSPNJ50	4		.325"	.050"	12
543537 = 11026	11026	NKSPNJ58	4		.325"	.058"	12
543538 = 11027	11027	NKSPNJ63	4		.325"	.063"	12
543543	—	NKSPYJ58	4		.325"	.058"	10
543544	—	NKSPYJ63	4		.325"	.063"	10




						
STA325	—	STA325	Speed Tip	.325"	.050"/.058"/.063"	12
STA375	—	STA375	Speed Tip	3/8"	.050"/.058"/.063"	11
STA404	—	STA404	Speed Tip	.404"	.050"/.058"/.063"	10




						
PST325	11851	—	Sprocket Tip (PS)	.325"	.050"/.058"/.063"	12
PST375	11853	—	Sprocket Tip (PS)	3/8"	.050"/.058"/.063"	11
PST404	11855	—	Sprocket Tip (PS)	.404"	.058"/.063"	10





	"	cm	"	mm	"	#
N1-40C	3/8 LP	25	10	1,3	.050	40
N1-44C	3/8 LP	30	12	1,3	.050	44
N1-45C	3/8 LP	30	12	1,3	.050	45
N1-50C	3/8 LP	35	14	1,3	.050	50
N1-52C	3/8 LP	35	14	1,3	.050	52
N1-55C	3/8 LP	40	16	1,3	.050	55
N1-56C	3/8 LP	40	16	1,3	.050	56
N1-57C	3/8 LP	40	16	1,3	.050	57
N1-60C	3/8 LP	45	18	1,3	.050	60





	"	cm	"	mm	"	#
K1-68LC	.325	45	18	1,3	.050	68
K1-72LC	.325	45	18	1,3	.050	72
A1-68LC	3/8	45	18	1,3	.050	68
A1-72LC	3/8	50	20	1,3	.050	72





	"	cm	"	mm	"		#		
10 549768	3/8 LP	30	12	1,3	.050	N1C-BL	45	Safe Tip	12-10-N145-RK
10 549770	3/8 LP	35	14	1,3	.050	N1C-BL	52	Safe Tip	14-10-N152-RK
10 549772	3/8 LP	40	16	1,3	.050	N1C-BL	56	Safe Tip	16-10-N156-RK
10 549774	3/8 LP	45	18	1,3	.050	N1C-BL	62	Safe Tip	16-10-N156-RK
26 549776	3/8 LP	35	14	1,3	.050	N1C-BL	50	Semi-Pro Tip	14-26-N150-PT
26 549778	3/8 LP	35	16	1,3	.050	N1C-BL	55	Semi-Pro Tip	16-26-N155-PT
81 549780	3/8	45	18	1,5	.058	A2EP-GL	68	Semi-Pro Tip	18-81-A268-PT
81 549782	3/8	50	20	1,5	.058	A2EP-GL	72	Semi-Pro Tip	20-81-A272-PT
42 549784	3/8	45	18	1,6	.063	A3EP-GL	66	Semi-Pro Tip	18-42-A366-PT
42 549786	3/8	50	20	1,6	.063	A3EP-GL	72	Semi-Pro Tip	20-42-A372-PT
10W 549788	.325	45	18	1,3	.050	K1C-BL	72	Semi-Pro Tip	18-10W-K172-PT
10W 549790	.325	50	20	1,3	.050	K1C-BL	78	Semi-Pro Tip	20-10W-K178-PT
10W 549792	.325	45	18	1,5	.058	K2C-BL	72	Semi-Pro Tip	18-01W-K272-PT





IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

AEG

KES35

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

KS30, KS35, KS40

14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

KES36

16	40	.325	1,6	.063	67	7		16-42-K367-PT		16-42-063-DT			
----	----	------	-----	------	----	---	--	---------------	--	--------------	--	--	--

18	45	.325	1,6	.063	74	7		18-42-K374-PT		18-42-063-DT			
----	----	------	-----	------	----	---	--	---------------	--	--------------	--	--	--

20	50	.325	1,6	.063	81	7			20-42-K381-SP	20-42-063-DT			
----	----	------	-----	------	----	---	--	--	---------------	--------------	--	--	--

16	40	3/8	1,6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST		
----	----	-----	-----	------	----	---	--	---------------	---------------	--------------	---------------	--	--

18	45	3/8	1,6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST		549784
----	----	-----	-----	------	----	---	--	---------------	---------------	--------------	---------------	--	--------

20	50	3/8	1,6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST	A1-72LC	549786
----	----	-----	-----	------	----	---	--	---------------	---------------	--------------	---------------	---------	--------

AL-KO

25A, 1400E, 1500E, 2000, 2300, E125, E1200, KE4000, KE3500 Vario, KS, KSB,

12	30	3/8 LP	1,3	.050	45	7	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

14	35	3/8 LP	1,3	.050	52	7	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

16	40	3/8 LP	1,3	.050	57	7	16-10-N156-RK	16-10-N157-PT				N1-57C	549772
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

KB5000

18	45	.325	1,3	.050	72	7			18-01W-K172-SP			K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--------	--

ALPINA

352, 382, A-10E, A-14E, Electric, E120, E130, E150, ES182, ES202, KS1400B, KS 1500B

12	30	3/8 LP	1,3	.050	44	7	12-10-N145-RK	12-10-N144-PT				N1-44C	549768
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

14	35	3/8 LP	1,3	.050	52	7	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

16	40	3/8 LP	1,3	.050	57	7	16-10-N156-RK	16-10-N157-PT				N1-57C	549772
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

Elettra 160, Elettra 170, 270, 280, Energy 1,6, Energy 1.8, Sinergy 35, Sinergy 40

12	30	3/8 LP	1,3	.050	44	6	12-26-N144-RK	12-26-N144-PT				N1-44C	
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--

14	35	3/8 LP	1,3	.050	50	6	14-26-N150-RK	14-26-N150-PT				N1-50C	549776
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

16	40	3/8 LP	1,3	.050	55	6	16-26-N155-RK	16-26-N155-PT				N1-55C	549778
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

P360, P361, P370, P390, P33/8 LPQ

14	35	3/8 LP	1,3	.050	50	7	14-26-N150-RK	14-26-N150-PT				N1-50C	549776
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

16	40	3/8 LP	1,3	.050	56	7	16-26-N155-RK	16-26-N155-PT				N1-56C	549778
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

P460, P500, P510, P522, PR0540, PR0600, Prof-41, Prof-45

18	45	.325	1,3	.050	72	7			18-01W-K172-SP			K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--------	--

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
----	----	------	-----	------	----	---	--	--	----------------	--	--	--	--


16	40	.325	1,5	.058	66	7			16-01W-K266-SP				
----	----	------	-----	------	----	---	--	--	----------------	--	--	--	--

18	45	.325	1,5	.058	72	7			18-01W-K272-SP		18-01W-K272-ST	K1-72C	549792
----	----	------	-----	------	----	---	--	--	----------------	--	----------------	--------	--------

600, 600i, P650

18	45	3/8	1,5	.058	68	7					18-01W-A268-ST	A1-68LC	
----	----	-----	-----	------	----	---	--	--	--	--	----------------	---------	--

20	50	3/8	1,5	.058	72	7					20-01W-A272-ST	A1-72LC	
----	----	-----	-----	------	----	---	--	--	--	--	----------------	---------	--



ALPINA

P660, P680, P.700, P750, P.800, Prof-700, Prof-800

18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	A1-72LC	549782

BERNARD

BM225.3, BM230.0, BM230.1, BM236.3, BM441.3, BM441.5

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

BLITZ

B46, B51

13	33	3/8 LP	1,3	.050	56	6			13-01W-K256-SP				
15	38	3/8 LP	1,3	.050	64	6			15-01W-K264-SP				
16	40	3/8 LP	1,3	.050	66	6		16-01W-K266-PT			16-01W-K266-ST		
18	45	3/8 LP	1,3	.050	72	6		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	3/8 LP	1,3	.050	78	6			20-01W-K278-SP		20-01W-K278-ST		

B52, B55, B60, B64, B80, B502, B504, B600, B701, B702, B800

16	40	3/8	1,5	.058	60	7			16-71-A260-SP				
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	

B100, B100F

21	53	.404	1,6	.063	68	7				21-55-063-DT			
----	----	------	-----	------	----	---	--	--	--	--------------	--	--	--

BOSCH


1586.7, 1586.8, AKE30B, AKE30LI, AKE35B, AKE40B, GKE35BC, GKE40BC, PKE25, PKE30B,

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

BULLCRAFT

KS450

18	45	.325	1,3	.050	72	7			18-01W-K172-SP			K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--------	--



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

CASTEL

CS45, CS50

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				
18	45	.325	1,5	.058	72	7			18-01W-K272-SP		18-01W-K272-ST	K1-72C	549792

CS60

18	45	3/8	1,5	.058	68	7					18-01W-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72						20-01W-A272-ST	A1-72LC	

CASTOR

C40, C40E, CP41, CP45

18	45	.325	1,3	.050	72	7			18-01W-K172-SP			K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--------	--

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				
18	45	.325	1,5	.058	72	7			18-01W-K272-SP		18-01W-K272-ST	K1-72C	549792

CP400, CP450, CP460, CP500, CP510, CP540, CP540i, CP550

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				
18	45	.325	1,5	.058	72	7			18-01W-K272-SP		18-01W-K272-ST	K1-72C	549792

CP600, CP600i, CP650

18	45	3/8	1,5	.058	68	7					18-01W-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72	7					20-01W-A272-ST	A1-72LC	

CP-700, CP-750, CP-800

18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	A1-72LC	549782

CUB CADET®

CS33/8 LP6

14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772
18	45	3/8 LP	1,3	.050	62	6	18-10-N162-RK						549774

CC1936, CC2740

14	35	3/8 LP	1,3	.050	52	6	14-01-N152-RK					N1-52C	
16	40	3/8 LP	1,3	.050	56	6	16-01-N156-RK					N1-56C	

CC4051, CS5018, CS5220

18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
----	----	------	-----	------	----	---	--	----------------	--	--	----------------	--------	--

CC4256, CS5720

16	40	3/8	1,5	.058	60	7			16-01W-A260-SP		16-01W-A260-ST		
18	45	3/8	1,5	.058	68	7			18-01W-A268-SP		18-01W-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72	7					20-01W-A272-ST	A1-72LC	



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

DOLMAR

ES6, ES40, ES-152A, ES-162A, ES-172A, PS-33 PS34, PS45, PS-330, PS-340, PS390, PS-401, PS-3300TH, PS3410

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

PS-4605

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
15	38	.325	1,5	.058	64	7			15-01W-K264-SP				
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT					
18	45	.325	1,5	.058	72	7			18-01W-K272-SP			K1-72C	549792
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

112, 113, 114, 116, ES-1800

11	28	.325	1,5	.058	52	7							
13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
15	38	.325	1,5	.058	64	7			15-01W-K264-SP				
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT					
18	45	.325	1,5	.058	72	7			18-01W-K272-SP			K1-72C	549792
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

PS-6400, PS-7300, PS-7900, PS9000, PS9010

15	38	3/8	1,5	.058	56	7			15-81-A256-SP				
16	38	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP				
18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT		A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT		A1-72LC	549782
24	60	3/8	1,5	.058	84	7				24-81-058-DT			
28	70	3/8	1,5	.058	92	7				28-81-058-DT			

DYNAMAC

DY 36

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK	16-10-N157-PT				N1-56C	549772

45


13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

DY 56, DY 62

16	40	3/8	1,5	.058	60	7			16-01W-A260-SP		16-01W-A260-ST		
18	45	3/8	1,5	.058	68	7					18-01W-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72	7					20-01W-A272-ST	A1-72LC	

55 Deluxe

16	40	3/8	1,5	.058	60	7			16-71-A260-SP				
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--



ECHO®

CS-285EVL, CS-290EVL, CS305, CS-320EVL, CS-328, CS-340, CS341, CS-345, CS346, CS351

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

CS-440EVL, CS-440EVLH, CS510, CS3700, CS4100, CS4200

16	40	.325	1,3	.050	66	7			16-10W-K166-SP				
18	45	.325	1,3	.050	72	7			18-10W-K172-SP			K1-72C	549788

CS-360EVL, CS-3600, CS-4200, CS-4400, CS-4600, CS-4610, CS-5000, 5100

13	33	.325	1,5	.058	56	7			13-10W-K256-SP				
16	40	.325	1,5	.058	66	7		16-10W-K266-PT	16-10W-K266-SP				
18	45	.325	1,5	.058	72	7		18-10W-K272-PT	18-10W-K272-SP			K1-72C	

CS-900EVL, CS1001, CS-1100VL, CS-1200, 1201

25	63	.404	1,6	.063	82	7			25-57-063-DT				
25	63	.404	1,6	.063	84	7					25-57-063-DT		

EFCO®

125, 131, 132, 3600, 4000, MT350, MT3500

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK	16-10-N157-PT				N1-56C	549772

142, 146, 147, 151, 152, 156, 162, 165

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP				

170, 171, 180, 181

16	40	3/8	1,5	.058	60	7			16-71-A260-SP				
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	

199

21	53	.404	1,6	.063	68	7			21-55-063-DT				
----	----	------	-----	------	----	---	--	--	--------------	--	--	--	--


EINHELL®

EKS1650, KSE, KSE1435, KSE1635, KSE1640, PES30, PES34, PES35, PES40, PES 1640, PES 1540, Profi

12	30	3/8 LP	1,3	.050	45	7	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	7	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	7	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

PKS45/1AV, PKS50/1AV

11	28	.325	1,5	.058	52	7							
13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		



ELPI

All Models

13	33	.325	1,5	.058	56							13-01W-K256-SP
----	----	------	-----	------	----	--	--	--	--	--	--	----------------

ESPER

SS-300, SS-360

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT					N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT					N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT					N1-57C	549772

FOLUX

F46, F51

13	33	.325	1,5	.058	56	7			13-01W-K256-SP					
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST			
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C		
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST			

Campera 160, F5, F6, F7, F8, F55A, F160, F165, F170A, F180A

16	40	3/8	1,5	.058	60	7			16-71-A260-SP					
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC		
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC		

FRONTIER

FP45

18	45	.325	1,3	.050	72	7			18-01W-K172-SP				K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--	--------	--

GARDEN


GD45, GD50

13	33	.325	1,5	.058	56	7			13-01W-K256-SP					
16	40	.325	1,5	.058	66	7			16-01W-K266-SP					
18	45	.325	1,5	.058	72	7			18-01W-K272-SP		18-01W-K272-ST	K1-72C	549792	

HANDY

40HF

13	33	.325	1,5	.058	56	7			13-01W-K256-SP					
16	40	.325	1,5	.058	66	7		16-01W-K266-PT						
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C		
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST			



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

HITACHI

CS35B, CS280A, CS280B, CS350A, CS350B

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

HOMELITE®

20AV, 23AV, 27, 3300, 3350, 3550, 3800, 3335, 3850, 4500, 4550, CS40, PS33, Ranger, Timberman, UT10901

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK	16-10-N157-PT				N1-56C	549772

3850B, 415b, 4545, 4550b, HSC4040, VI-123, VI-125, XL-76

18	45	.325	1,3	.050	72	8		18-01W-K172-SP				K1-72C	
18	45	.325	1,3	.050	73	8		18-01W-K172-SP					
13	33	.325	1,5	.058	57	7		13-01W-K256-SP					
15	38	.325	1,5	.058	65	7		15-01W-K264-SP					
16	40	.325	1,5	.058	67	7		16-01W-K266-PT				16-01W-K266-ST	
18	45	.325	1,5	.058	73	7		18-01W-K272-PT				18-01W-K272-ST	
20	50	.325	1,5	.058	78	7		20-01W-K278-SP				20-01W-K278-ST	

HUSQVARNA®

23, 36, 41, 136, 137, 141, 142, 243, E16, E316, E317, E321

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK	16-10-N157-PT				N1-56C	549772
18	45	3/8 LP	1,3	.050	62	6	18-10-N162-RK						549774

136, 137, 141, 142, 243, 315, 316, 318, 320, 321, 338, 338XPT, 1400


14	35	3/8 LP	1,3	.050	52	6	14-01-N152-RK	14-01-N152-PT				N1-52C	
16	40	3/8 LP	1,3	.050	56	6	16-01-N156-RK	16-01-N156-PT				N1-56C	

350, 351, 353, 355

13	33	.325	1,5	.058	56	7		13-01W-K256-SP					
15	38	.325	1,5	.058	64	7		15-01W-K264-SP					
16	40	.325	1,5	.058	66	7		16-01W-K266-PT				16-01W-K266-ST	
18	45	.325	1,5	.058	72	7		18-01W-K272-PT				18-01W-K272-ST	K1-72C
20	50	.325	1,5	.058	78	7		20-01W-K278-SP				20-01W-K278-ST	

142, 154, 234, 235, 238, 350, 351, 357, 359, 360, 444, 450, 455, 460, EL1400, EL1500, EL1600

13	33	.325	1,5	.058	56	7		13-01W-K256-SP					
15	38	.325	1,5	.058	64	7		15-01W-K264-SP					
16	40	.325	1,5	.058	66	7		16-01W-K266-PT				16-01W-K266-ST	
18	45	.325	1,5	.058	72	7		18-01W-K272-PT				18-01W-K272-ST	K1-72C
20	50	.325	1,5	.058	78	7		20-01W-K278-SP				20-01W-K278-ST	



HUSQVARNA®

55, 455

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
15	38	.325	1,5	.058	64	7			15-01W-K264-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

15	38	3/8	1,5	.058	56	7			15-01W-A256-SP				
16	40	3/8	1,5	.058	60	7			16-01W-A260-SP		16-01W-A260-ST		
18	45	3/8	1,5	.058	64	7			18-01W-A268-SP				
18	45	3/8	1,5	.058	68	7					18-01W-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72	7					20-01W-A272-ST	A1-72LC	

65, 66, 77, 70, 160, 260, 268, 272, 272, 281, 285, 288, 365, 372, 380, 385, 394, 395, 390, 480, 562XP, 570, 575, 575XP, 576XP, 1100, 2101, 3120

15	38	3/8	1,5	.058	56	7			15-81-A256-SP	15-81-058-DT			
16	40	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST		
18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	A1-72LC	549782
24	60	3/8	1,5	.058	84	7				24-81-058-DT	24-81-A284-ST		
28	70	3/8	1,5	.058	92	7				28-81-058-DT			

395, 3120

15	38	3/8	1,5	.058	56	7			15-81-A256-SP	15-81-058-DT			
16	40	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST		
18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	A1-72LC	549782
24	60	3/8	1,5	.058	84	7				24-81-058-DT	24-81-A284-ST		
28	70	3/8	1,5	.058	92	7				28-81-058-DT			

36	90	.404	1,6	.063	104	7				36-81-063-DT			
----	----	------	-----	------	-----	---	--	--	--	--------------	--	--	--

61, 268, 359

13	33	3/8	1,5	.058	52	8				13-81-058-DT		N1-52C	
----	----	-----	-----	------	----	---	--	--	--	--------------	--	--------	--

40, 42, 45, 49, 51, 55, 242, 242XP, 246, 254, 340, 340E, 345, 346, 350, 351, 435, 435E, 440E, 445, 445E, 450, 450E


18	45	.325	1,3	.050	72	7			18-01W-K172-SP			K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--------	--

16	40	.325	1,5	.058	66	7					16-01W-K266-ST		
18	45	.325	1,5	.058	72	8					18-01W-K272-ST		
18	45	.325	1,5	.058	72	8			18-01W-K272-SP				549792
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				

33, 38, 44, 50, 57, 133, 140, 140S, 154, 234, 238, 240, 346XP, 346XP E-TECH, 346XPG, 353E-TECH, 353G E-TECH, 360, 444

18	45	.325	1,3	.050	72	7			18-01W-K172-SP			K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--------	--

16	40	.325	1,5	.058	66	7					16-01W-K266-ST		
18	45	.325	1,5	.058	72	8					18-01W-K272-ST		
18	45	.325	1,5	.058	72	8			18-01W-K272-SP				549792
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

HYDRASAW

Miles Royston

18	45	3/8	1,5	.058	70	7				18-81-058-DT			
----	----	-----	-----	------	----	---	--	--	--	--------------	--	--	--

IKRA

EKS 1600, EKS1700, EKS1800, KS 1200, KS 1400, KS 1500, KS 1600, KS 2000

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK	16-10-N157-PT				N1-56C	549772
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772
18	45	3/8 LP	1,3	.050	62	6	18-10-N162-RK						549774

INKAR

All Models

15	38	.325	1,5	.058	64					15-01W-K264-SP			
----	----	------	-----	------	----	--	--	--	--	----------------	--	--	--

IRCEM

I2000F

18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	

JCB HYDROCHIEF

All Models

21	53	3/8	1,6	.063	75	7				21-55-063-DT			
25	63	3/8	1,6	.063	83	7				25-57-063-DT			
21	53	.404	1,6	.063	68	7				21-55-063-DT			
25	63	.404	1,6	.063	80	7				25-57-063-DT			

JOBU

SL-3, SL31, SL35

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK					N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK					N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

949, EL14

13	33	.325	1,5	.058	56	8			13-01W-K256-SP				
18	45	.325	1,5	.058	72	8		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	8			20-01W-K278-SP		20-01W-K278-ST		
15	38	3/8	1,5	.058	56	7			15-01W-A256-SP				



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

JOHN DEERE

25EV, 28, 28V, 30, 30V, 35EV, 40V, 200CS, 230CS, CCS36, CS36LE, CS40, CS40LE, CS40V

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

CS46, CS52, CS56, CS62

18	45	.325	1,3	.050	72	7			18-01W-K172-SP			K1-72C	
----	----	------	-----	------	----	---	--	--	----------------	--	--	--------	--

45EV, 46EV, 300CS, 450V

16	40	.325	1,3	.050	66	7			16-10W-K166-SP				
18	45	.325	1,3	.050	72	7			18-10W-K172-SP			K1-72C	549788

JONSERED®

2033 TH

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

2116, 2115, 2135, 2121, 2117, 2137, 2138, 2139

14	35	3/8 LP	1,3	.050	52	6	14-01-N152-RK	14-01-N152-PT				N1-52C	
16	40	3/8 LP	1,3	.050	56	6	16-01-N156-RK	16-01-N156-PT				N1-56C	

51, 370, 380, 410, 420, 525, 535, 590, 2012, 2014, 2015, 2016, 2036, 2040, 2041, 2045, 2141, 2145, 2149, 2150, 2152, 2153, 2156, 2163, 2255

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
15	38	.325	1,5	.058	64	7			15-01W-K264-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

2063, 2159, 2163

15	38	3/8	1,5	.058	56	7			15-01W-A256-SP				
16	40	3/8	1,5	.058	60	7			16-01W-A260-SP		16-01W-A260-ST		
18	45	3/8	1,5	.058	64	7			18-01W-A268-SP		18-01W-A268-ST		

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
15	38	.325	1,5	.058	64	7			15-01W-K264-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		


670, 670 Champ, 2077, 2083, 2094, 2095, 2165, 2186, 820/830* 920/930* (*with 9mm stud)

15	38	3/8	1,5	.058	56	7			15-81-A256-SP	15-81-058-DT			
16	40	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST		
18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	A1-72LC	549782
24	60	3/8	1,5	.058	84	7				24-81-058-DT	24-81-A284-ST		
28	70	3/8	1,5	.058	92	7				28-81-058-DT			

36	90	.404	1,6	.063	104	7				36-81-063-DT			
----	----	------	-----	------	-----	---	--	--	--	--------------	--	--	--

60, 62, 66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 621, 751, 801, 820, 830

16	40	3/8	1,5	.058	60	7			16-71-A260-SP				
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

KING CRAFT

All Models

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772
18	45	3/8 LP	1,3	.050	62	6	18-10-N162-RK						549774

LOGOSOL E3000/E5000

MS361, MS660

16	40	3/8	1,6	.063	60			16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST		
18	45	3/8	1,6	.063	66			18-42-A366-PT	18-42-A366-SP	16-42-063-DT	16-42-A360-ST		549784
20	50	3/8	1,6	.063	72			20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST		549786
24	60	3/8	1,6	.063	84					24-42-063-DT	24-42-A384-ST		

MAFELL

BS300

16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--------

MAKITA®

5012, 5014, 5016, BUC250RDE, BUC122RFE, DCS330S, DCS340, DCS341, DCS350, DCS390, DCS401, DCS3501, DCS4610, UC3000, UC3500, UC3501, UC3520A, UC3530AK, UC4000, UC4030AK

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK					N1-56C	549772
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

45, DCS431, DCS4300I, DCS5200I, DCS4300I

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
15	38	.325	1,5	.058	64	7			15-01W-K264-SP				
16	40	.325	1,5	.058	66	7			16-01W-K266-SP				
18	45	.325	1,5	.058	72	7			18-01W-K272-SP			K1-72C	549792
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

DCS-6400, DCS6401, DCS-7300, DCS7301, DCS-7900, DCS9000, DCS9010, DCS79001

16	38	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP				
18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT		A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT		A1-72LC	549782
24	60	3/8	1,5	.058	84	7				24-81-058-DT			
28	70	3/8	1,5	.058	92	7				28-81-058-DT			



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

McCULLOCH®

14A/S, 330, 335, 340, 435, 440, 441, 474, 484, 735, 738, 838, 839, 1035, 1900E, 2200E, C180, California/Arizona, California 90, Eager Beaver, Electra Mac16E, Electramac 312, 314, 316, 330, 335, 340, 414, 416, 441, Electramac 1030, EM16, Mac120, Mac 335, Mac 542e, Mac 545e (intenz), Mac 5Evolution (intenz), MacCat 436, MS1215, MS1415, MS1425, MS1435, MS1630, MS1635AV, MS1640, MS1645, MS1834N, MS1845J PM320, PM360, PM364, PM394, PM494

12	30	3/8 LP	1,3	.050	44	6	12-29-N144-RK					N1-44C	
12	30	3/8 LP	1,3	.050	45	6	12-29-N144-RK					N1-45C	
14	35	3/8 LP	1,3	.050	49	6	14-29-N149-RK						
14	35	3/8 LP	1,3	.050	50	6	14-29-N149-RK					N1-50C	
16	40	3/8 LP	1,3	.050	54	6	16-29-N154-RK						
16	40	3/8 LP	1,3	.050	55	6	16-29-N154-RK					N1-55C	
16	40	3/8 LP	1,3	.050	56	6	16-29-N154-RK					N1-56C	

10-49, 10-42, 4600, 4700, 4900, 5000

18	45	.325	1,3	.050	72	7		18-01W-K172-SP				K1-72C	
----	----	------	-----	------	----	---	--	----------------	--	--	--	--------	--

ProMac 51, ProMac 54, ProMac 55, ProMac 60, Pro Mac 61, ProMac 70, ProMac 72

16	40	3/8	1,5	.058	60	7		16-71-A260-SP					
18	45	3/8	1,5	.058	68			18-71-A268-SP				A1-68LC	
20	50	3/8	1,5	.058	72			20-71-A272-SP				A1-72LC	

EB428, MS1215, MS1415, MS1425, MS 1434, MS1435, MS 1436, MS1630, MS1635AV, MS 1636, MS 1639NAVCC, MS1640, MS1645, MS1834N, MS 1839 MS1845J

14	35	3/8 LP	1,3	.050	52	6	14-01-N152-RK					N1-52C	
16	40	3/8 LP	1,3	.050	56	6	16-01-N156-RK					N1-56C	

EB 356a, EB 358a, MCC1435A, MCC1635A, MCC1840B, MS 354a, MXC1840D, MXC1840DK

14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK	16-10-N157-PT				N1-56C	549772

METABO®

Kt 1441

16	35	3/8 LP	1,3	.050	57	6	16-01-N156-RK	16-01-N156-PT				N1-57C	
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	--------	--

Kt 1530


13	33	.325	1,5	.058	56	8		13-01W-K256-SP					
15	38	.325	1,5	.058	64	8		15-01W-K264-SP					

5338

12	30	3/8 LP	1,3	.050	44	6	12-26-N144-RK	12-26-N144-PT				N1-44C	
14	35	3/8 LP	1,3	.050	50	6	14-26-N150-RK	14-26-N150-PT				N1-50C	549776
16	40	3/8 LP	1,3	.050	55	6	16-26-N155-RK	16-26-N155-PT				N1-55C	549778

1440

16	40	3/8 LP	1,3	.050	58	6							
----	----	--------	-----	------	----	---	--	--	--	--	--	--	--



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

MONDIAL

V5, V6, V6Super

13	33	.325	1,5	.058	56	8			13-01W-K256-SP				
16	40	.325	1,5	.058	66	8		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	8		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	8			20-01W-K278-SP		20-01W-K278-ST		

NAUTAC

244, 246, 252

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-A260-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

149, 155, 170, 256, 256I

16	40	3/8	1,5	.058	60	7			16-71-A260-SP				
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	

OLEO-MAC® (OLYMPYK)

931, 932, GS35, GS350

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	53	6	14-10-N152-RK	14-10-N152-PT					549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

OM-E200

12	30	3/8 LP	1,3	.050	45	6	12-26-N144-RK	12-26-N144-PT				N1-45C	
14	35	3/8 LP	1,3	.050	50	6	14-26-N150-RK	14-26-N150-PT				N1-50C	549776
16	40	3/8 LP	1,3	.050	56	6	16-26-N155-RK	16-26-N155-PT				N1-56C	549778

240

12	30	3/8 LP	1,3	.050	45	6	12-26-N144-RK	12-26-N144-PT				N1-45C	
14	35	3/8 LP	1,3	.050	50	6	14-26-N150-RK	14-26-N150-PT				N1-50C	549776
16	40	3/8 LP	1,3	.050	56	6	16-26-N155-RK	16-26-N155-PT				N1-56C	549778

945, 950, 946, 947, 950Super, 956, 962, E300 F

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

956, 962


16	40	3/8	1,5	.058	60	7			16-01W-A260-SP		16-01W-A260-ST		
18	45	3/8	1,5	.058	68	7					18-01W-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72	7					20-01W-A272-ST	A1-72LC	

13 33 .325 1,5 .058 56 7 13-01W-K256-SP

16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

985, 999, 999F

21	53	.404	1,6	.063	68	7				21-55-063-DT			
----	----	------	-----	------	----	---	--	--	--	--------------	--	--	--



OPEM

130Z, 140Z, 142Z

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

K1, K2, K2Super, K3

13	33	.325	1,5	.058	56	8			13-01W-K256-SP				
16	40	.325	1,5	.058	66	8		16-01W-K266-PT			18-01W-K272-ST		
18	45	.325	1,5	.058	72	8		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	8			20-01W-K278-SP		20-01W-K278-ST		

K3

18	45	3/8	1,5	.058	64	7		18-01W-A268-SP					
18	45	3/8	1,5	.058	68	7					18-01W-A268-ST	A1-68LC	

PARMA

All Models

16	40	3/8	1,5	.058	62			16-81-A260-PT	16-81-A260-SP				
----	----	-----	-----	------	----	--	--	---------------	---------------	--	--	--	--

PARTNER (ITALY)

33/8 LP, 352, 371, 538E, 542E, 1540, 1640, 1835, 1840, P351, P1535

12	30	3/8 LP	1,3	.050	45	6	12-29-N144-RK			12-29-N144-RK		N1-45C	
14	35	3/8 LP	1,3	.050	50	6	14-29-N149-RK			14-29-N149-RK		N1-50C	
16	40	3/8 LP	1,3	.050	56	6	16-29-N154-RK			16-29-N154-RK		N1-56C	

PARTNER

1535EL, 1540EL

14	35	3/8 LP	1,3	.050	50	6	14-29-N149-RK			14-29-N149-RK		N1-50C	
16	40	3/8 LP	1,3	.050	54	6	16-29-N154-RK			16-29-N154-RK			

330, 335, 340, 345, 350, 351, 360, 365, 370, 385, 395, P 390, P 420

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK			12-10-N145-RK		N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK			14-10-N152-RK		N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK			16-10-N156-RK		N1-56C	549772
18	45	3/8 LP	1,3	.050	62	6	18-10-N162-RK			18-10-N162-RK			549774

185, 1550


14	35	3/8 LP	1,3	.050	52	6	14-01-N152-RK			14-01-N152-RK		N1-52C	
----	----	--------	-----	------	----	---	---------------	--	--	---------------	--	--------	--

410, 460, 510, 1200EL, 1400EL, 1450

16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7					20-01W-K278-ST		

660, 710, P7700

16	40	3/8	1,5	.058	60	7		16-81-A260-PT			16-81-058-DT	16-81-A260-ST		
18	45	3/8	1,5	.058	68	7		18-81-A268-PT			18-81-058-DT	18-81-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72	7		20-81-A272-PT			20-81-058-DT	20-81-A272-ST	A1-72LC	
24	60	3/8	1,5	.058	84	7					24-81-058-DT	24-81-A284-ST		
28	70	3/8	1,5	.058	92	7					28-81-058-DT			



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

PIONEER

1072, 1073, 1074, P28, P28S

13	33	.325	1,5	.058	56	8			13-01W-K256-SP				
15	38	.325	1,5	.058	64	8			15-01W-K264-SP				
16	40	.325	1,5	.058	66	8		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	8		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	8			20-01W-K278-SP		20-01W-K278-ST		

POULAN® / POULAN PRO®

25A, 1420, 1630, 1800, 2000, 2300AV, 2300CVA, ES350, Micro25, P600, P3314, P3314WS, P3416, P4018WT, PLN1514, PLN3516F, S25CVA, S25D, S25DA

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

415, 425, 445, 475, 505

15	38	3/8	1,5	.058	56	7			15-81-A256-SP	15-81-058-DT			
16	40	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST		
18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	A1-72LC	549782
24	60	3/8	1,5	.058	84	7				24-81-058-DT	24-81-A284-ST		
28	70	3/8	1,5	.058	92	7				28-81-058-DT			

PREC

300

14	35	3/8	1,3	.050	52		14-29-N149-RK						
----	----	-----	-----	------	----	--	---------------	--	--	--	--	--	--

RELEX

R51AVB, R61AVB

16	40	3/8	1,5	.058	60	7			16-71-A260-SP				
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	

RYOBI®

PCN 3335 APR02


12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

PCN 4040

16	40	3/8 LP	1,3	.050	66	6			16-10W-K166-SP				
18	45	3/8 LP	1,3	.050	72	6			18-10W-K172-SP				549788

CSE5145, CSE5650

18	45	.325	1,5	.058	72	7		18-10W-K272-PT	18-10W-K272-SP			K1-72C	
----	----	------	-----	------	----	---	--	----------------	----------------	--	--	--------	--



SHINDAIWA / SDK / ISEKI

120, 140, 150E, 160, A090B, A100C, A102, A103, A104P, A105B, A107, A110, A110P, A113, A113L, A113P, A117P, A150B, A180

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

416, 420, 446S, 450, 451, 488, 490, 500, 510, 560, 580, A180B

16	40	.325	1,3	.050	66	7		16-10W-K166-SP					
18	45	.325	1,3	.050	72	7		18-10W-K172-SP				K1-72C	549788

YB63/8 LP, YB377, YB495

13	33	.325	1,5	.058	56	7		13-10W-K256-SP					
16	40	.325	1,5	.058	66	7		16-10W-K266-PT	16-10W-K266-SP				
18	45	.325	1,5	.058	72	7		18-10W-K272-PT	18-10W-K272-SP			K1-72C	

550, 575, 577, 680, 695, 757, 757C, YB103/8 LP

16	40	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST		
18	45	3/8	1,5	.058	68	7				18-81-058-DT	18-81-A268-ST	A1-68LC	
20	50	3/8	1,5	.058	72	7				20-81-058-DT	20-81-A272-ST	A1-72LC	

SHINGU

SP3200T, SP3200, SP3400

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772


SP4000

16	40	.325	1,3	.050	66	7		16-10W-K166-SP					
18	45	.325	1,3	.050	72	7		18-10W-K172-SP				K1-72C	549788

SKIL®

1620U, 1634U, 1636U

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

SOLO®

613

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

614, 630, 633, 635, 636, 637, 640, 642

14	35	3/8 LP	1,3	.050	52	6	14-01-N152-RK	14-01-N152-PT				N1-52C	
16	40	3/8 LP	1,3	.050	56	6	16-01-N156-RK	16-01-N156-PT				N1-56C	

639, 641, 644, 650, 645, 647, 651, 654

13	33	.325	1,5	.058	57	7		13-01W-K256-SP					
16	40	.325	1,5	.058	67	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	73	7		18-01W-K272-PT			18-01W-K272-ST		

690, 694

15	38	3/8	1,5	.058	56	7		15-81-A256-SP	15-81-058-DT				
16	40	3/8	1,5	.058	60	7		16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST		
18	45	3/8	1,5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	A1-68LC	549780
20	50	3/8	1,5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	A1-72LC	549782
24	60	3/8	1,5	.058	84	7				24-81-058-DT	24-81-A284-ST		
28	70	3/8	1,5	.058	92	7				28-81-058-DT			

STANLEY®

CS04, CS07, CS23

14	35	3/8 LP	1,3	.050	52	8	14-10-N152-RK					N1-52C	549770
----	----	--------	-----	------	----	---	---------------	--	--	--	--	--------	--------

CS05, CS06

15	38	.325	1,5	.058	64	7		15-01W-K264-SP					
----	----	------	-----	------	----	---	--	----------------	--	--	--	--	--

STEINMAX


G320AVS, G380AVS

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770

STIGA®

SP460, SP510

13	33	.325	1,5	.058	56	7		13-01W-K256-SP					
16	40	.325	1,5	.058	66	7		16-01W-K266-SP					
18	45	.325	1,5	.058	72	7		18-01W-K272-SP		18-01W-K272-ST	K1-72C	549792	



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

STIHL®

009, 010, 011, 018, 019, 019T, 020, 020T, 021, 023, 025, E10, E14, E160, E180, MSE200, MS13/8 LP, MS180, MS200T, MS241

12	30	3/8 LP	1,3	.050	44	6	12-26-N144-RK	12-26-N144-PT				N1-44C	
14	35	3/8 LP	1,3	.050	50	6	14-26-N150-RK	14-26-N150-PT				N1-50C	549776
16	40	3/8 LP	1,3	.050	55	6	16-26-N155-RK	16-26-N155-PT				N1-55C	549778

012, 25, MS230, MS231 MS250, MS251

16	40	.325	1,6	.063	62	7			16-26-K362-SP				
18	45	.325	1,6	.063	68	7			18-26-K368-SP			K1-68LC	

MS36E, MS200, MS280, MS290, MS360, MS361, MS390

16	40	.325	1,6	.063	67	7		16-42-K367-PT		16-42-063-DT			
18	45	.325	1,6	.063	74	7		18-42-K374-PT		18-42-063-DT			
20	50	.325	1,6	.063	81	7			20-42-K381-SP	20-42-063-DT			

044, 045, 046, 048, 056, 064, 066, E15, E20, E220, MS290, MS310, MS311, MS390, MS200, MS220, MS340, MS341, MS360, MS361, MS362, MS440, MS441, MS460

16	40	3/8	1,6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST		
18	45	3/8	1,6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST		549784
20	50	3/8	1,6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST	A1-72LC	549786
22	55	3/8	1,6	.063	7	7					22-42-A376-ST		
24	60	3/8	1,6	.063	84	7				24-42-063-DT	24-42-A384-ST		

070, 084, 088, 090, E30, MS880


21	53	.404	1,6	.063	68	7				21-55-063-DT			
25	63	.404	1,6	.063	84	7				25-57-063-DT			
30	75	.404	1,6	.063	92	7				30-57-063-DT			
36	90	.404	1,6	.063	104	7				36-57-063-DT			

038, 038 Super Magnum, 041, 042, 044, 044 Magnum, 045, 046, 046 Magnum, 056, 056 Super, 064, 066, 066 Magnum, MS 440, MS 440 Magnum, MS 441, MS 441 C, MS 460, MS 460 Magnum, MS 650, MS 660, MS 660 Magnum

16	40	3/8	1,3	.050	60	8			16-42-A160-SP		16-42-A160-ST		
18	45	3/8	1,3	.050	66	8			18-42-A166-SP		18-42-A166-ST		
20	50	3/8	1,3	.050	72	8			20-42-A172-SP		20-42-A172-ST	A1-72LC	
24	60	3/8	1,3	.050	84	7					24-42-A184-ST		

16	40	.325	1,5	.063	60	8			16-42-A360-SP				
18	45	.325	1,6	.063	66	8			18-42-A366-SP				

16	40	3/8	1,5	.063	60	8				16-42-063-DT			
16	40	3/8	1,6	.063	60	8					16-42-A360-ST		
18	45	3/8	1,6	.063	66	8					18-42-A366-ST		
18	45	3/8	1,5	.063	66	8				18-42-063-DT			
20	50	3/8	1,5	.063	72	8				20-42-063-DT			
20	50	3/8	1,6	.063	72	8			20-42-A372-SP		20-42-A372-ST		549786
22	55	3/8	1,6	.063	77	8					22-42-A376-ST		
24	60	3/8	1,6	.063	84	7					24-42-A384-ST		
24	60	3/8	1,5	.063	84	7				24-42-063-DT			



IN	CM	CHAIN	MM	IN	DL	ST	RK	PT	SP	DT	ST		
----	----	-------	----	----	----	----	----	----	----	----	----	--	--

TALON

AC2108, AC2109, AC2101, AC2105, AC2111, AC3100

12	30	3/8 LP	1,3	.050	45	6	12-29-N144-RK					N1-45C	
14	35	3/8 LP	1,3	.050	49	6	14-29-N149-RK						
16	40	3/8 LP	1,3	.050	55	6	16-29-N154-RK					N1-55C	

AC3100

14	35	3/8 LP	1,3	.050	52	6	14-01-N152-RK	14-01-N152-PT				N1-52C	
16	40	3/8 LP	1,3	.050	56	6	16-01-N156-RK	16-01-N156-PT				N1-56C	

TAS TANAKA®

290, 300, ECS320, ECS330, ECS360, ECS 3301, ECS3351, ECS3500

12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	57	6	16-10-N156-RK	16-10-N157-PT				N1-57C	549772

ECS4000, ECV-4501

13	33	.325	1,5	.058	56	7			13-10W-K256-SP				
16	40	.325	1,5	.058	66	7		16-10W-K266-PT	16-10W-K266-SP				
18	45	.325	1,5	.058	72	7		18-10W-K272-PT	18-10W-K272-SP			K1-72C	

TOPSO

E700AV, E710AVB

18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	


VAP

14F, 68F, 542

13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		

49, 50E, 55, 65F, 69E, 70, 72F, 549, 553, 553S, 555, 570

16	40	3/8	1,5	.058	60	7			16-71-A260-SP				
18	45	3/8	1,5	.058	68	7			18-71-A268-SP			A1-68LC	
20	50	3/8	1,5	.058	72	7			20-71-A272-SP			A1-72LC	



ZENOAH®

G300T, G310TS, G320 AVS, G3800AVS-14, G3800AVS-16



12	30	3/8 LP	1,3	.050	45	6	12-10-N145-RK	12-10-N144-PT				N1-45C	549768
14	35	3/8 LP	1,3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52C	549770
16	40	3/8 LP	1,3	.050	56	6	16-10-N156-RK	16-10-N157-PT				N1-56C	549772

G380AVS


13	33	.325	1,5	.058	56	7			13-10W-K256-SP				
16	40	.325	1,5	.058	66	7		16-10W-K266-PT	16-10W-K266-SP				



G410AVS, G415AVS, G455AVS, G500AVS


13	33	.325	1,5	.058	56	7			13-01W-K256-SP				
15	38	.325	1,5	.058	64	7			15-01W-K264-SP				
16	40	.325	1,5	.058	66	7		16-01W-K266-PT			16-01W-K266-ST		
18	45	.325	1,5	.058	72	7		18-01W-K272-PT			18-01W-K272-ST	K1-72C	
20	50	.325	1,5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST		





	01, 01W
	CJL
01: Cub Cadet® Husqvarna®, Jonsered®, McCulloch®, Metabo®, Partner, Solo®, Talon 01W: Al-ko, Alpina, Blitz, Bullcraft, Castel, Castor, Cub Cadet®, Dolmar, Dynamac, Efco®, Einhell®, Elpi, Folux, Frontier, Garden, Handy, Homelite®, Husqvarna®, Inkar, Jobu, John Deere, Jonsered®, Makita®, McCulloch®, Metabo, Mondial, Nautac, Oleo-Mac® (Olympyk), Opem, Partner, Pioneer, Solo®, Stanley®, Stiga®, Vap, Zenoah®	


	10, 10W
	PKU
	
10: AEG, Al-ko, Bernard, Bosch, Cub Cadet®, Dolmar, Dynamac, Echo®, Efco®, Einhell®, Esper, Hitachi, Homelite®, Husqvarna®, Ikra, Jobu, John Deere, Jonsered®, King Craft, Mafell, Makita®, McCulloch®, Oleo-Mac® (Olympyk), Opem, Partner, Poulan®, Ryobi®, Shindaiwa/SDK/Iseki, Shingu, Skil®, Solo®, Stanley®, Steinmax, Tas Tanaka®, Zenoah® 10W: Echo®, John Deere, Ryobi®, Shindaiwa/SDK/Iseki, Shingu, Tas Tanaka®, Zenoah®	






	26
	ST
	
Alpina, Metabo®, Oleo-Mac® (Olympyk), Stihl®	





	29
	MC
	
McCulloch®, Partner (Italy), Partner, Prec, Talon	





	42
	40
	
AEG, Husqvarna®, Logosol, Stihl®	




	71
	JR/ WJR
	
Blitz, Dynamac, Folux, Ircem, Jonsered®, McCulloch®, Nautac, Relex, Topso, Vap	




	81
	EM/HP HS/HU
	
Alpina, Castor, Dolmar, Husqvarna®, Hydrasaw, Jonsered®, Makita®, Parma, Partner, Poulan®, Shindaiwa/SDK/Iseki, Solo®	







CARLTON	01W
WINDSOR	CJL
01W: Al-ko, Alpina, Blitz, Bullcraft, Castel, Castor, Cub Cadet®, Dolmar, Dynamac, Efco®, Einhell®, Elpi, Folux, Frontier, Garden, Handy, Homelite®, Husqvarna®, Inkar, Jobu, John Deere, Jonsered®, Makita®, McCulloch®, Metabo, Mondial, Nautac, Oleo-Mac® (Olympyk), Opem, Partner, Pioneer, Solo®, Stanley®, Stiga®, Vap, Zenoah®	





CARLTON	42
WINDSOR	40
AEG, Husqvarna®, Logosol, Stihl®	


	55
	07
	
Blitz, Efco®, Husqvarna®, JCB Hydrochief, Oleo-Mac® (Olympyk), Stihl®	






	57
	WZ
	
Echo®, JCB Hydrochief, Stihl®	








	81
	EM/ HU
	
Alpina, Castor, Dolmar, Husqvarna®, Hydrasaw, Jonsered®, Makita®, Parma, Partner, Poulan®, Shindaiwa/SDK/Iseki, Solo®	



.325"	7	Small 7	SR7-11892	04-3272
.325"	8	Small 7	SR8-11891	04-3282
3/8"	7	Small 7	SR7-18720	04-3772
3/8"	7	Standard 7	SR7-68210	04-3771
3/8"	8	Standard 7	SR8-22273	04-3781
.404"	7	Standard 7	SR7-22270	04-4071



N = 3/8" LP	K = .325"	A = 3/8"	B = .404"
-------------	-----------	----------	-----------



ALLIS CHALMERS DAYTON

195, 295

3/8 7 STD 7 SR7-68210

ALPINA CASTOR

A40E, Prof41, Prof45

.325 7 SMALL 7 SR7-11892

BERNARD

BM651.3

3/8 7 STD 7 SR7-68210

CUB CADET®

CS5018, CS5220

.325 7 SMALL 7 SR7-11892

DANARM

55, 55 Auto, Frontier 5R

3/8 7 STD 7 SR7-68210

DAYTON

2Z462, 2Z463, 2Z971, 4Z251, 4Z252, 4Z397, 7Z627

3/8 7 STD 7 SR7-68210

DOLMAR

109, 110, 111

.325 7 SMALL 7 SR7-11892

.325 8 SMALL 7 SR8-11891

3/8 7 SMALL 7 SR7-18720

112, 113, 114, 116, 116Si, 117, 119, 120, 120 Super, 120Si, PS-6000i, PS-6800i, PS9000, PS9010, PS9010FL

3/8 7 STD 7 SR7-68210

115

.325 8 SMALL 7 SR8-11891

3/8 7 SMALL 7 SR7-18720

115i

.325 7 SMALL 7 SR7-11892

115iH


3/8 7 SMALL 7 SR7-18720

122, 123, 133, 143, CA

.3/8 8 STD 7 SR8-22273

152, 153, 166

.404 7 STD 7 SR7-22270



ECHO®

CS-400, CS-400EVL, CS-440, CS-440EVL, CS-510, CS-3600, CS-3900, CS-4400, CS-4510, CS-5100

	.325	7	SMALL 7	SR7-11892			
	3/8	7	SMALL 7	SR7-18720			

CS-4000, CS-4500, CS-4600, CS-5000, CS-5500

	.325	7	SMALL 7	SR7-11892			
	3/8	7	SMALL 7	SR7-18720			

CS-451, CS-451VL, CS-452, CS-452VL, CS-500, CS-500VL, CS-510EVL, CS-550, CS-550EVL, CS-610EVL, CS-610T

	3/8	7	SMALL 7	SR7-18720			
	3/8	7	STD 7	SR7-68210			

CS-60, CS-602, CS-602VL, CS-605, CS-60S, CS-650, CS-650EVL, CS-660, CS-660EVL, CS-702, CS-702VL, CS-750, CS-750VL

	3/8	7	STD 7	SR7-68210			
	.404	7	STD 7	SR7-22270			

CS-900EVL, CS-1001

HOMELITE®

150, 150 AO, 330, 350, 350HG, 350SL, 35SL, 360, 410, 450, 550, EZ, EZ 250 AO, EZ Auto, EZ250, SEZ AO, Super XL, Super XL-AO, Super XL925, SuperXLMini, SXL Mini AO, SXL925, VI-123, VI-125, VI-944, VI-955, VI955, XL, XL 101

	3/8	7	STD 7	SR7-68210			
	.325	7	SMALL 7	SR7-11892			

240, 240SL, 245SL

	.325	7	SMALL 7	SR7-11892			
	3/8	7	SMALL 7	SR7-18720			

245 (After #XE339)

	.325	7	SMALL 7	SR7-11892			
	3/8	7	SMALL 7	SR7-18720			

245 (Before #XE339)

HUSQVARNA®

181, 185, 281, 285, 288, 298, 394, 394XP, 395, 395XP, 1100, 2100, 2101, 2101XP

	3/8	7	STD 7	SR7-68210			
	3/8	7	STD 7	SR7-22270	6-28094X		21276
	.404	7	STD 7	SR7-22270			

39, 42, 44, 133, 140, 141, 142, 234, 238, 240, 242, 242XP, 246, 444

	.325	7	SMALL 7	SR7-11892			
	.325	7			5-106656X		37325

33, 34, 35, 36, 37, 38, 41, 136

	.325	7			5-106656X		37325
	.325	7	SMALL 7	SR7-11892			

50, 51, 55, 55 Rancher, 154, 254, 254XP, 262

	.325	7	SMALL 7	SR7-11892			
	.325	7	SMALL 7	SR7-11892	6-29175X		11893
	.325	8	SMALL 7	SR8-11891			
	3/8	7	SMALL 7	SR7-18720			
	3/8	7	STD 7	SR7-68210			

160, 163, 180, 260, 263, 280, 355, 357XP, 359, 362, 372, 372XP, 380, 480, 570, 575, 575XP, L-65


	3/8	7	STD 7	SR7-68210			
	3/8	7	STD 7	SR7-68210	6-102469		11999

162

	3/8	7	STD 7	SR7-68210	6-102469		11999
	.325	7	SMALL 7	SR7-11892			

257, 262XP

	.325	7	SMALL 7	SR7-11892			
	.325	8	SMALL 7	SR8-11891			
	3/8	7	STD 7	SR7-68210			
	3/8	7	SMALL 7	SR7-18720			



HUSQVARNA®

61, 266, 268, 272

3/8 7 STD 7 SR7-68210 6-102469 5-32057 11999

340, 445, 445E, 450, 450E, 2141

.325 7 5-108308X 11893

346, 346XP, 351, 353

.325 7 SMALL 7 SR7-11892 6-108215X 11893

357, 560XP

.325 7 SMALL 7 SR7-11892 6-108215X 11893

3/8 7 STD 7 SR7-68210

365, 371

3/8 7 STD 7 SR7-68210 6-105772X 37501

77, 385, 3120

3/8 7 STD 7 SR7-68210

.404 7 STD 7 SR7-22270

40, 45, 49

.325 7 SMALL 7 SR7-11892 6-35641X 11893

455, 455 Rancher, 460, 460 Rancher

.325 7 SMALL 7 SR7-11892

3/8 7 SMALL 7 SR7-18720

66

3/8 7 STD 7 SR7-68210 6-102469 11999

345

.325 7 SMALL 7 SR7-11892 6-108215X 5-108308X 11893

3/8 7 STD 7 SR7-68210

350

.325 7 5-108308X 11893

3/8 7 STD 7 SR7-68210

Jungle 2100

.404 7 STD 7 SR7-22270

JOBU

949, LF50, LF50B, LP4, LP5, LP6, LP40

.325 8 SMALL 7 SR8-11891

JOHN DEERE

28, 30, 35 & 35EV, 40V, 50V, 55EV, 55V, 7600, CS40LE

3/8 7 SMALL 7 SR7-18720

45EV

.325 7 SMALL 7 SR7-11892

3/8 7 SMALL 7 SR7-18720

60V, 63EV, 65EV

3/8 7 STD 7 SR7-68210


CS46, CS52, CS56, CS62

.325 7 SMALL 7 SR7-11892

C556, C562

.325 7 SMALL 7 SR7-11892

3/8 7 STD 7 SR7-68210



JONSERED®

1020, 2065, 2071, 2077, 2083, 2094, 2095

3/8 7 STD 7 SR7-68210

2035, 2036, 2040

.325 7 SMALL 7 SR7-11892 6-41726X 5-106656X 37325

2041, 2045, 2050, 2063

.325 7 SMALL 7 SR7-11892 6-35641X 11893

450, 455, 510, 520, 525, 535, 2051, 2054, 2055

.325 7 SMALL 7 SR7-11892

.325 8 SMALL 7 SR8-11891

3/8 7 SMALL 7 SR7-18720

2145, 2149, 2159

.325 7 SMALL 7 SR7-11892 6-108215X 5-108308X 11893

3/8 7 STD 7 SR7-68210

410, 420, 425, 435

.325 7 SMALL 7 SR7-11892

45, 49, 50, 51, 52, 451, 521

.325 8 SMALL 7 SR8-11891

3/8 7 SMALL 7 SR7-18720

490, 590

.325 7 SMALL 7 SR7-11892 6-29175X 11893

.325 8 SMALL 7 SR8-11891

3/8 7 STD 7 SR7-68210

625, 630, 630 Super, 630 West Coast, 670

3/8 7 STD 7 SR7-68210 6-102469 5-32057 11999

820, 830, 910, 920, 930

3/8 8 STD 7 SR8-22273

CS 2245, CS 2250, CS 2250S

.325 7 5-108308X 11893

2141, 2150, 2151, 2152

.325 7 SMALL 7 SR7-11892 6-108215X 11893

3/8 7 STD 7 SR7-68210

2165

3/8 7 STD 7 SR7-68210 6-105772X 37501

49SP

.325 8 SMALL 7 SR8-11891

52E

3/8 7 SMALL 7 SR7-18720

910E

3/8 7 STD 7 SR7-68210

3/8 8 STD 7 SR8-22273

MAKITA®

DCS430, DCS520i, DCS4300

.325 8 SMALL 7 SR8-11891

3/8 7 SMALL 7 SR7-18720

DCS5200i


.325 7 SMALL 7 SR7-11892

DCS6000i, DCS6800i, DCS9000, DCS9010

3/8 7 STD 7 SR7-68210

DCS2501, DCS4300i

.325 8 SMALL 7 SR8-11891



McCULLOCH®

1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 7-10, 8-10, 9-10, 10-10, 155, 165, 355, 375, 515, 605, 610, 650, 655, 700, 805, 850, 855, CP55, CP70, PM10-10, PM60, PM155, PM165, PM570, PM610, PM650, PM700, PM850, Pro Mac 55, Pro Mac 60, SP55, SP60, SP61, SP70

3/8	7	STD 7	SR7-68210			
.404	7	STD 7	SR7-22270			

1-70 series, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, 797, CP-125, SP-125

.404	7	STD 7	SR7-22270			
------	---	-------	-----------	--	--	--

2000, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3000, 3200, 3210, 3214, 3216, 3505, 3516, 3805, 3818, 40, 500, 835AV, Mac 110, Mac 110-140, Mac 130, Mac 140, Mini Mac (all models), MM30, MS 1432, MS 1435, MS 1838, PM310, PM320, PM330, PM340, PM480

3/8	6			5-29888	21940	
-----	---	--	--	---------	-------	--

365

3/8	6			5-29888	21940	
-----	---	--	--	---------	-------	--

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

.404	7	STD 7	SR7-22270			
------	---	-------	-----------	--	--	--

57, 70, Double Eagle 50, Double Eagle 57, Titan 50, Titan 57, Titan 70

.325	8	SMALL 7	SR8-11891			
------	---	---------	-----------	--	--	--

Mac 950

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

MONTGOMERY WARD®

TMY24062, TMY24064, TMY24066, TMY24068

3/8	6			5-29888	21940	
-----	---	--	--	---------	-------	--

TMY24084, TMY24086

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

OLEO-MAC® (OLYMPYK)

251, 252, 254, 350, 355

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

260, 260A, 260AS, 260S, 271, 272, 280, 280A, 281, 284, 400, 460, 461, 480, 481, 482

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

3/8	8	STD 7	SR8-22273			
-----	---	-------	-----------	--	--	--

261

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

3/8	8	STD 7	SR8-22273			
-----	---	-------	-----------	--	--	--

938, 941, 942, 945, 946, 947, 951, 952

.325	7	SMALL 7	SR7-11892			
------	---	---------	-----------	--	--	--

956, 962

.325	7	SMALL 7	SR7-11892			
------	---	---------	-----------	--	--	--

.325	8	SMALL 7	SR8-11891			
------	---	---------	-----------	--	--	--

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

970, 980

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

.404	7	STD 7	SR7-22270			
------	---	-------	-----------	--	--	--

PARTNER

351

3/8	6			5-106114	37325	
-----	---	--	--	----------	-------	--


365, 405

.325	7	SMALL 7	SR7-11892	6-41726X	5-106656X	37325
------	---	---------	-----------	----------	-----------	-------

400, 410, 450, 460, 490, 510, 540

.325	7	SMALL 7	SR7-11892	6-35641X		11893
------	---	---------	-----------	----------	--	-------

Carlton® and Windsor® are registered trademarks of Blount, Inc. All other marks are property of their respective owners.



PARTNER

421, 7000, 7700, F55, F65, P100, P660, P70, P710, P7700, P85, R-16, R-17, R-18, R-19, R-20, R-21, R-22, R-420, S-50, S-55, S-65, W416, W425, W445, W485, W505

	3/8	7	STD 7	SR7-68210			
500, 545, P400, P48, P49V, P500, P5000, P5100							
	.325	7	SMALL 7	SR7-11892	6-29175X		11893
	.325	8	SMALL 7	SR8-11891			
	3/8	7	STD 7	SR7-68210			
R16, R17, R18, R19, R20, R21, R22, R171, R201, R420, S50, S55							
	3/8	7	STD 7	SR7-68210			
	.404	7	STD 7	SR7-22270			

PIONEER

970, 1072, 1073, 1074, 2071, 2073, Holiday II, P-20, P-20NU17, P-21, P-25, P-26, P-28

	.325	8	SMALL 7	SR8-11891			
1160, 1200, 1420, 2270, 2400, 3071, 3200, Farmsaw, Farmsaw-S, P-38, P-41, P-42, P-51, P-52, P-60, P-61, P-62, P38SS							
	3/8	7	STD 7	SR7-68210			

POULAN®


210, 221, 222, 230, 260, 1950, 2050, 2055, 2075, 2150, 2155, 2175, 2250, 2375, 2450, 2550, Patriot 1900

	3/8	6			5-106114		37325
245, 306, 360, 361, 375, 395, 400 Series, 400, 401, 405, 415, 450, 451, 455, 475, 525, 655, 3400, 3800, 4000, 4200, 4400, 4900, 5200, 5400							
	3/8	7	STD 7	SR7-68210			
255, 295, 2500, 2600, 2750, 2775, 2900, 3050, 4620 AV, P600							
	.325	7	SMALL 7	SR7-11892	6-41726X	5-106656X	37325
285, 305, 330, 335, 336, 2700, 2800, 3000, 3300, 3350, 3450, 3500, 4600							
	.325	7	SMALL 7	SR7-11892			
325							
	.325	7	SMALL 7	SR7-11892	6-29175X		11893
	.325	8	SMALL 7	SR8-11891			
345 Auto, 3700							
	.325	7	SMALL 7	SR7-11892			
	3/8	7	STD 7	SR7-68210			
5500, 6000							
	.404	7	STD 7	SR7-22270			
200 Series							
	.325	7	SMALL 7	SR7-11892		5-106656X	37325
	3/8	6				5-106114	37325
	3/8	7	STD 7	SR7-68210			
300 Series							
	.325	7	SMALL 7	SR7-11892	6-29175X		11893
	.325	8	SMALL 7	SR8-11891			
	3/8	7	STD 7	SR7-68210			

PS

180

	3/8	7	STD 7	SR7-68210			
	.404	7	STD 7	SR7-22270			



REDMAX®
G561AVS, G621AVS

3/8 7 SMALL 7 SR7-18720

REMINGTON®
Logger, PL-4, PL-5, PL-55, SL-11, Woodsman

3/8 7 STD 7 SR7-68210

from late 1969; Models PL4, PL5, PL5A

3/8 7 STD 7 SR7-68210

.404 7 STD 7 SR7-22270

RIDGID®
590, 690, 850

3/8 7 STD 7 SR7-68210

SEARS® (CRAFTSMAN®)
351062, 351142, 351161, 351181, 352161, 352180

3/8 6 5-106114 37325

35826, 35829

3/8 7 SMALL 7 SR7-18720

35881, 35884, 35885

3/8 7 STD 7 SR7-68210

SKIL®
1632, 1641, 1646

3/8 7 STD 7 SR7-68210

SNAPPER®
S1634, S1838

3/8 6 5-106114 37325

STIHL®
017, 018, 018 C, 019, 021, 023, 023C, 025, MS 210, MS 250, MS 250 C

.325 7 SMALL 7 SR7-11892 6-100961X 37325

3/8 6 5-100962X 37325

024, 026, MS 240, MS 260, MS 260 Pro, MS 270

.325 7 SMALL 7 SR7-11892 6-100791X 37325

028, 028 Super, MS280

.325 7 SMALL 7 SR7-11892

3/8 7 SMALL 7 SR7-18720

029, 034, 034 Super, 036, 039, MS 290, MS 310, MS 360, MS 390

3/8 7 SMALL 7 SR7-18720 6-34162X

030, 031, 032, 041, 044, 046, 056 Super, MS 341, MS 440, MS 441, MS 441 C, MS 460


3/8 7 STD 7 SR7-68210

050, 051, 075, 076

3/8 8 STD 7 SR8-22273

.404 7 STD 7 SR7-22270

Carlton® and Windsor® are registered trademarks of Blount, Inc. All other marks are property of their respective owners.



STIHL®

064, 066, 066 Magnum, MS660

3/8	7	STD 7	SR7-68210			
.404	7	STD 7	SR7-22270			

07, 07S, 08, 08S, S-10

.404	7	STD 7	SR7-22270			
------	---	-------	-----------	--	--	--

MS 270 C

.325	7	SMALL 7	SR7-11892	6-100791X		37325
------	---	---------	-----------	-----------	--	-------

MS 360 C, MS 360 Pro, MS 360 QS

3/8	7	SMALL 7	SR7-18720	6-34162X		
-----	---	---------	-----------	----------	--	--

070

.404	7	STD 7	SR7-22270	6-108818X	5-32669X	37825
------	---	-------	-----------	-----------	----------	-------

Contra, SuperContra

.404	7				5-32669X	37825
------	---	--	--	--	----------	-------

.404	7	STD 7	SR7-22270			
------	---	-------	-----------	--	--	--

MS170, MS180, MS230

.325	7	SMALL 7	SR7-11892	6-100961X		37325
------	---	---------	-----------	-----------	--	-------

MS190, MS210, MS250

.325	7	SMALL 7	SR7-11892	6-100961X		37325
------	---	---------	-----------	-----------	--	-------

3/8	6				5-100962X	37325
-----	---	--	--	--	-----------	-------

3/8	7	SMALL 7	SR7-18720			
-----	---	---------	-----------	--	--	--

MS290

3/8	7	SMALL 7	SR7-18720	6-34162X		
-----	---	---------	-----------	----------	--	--

.404	7	STD 7	SR7-22270			
------	---	-------	-----------	--	--	--

.404	7				5-32669X	37825
------	---	--	--	--	----------	-------

MS360

3/8	7	SMALL 7	SR7-18720	6-34162X		
-----	---	---------	-----------	----------	--	--

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

.404	7	STD 7	SR7-22270			
------	---	-------	-----------	--	--	--

MS361

3/8	7	SMALL 7	SR7-18720	6-34162X		
-----	---	---------	-----------	----------	--	--

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

TOPSO

All Models

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--

WESTERN AUTO

430, 3400, A-18

3/8	7	STD 7	SR7-68210			
-----	---	-------	-----------	--	--	--


ZENOAH®

560


3/8	7	SMALL 7	SR7-18720			
-----	---	---------	-----------	--	--	--

620, G561AVS, G621AVS


.325	7	SMALL 7	SR7-11892			
------	---	---------	-----------	--	--	--




6-29175X	29175XW
6-35641X	35641XW
6-41726X	41726XW
6-100791X	100791XW
6-100961X	100961XW
6-108215X	108215XW
6-105772X	105772XW
6-28094X	28094XW
6-34162X	34162XW
6-108818X	108818XW




5-106656X	106656XW
5-108308X	108308XW
5-100962X	100962XW
5-32669X	32669XW



6-102469	102469W
-----------------	---------



5-29888	29888W
5-32057	32057W
5-106114	106114W



Harvester Semi-Chisel

B3M

.404"

.063" (1,6 mm)



Harvester Chamfer Chisel™

B8HC

.404"

.080" (2,0 mm)



Harvester 3/4" Chipper

G7SP

3/4"

.122" (3,1 mm)



x25

B3M

B8HC


G7SP



42995TS

42997TS

43202



42996PS

42998PS

43203



43112DL

43118DL


43204



43096CT

43089LH

43201



43095CT

43088RH

43200



B3M-85EB

B		3		M		85		EB	




9011-64-404

9	0	11	64	404
	0 .063" (1,6 mm)	00	54 cm	.404"
	2 .080" (2,0 mm)	01	59 cm	
		09	64 cm	
		10	75 cm	
		11	80 cm	
		19	82 cm	
		29		


B3M	.404"	11	.063" (1,6 mm)	101917
B8HC	.404"	11	.080" (2,0 mm)	101918

➔ x 6




B3M	25	529034
B8HC	25	529035

x 25



9011-59-404	-	9011-59-404
9011-64-404	64L104B3PRS	9011-64-404
9200-75-404	-	9200-75-404
9201-64-404	64N104B5PRS	9201-64-404
9201-75-404	75N104B5PRS	9201-75-404
9201-80-404	80N104B5PRS	9201-80-404
9209-75-404	-	9209-75-404
9209-82-404	-	9209-82-404
9210-64-404	64L114B5PRS	9210-64-404
9210-75-404	75L114B5PRS	9210-75-404
9211-54-404	54L114B5PRS	9211-54-404
9211-59-404	-	9211-59-404
9211-64-404	64L104B5PRS	9211-64-404
9211-75-404	75L104B5PRS	9211-75-404
9219-75-404	-	9219-75-404
9219-82-404	-	9219-82-404
9229-75-404	-	9229-75-404
9229-82-404	-	9229-82-404



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

AFM

45 Corona, 45L, 50 Corona, 50L

64	B8HC	78		9201-64-404	13	HRB-C13
----	------	----	--	-------------	----	---------

55 Husky, 58 Husky, 60, 60L

64	B8HC	78		9201-64-404	13	HRB-C13
----	------	----	--	-------------	----	---------

75	B8HC	89		9210-75-404	13	HRB-C13
----	------	----	--	-------------	----	---------

80 Magnum

64	B8HC	78		9201-64-404	13	HRB-C13
----	------	----	--	-------------	----	---------

75	B8HC	89		9200-75-404	13	HRB-C13
----	------	----	--	-------------	----	---------

ARBRO

1000

64	B3M	B8HC	74	9011-64-404	9211-64-404	10	HRB-B10
----	-----	------	----	-------------	-------------	----	---------

BELL

TH120

64	B3M		73	9011-64-404		10	HRB-C10
----	-----	--	----	-------------	--	----	---------

64		B8HC	74		9211-64-404	10	
----	--	------	----	--	-------------	----	--

BLOCKBUSTER

14-12, 15-20

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	
----	-----	------	----	-------------	-------------	----	--

18-20, BB JR

75		B8HC	85		9211-75-404	12	
----	--	------	----	--	-------------	----	--


22-22, B1

75		B8HC	85		9210-75-404	12	
----	--	------	----	--	-------------	----	--

BRUNN

MM-48

54		B8HC	65		9211-54-404		
----	--	------	----	--	-------------	--	--



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

CATERPILLAR® / SKOGSJAN

601 Spindeln

54		B8HC	64		9211-54-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

655, (601 without chain tensioner)

64		B8HC	74		9201-64-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

665, 675 (601XL without chain tensioner)

75		B8HC	85		9201-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

645 (602 without chain tensioner)

54		B8HC	64		9211-54-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

650

75		B8HC	85		9201-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

HH300

59	B3M	B8HC	69	9011-59-404	9211-59-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

HH45

54		B8HC	70		9211-54-404	12	HRB-A14
----	--	------	----	--	-------------	----	---------

HH500

64	B3M	B8HC	74	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

HH55

64		B8HC	75		9201-64-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

HH65

75		B8HC	86		9201-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

HH700

75		B8HC	85		9211-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

HH75

75		B8HC	86		9201-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

CHARLIER

CA552

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

CRANAB® (PARTEK / VALMET)

28, Gripsaw 25

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

36, Gripsaw 35

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

S14/E28, S14/G25, S14/G28

75		B8HC	89		9209-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

75							
----	--	--	--	--	--	--	--

S14/E36, S14/G36

82		B8HC	96		9209-82-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------


82							
----	--	--	--	--	--	--	--

CRD METAL WORKS

Woodbine Jr.

64		B8HC	81		9210-64-404	13	
----	--	------	----	--	-------------	----	--





cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

DENHARCO

(Denis) Delimber DT3000, D, Directional Feller D55, Directional Feller D56, Directional Feller D86, DM3000, DM3500, DT3000W

75	B8HC	86		9210-75-404	11	HRB-C11
----	------	----	--	-------------	----	---------

Cantrac, HM1290 (Butt Saw), HM1790 Delimber

75	B8HC	88		9201-75-404	14	HRB-C14
75	B8HC	88		9201-75-404	15	HRB-C14

D/DM 8000, D55/56, Denis 13000 (85 Drivelinks), Tanguay

75	B8HC	86		9210-75-404	11	HRB-C11
----	------	----	--	-------------	----	---------

DH550, DH550B, DP550

75	B8HC	87		9200-75-404	14	HRB-C14
----	------	----	--	-------------	----	---------

DT 3500

75	B8HC	87		9210-75-404	14	HRB-C14
----	------	----	--	-------------	----	---------

HM1290-50 (Topping Saw), SH500

64	B8HC	74		9210-64-404	11	
----	------	----	--	-------------	----	--

HM1290 (Butt Saw), HM1790 Delimber, Cantrac

75	B8HC	88		9201-75-404	14	HRB-C14
----	------	----	--	-------------	----	---------

SH 400

54	B8HC	64		9211-54-404	10	
----	------	----	--	-------------	----	--

SH 500

64	B3M	B8HC	74	9011-64-404	9211-64-404	10	
----	-----	------	----	-------------	-------------	----	--

SH 600

75	B8HC	87		9210-75-404	12	
----	------	----	--	-------------	----	--

ERGOMET

Ergomaster 500

59	B3M	B8HC	69	9011-59-404	9211-59-404	10	
----	-----	------	----	-------------	-------------	----	--

Ergomaster 600

75	B8HC	85		9210-75-404	11	HRB-C11
----	------	----	--	-------------	----	---------

EVI HARVESTER

450

54	B8HC	65		9211-54-404		
59	B3M	B8HC	69	9011-59-404	9211-59-404	
64	B8HC	69		9201-64-404		

535

59	B3M	B8HC	69	9011-59-404	9211-59-404	
64	B3M	B8HC	76	9011-64-404	9211-64-404	


700

64	B3M	B8HC	76	9011-64-404	9211-64-404	
75	B8HC			9210-75-404		

FABTEK

FG22 (Processor)

75	B8HC	85		9210-75-404	11	HRB-C11
----	------	----	--	-------------	----	---------



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

FARMI® (NORMET)

Farmi 37, Farmi 45

54	B8HC	64		9211-54-404
----	------	----	--	-------------

Farmi 55

64	B8HC	74		9210-64-404
----	------	----	--	-------------

FORESPRO®

RSM-30

75	B8HC	85		9210-75-404	11
----	------	----	--	-------------	----

RST-30C Top Saw

75	B8HC	85		9210-75-404	11
----	------	----	--	-------------	----

RST-30C, RST-42, RST-84, RTL-95

75	B8HC	85		9210-75-404	11	HRB-C11
----	------	----	--	-------------	----	---------

FOREST ONE F1 (LEKOPA)

F1-450

54	B8HC	65		9211-54-404
----	------	----	--	-------------

F1-535

59	B3M	B8HC	69	9011-59-404	9211-59-404
----	-----	------	----	-------------	-------------

F1-700

64	B3M	B8HC	76	9011-64-404	9211-64-404
----	-----	------	----	-------------	-------------

FORESTERI (see KESLA)

FORST

Top Saw for 800TS, 825TS, 1000TS Supreme

54	B8HC	64		9211-54-404	9
----	------	----	--	-------------	---

FORTEC

(Processor) .404" Pitch Chain

64	B8HC	76		9201-64-404	14
----	------	----	--	-------------	----

FX INTERNATIONAL

FX450

54	B8HC	64		9211-54-404	10
----	------	----	--	-------------	----


FX550

64	B3M	B8HC	74	9011-64-404	9211-64-404	10
----	-----	------	----	-------------	-------------	----

FX650

75	B8HC	85		9211-75-404	12
----	------	----	--	-------------	----





cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

G & R

1850 RS Processor (10mm Slot)

64	B8HC	76		9201-64-404	14
----	------	----	--	-------------	----

2430 Firewood Processor (10mm Slot)

75	B8HC	91		9211-75-404	12
----	------	----	--	-------------	----

2430 Firewood Processor (15mm Slot)

75	B8HC	91		9219-75-404	12
----	------	----	--	-------------	----

HAKMET (SEE ARBRO, HAKKI PILKE & KETO)

HARRICANA (DENHARCO)

Cantrack, Delimber HM1290-50, HM1750

64	B8HC	77		9201-64-404	15
75	B8HC	88		9201-75-404	15

HEMEK

64	B3M	B8HC	74	9011-64-404	9211-64-404	10
----	-----	------	----	-------------	-------------	----

HULTDINS

26K5T, F45, GLC26K5, K45

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

560, F55, FMW, K55, K56

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

F60

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-C11
75		B8HC	85		9210-75-404	11	HRB-C11

Supercut

64		B8HC	74		9210-64-404	11	HRB-C11
75		B8HC	85		9210-75-404	11	HRB-C11

SuperCut 100 (15mm slot)

75		B8HC	86		9219-75-404	11	HRB-C11
75		B8HC	88		9209-75-404	14	HRB-C14
82		B8HC	93		9219-82-404	11	HRB-C11
82		B8HC	95		9209-82-404	14	HRB-C14

HUMA


HYPRO

54	B8HC	64		9211-54-404
----	------	----	--	-------------

HYDRO SAW-BUCK

HP300

54	B8HC	66		9211-54-404
----	------	----	--	-------------



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

HYPRO®

54	B8HC	66	9211-54-404
----	------	----	-------------

HYTEC

RS5500

75	B8HC	85	9210-75-404	11	HRB-C11
----	------	----	-------------	----	---------

IW

DA90

54	B8HC	64	9211-54-404
----	------	----	-------------

JOHN DEERE

745

64	B8HC	74	9210-64-404	12	HRB-C11
----	------	----	-------------	----	---------

752 SuperCut

75	B8HC	86	9219-75-404	12	
----	------	----	-------------	----	--

754

64	B3M	B8HC	74	9011-64-404	9211-64-404	12	
----	-----	------	----	-------------	-------------	----	--

H742

59	B3M	B8HC	70	9011-59-404	9211-59-404	12	
----	-----	------	----	-------------	-------------	----	--

H758

75	B8HC	85	9210-75-404	12	
----	------	----	-------------	----	--

H758 SuperCut

75	B8HC	86	9219-75-404	12	
----	------	----	-------------	----	--

82	B8HC	93	9219-82-404	12	
----	------	----	-------------	----	--

KESLA / PATU, FORESTERI

Foresteri 20 RH

64	B8HC	76	9201-64-404	13	HRB-C13
----	------	----	-------------	----	---------

Foresteri 22 RH

64	B8HC	76	9201-64-404	13	HRB-C13
----	------	----	-------------	----	---------

75	B8HC	87	9201-75-404	13	HRB-C13
----	------	----	-------------	----	---------

Foresteri 25 RH & Patu 505 RH, 550 SH, 560 SH

75	B8HC	87	9201-75-404	13	HRB-C13
----	------	----	-------------	----	---------

Foresteri 30 RH

75	B8HC	89	9201-75-404	15	HRB-C15
----	------	----	-------------	----	---------

80	B8HC	94	9201-80-404	15	HRB-C15
----	------	----	-------------	----	---------


Patu

54	B8HC	65	9211-54-404
----	------	----	-------------

Patu 410 SH

54	B8HC	65	9211-54-404	11	HRB-C11
----	------	----	-------------	----	---------





cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

KETO

100, 100LD, 100LD4

54		B8HC	64		9211-54-404	9	
64		B8HC	74		9210-64-404	11	HRB-C11

150, 150LD, 150HD, 150HD4

64		B8HC	74		9210-64-404	11	HRB-C11
75		B8HC	85		9210-75-404	11	HRB-C11

500HS, 525, 525TS

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

51, 51LD, 51LD4

54		B8HC	64		9211-54-404	9	HRB-C11
----	--	------	----	--	-------------	---	---------

KOCKUMS

82-54, 85-41, 88-65, GSA62

64		B8HC	76		9210-64-404		
----	--	------	----	--	-------------	--	--

LAKO®

450 Premio

64	B3M	B8HC	77	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

550 Premio

64		B8HC	78		9201-64-404	13	HRB-C13
75		B8HC	88		9201-75-404	13	HRB-C13

650 Premio

75		B8HC	88		9201-75-404	13	
----	--	------	----	--	-------------	----	--

Top Saw for 550

54		B8HC	67		9211-54-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

Top Saw for 650, 750, 850, 950

64	B3M	B8HC	76	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

LAKO® / AFM

(Feller) 3G, 3T, 3TR, 4R, AFM35, AFM45, AFM60

54		B8HC	69		9211-54-404	13	HRB-C13
64	B3M	B8HC	78	9011-64-404	9211-64-404	13	HRB-C13
75		B8HC	89		9211-75-404	11	HRB-C13
75		B8HC	89		9211-75-404	13	HRB-C13

40, 450 Lako Saw, 850 Topping Saw, 950 Topping Saw


64	B3M	B8HC	75	9011-64-404	9211-64-404	13	HRB-C13
----	-----	------	----	-------------	-------------	----	---------

45, 450, 50, 60, 600, X50

64	B3M	B8HC	78	9011-64-404	9211-64-404	13	HRB-C13
75		B8HC	89		9211-75-404	13	HRB-C13

450 F2 Saw

64	B3M	B8HC	78	9011-64-404	9211-64-404	13	
----	-----	------	----	-------------	-------------	----	--



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

LAKO® / AFM

550

64	B3M	B8HC	78	9011-64-404	9211-64-404	13	
75		B8HC	88		9211-75-404	13	

650 F2 Saws, 80

75		B8HC	86		9211-75-404	13	
----	--	------	----	--	-------------	----	--

650 Lako Saws

75		B8HC	88		9211-75-404	13	
----	--	------	----	--	-------------	----	--

LAKO® FOREST

40

64	B3M	B8HC	77	9011-64-404	9211-64-404		
----	-----	------	----	-------------	-------------	--	--

50

75		B8HC	89		9211-75-404		
----	--	------	----	--	-------------	--	--

LOGLOGIC

420

64	B3M	B8HC	74	9011-64-404	9211-64-404		
----	-----	------	----	-------------	-------------	--	--

LOGMA (SEE TRAKTOR NORD)

LOGMAX®, PAN (GRANGÄRDE MASKIN)

10000XT Butt Saw

82.5		B8HC	99		9209-82-404	16	
------	--	------	----	--	-------------	----	--

12000 Top Saw

75		B8HC	85		9211-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

3000 (10cc), 4000 (10cc)

59	B3M	B8HC	69	9011-59-404	9211-59-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

3000 (19cc), 4000 (19cc)

59	B3M	B8HC	70	9011-59-404	9211-59-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

3000 w/ F2, 4000 w/ F2

59	B3M	B8HC	71	9011-59-404	9211-59-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

5000 ESB/HD/Slim Saw 98 XL

75		B8HC	86		9219-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

5000 Std

64	B3M	B8HC	75	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

5000 Std F2

64	B3M	B8HC	75	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

6000 Slim Saw 98 XL, 7000 Std/HD/Slim Saw 98 XL

75		B8HC	86		9219-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

82.5		B8HC	93		9219-82-404	12	HRB-C12
------	--	------	----	--	-------------	----	---------


6000 Slim w/ F2, 7000 Std/HD/Slim w/ F2, 9000 w/ F2

75		B8HC	86		9211-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

6000 Slim, 7000 Std/HD/Slim, 9000

75		B8HC	85		9211-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------





cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

LOGMAX®, PAN (GRANGÄRDE MASKIN)

7000, 9000 Top Saw

59	B3M	B8HC	70	9011-59-404	9211-59-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

7000XT

75		B8HC	92		9209-75-404	16	
82.5		B8HC	99		9209-82-404	16	

9000 Saw 98 XL

82.5		B8HC	93		9219-82-404	12	HRB-C12
------	--	------	----	--	-------------	----	---------

GM650 (10cc)

75		B8HC	85		9211-75-404	11	HRB-B11
----	--	------	----	--	-------------	----	---------

GM650 (19cc), GM750 (19cc), 5000 ESB/HD/Slim

75		B8HC	85		9211-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

GM650, GM750 w/ F2, 5000 ESB/HD/Slim/F2

75		B8HC	86		9211-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

GM840, GM841

64	B3M	B8HC	74	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

GM840, GM842 w/ F2

64	B3M	B8HC	75	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

LOGSET

18748, 5-55

64	B3M	B8HC	75	9011-64-404	9211-64-404	11	HRB-B11
----	-----	------	----	-------------	-------------	----	---------

18779, 6-55

64	B3M	B8HC	75	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

22432, 6-65

75		B8HC	85		9211-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

5-55L

75		B8HC	85		9211-75-404	11	HRB-B11
----	--	------	----	--	-------------	----	---------

LOKOMO - FMG

762C, 961S, 961T, 990

64		B8HC	74		9210-64-404	11	
75		B8HC	85		9210-75-404	11	

METAL MARQUIS

DS3500 (Delimber - Slasher)

75		B8HC	85		9210-75-404	11	
----	--	------	----	--	-------------	----	--


NORCAR

490H/100, 640H/100

54		B8HC	64		9211-54-404	11	HRB-B11
----	--	------	----	--	-------------	----	---------

660H/H60

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-B11
----	-----	------	----	-------------	-------------	----	---------



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

NORMET

Farmi 37, 45

54	B8HC	64	9211-54-404
----	------	----	-------------

Farmi 55

64	B8HC	74	9210-64-404
----	------	----	-------------

PIERCE PACIFIC

Grapple Saw on TC46 Grapple

75	B8HC	9200-75-404	12
----	------	-------------	----

HSD 2845 Top Saw

75	B8HC	87	9200-75-404	14	HRB-C14
----	------	----	-------------	----	---------

HSD 3345 Top Saw

75	B8HC	87	9200-75-404	14	HRB-C14
----	------	----	-------------	----	---------

PTH 20 Top Saw

59	B3M	B8HC	71	9011-59-404	9211-59-404	12
----	-----	------	----	-------------	-------------	----

PTH 24 Top Saw

64	B3M	B8HC	78	9011-64-404	9211-64-404	12
----	-----	------	----	-------------	-------------	----

28"			47			9
-----	--	--	----	--	--	---

PIKA

35, 450, 455

54	B8HC	65	9211-54-404	11
----	------	----	-------------	----

38, 48, 550, 555, 600

64	B8HC	74	9210-64-404	14
----	------	----	-------------	----

700

75	B8HC	84	9210-75-404	10
----	------	----	-------------	----

PONSSE

H40, H50

54	B8HC	65	9211-54-404	9
----	------	----	-------------	---

59	B3M	B8HC	69	9011-59-404	9211-59-404	11	HRB-B11
----	-----	------	----	-------------	-------------	----	---------

H53

64	B3M	B8HC	76	9201-64-404	13	HRB-C13
----	-----	------	----	-------------	----	---------

H53, H60 w/ CT-30 Tensioner

75	B8HC	91	9229-75-404	17	HRB-C17
----	------	----	-------------	----	---------

H60

64	B8HC	76	9201-64-404	13	HRB-C13
----	------	----	-------------	----	---------

75	B8HC	87	9201-75-404	13	HRB-C13
----	------	----	-------------	----	---------

H73

64	B8HC	76	9201-64-404	13	HRB-C13
----	------	----	-------------	----	---------

75	B8HC	87	9201-75-404	13	HRB-C13
----	------	----	-------------	----	---------


82	B8HC	95	9209-82-404	13	HRB-C13
----	------	----	-------------	----	---------

H73 w CT-30

75	B8HC	91	9229-75-404	17	HRB-C17
----	------	----	-------------	----	---------

82	B8HC	98	9229-82-404	17	HRB-C17
----	------	----	-------------	----	---------





cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

PONSSE

PE41

64	B3M	B8HC	75	9011-64-404	9211-64-404	13	
----	-----	------	----	-------------	-------------	----	--

PE42

64	B3M	B8HC	75	9011-64-404	9211-64-404	13	
----	-----	------	----	-------------	-------------	----	--

PE44

75		B8HC	86		9211-75-404	13	
----	--	------	----	--	-------------	----	--

RANESAGEN

54		B8HC	65		9211-54-404		
----	--	------	----	--	-------------	--	--

RCSKOGSMEKANIK

RC200, RC380P

64		B8HC	74		9210-64-404		
----	--	------	----	--	-------------	--	--

RC380S

75		B8HC	85		9210-75-404		
----	--	------	----	--	-------------	--	--

RISLEY®

Rolly II (Topping Saw), Side Winder

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-B11
----	-----	------	----	-------------	-------------	----	---------

ROTTNE

770, 780 Snoken, EGS-88

54		B8HC	65		9211-54-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

810/860, EGS-600, 860, RP940, RF 81, RF 87

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

810-2, EGS-85, RP-860

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

EGS 600 S Wide Nose

75		B8HC	87		9201-75-404	14	HRB-C14
----	--	------	----	--	-------------	----	---------

EGS-400

59	B3M	B8HC	71	9011-59-404	9211-59-404	11	HRB-B11
----	-----	------	----	-------------	-------------	----	---------


SIFOR

204

64		B8HC	72		9210-64-404		
----	--	------	----	--	-------------	--	--

500

64		B8HC	73		9210-64-404		
----	--	------	----	--	-------------	--	--



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

SILVATEC

230, 235

54	B8HC	64	9211-54-404	10
----	------	----	-------------	----

330, 335, 440,

64	B8HC	76	9201-64-404	14	HRB-C14
----	------	----	-------------	----	---------

445

64	B8HC	76	9201-64-404	14	HRB-C14
----	------	----	-------------	----	---------

75	B8HC	87	9201-75-404	14	HRB-C14
----	------	----	-------------	----	---------

555, 560

75	B8HC	87	9200-75-404	14	HRB-C14
----	------	----	-------------	----	---------

Fældebunkelægger

54	B8HC	66	9211-54-404	10
----	------	----	-------------	----

Gribsav

54	B8HC	64	9211-54-404	10
----	------	----	-------------	----

64	B8HC	73	9210-64-404	10
----	------	----	-------------	----

SKOGSMEKAN

MS 856 (with Chain Tensioner)

75	B8HC	86	9211-75-404	11	HRB-C11
----	------	----	-------------	----	---------

MS 856 (without chain tensioner 85D/L)

75	B8HC	85	9211-75-404	11	HRB-C11
----	------	----	-------------	----	---------

SP MASKINER

FX450, SP735/45, SP-740

54	B8HC	64	9211-54-404	10
----	------	----	-------------	----

FX550

64	B3M	B8HC	74	9011-64-404	9211-64-404	10
----	-----	------	----	-------------	-------------	----

FX650, FX750

75	B8HC	85	9211-75-404	12
----	------	----	-------------	----

SP 551LF

64	B3M	B8HC	75	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

SUNNE MASKINTEKNIK

SMT-55

64	B3M	B8HC	74	9011-64-404	9211-64-404	12
----	-----	------	----	-------------	-------------	----

Processor

64	B3M	B8HC	74	9011-64-404	9211-64-404	10
----	-----	------	----	-------------	-------------	----

T&R LOGGING


Processor

64	B3M	B8HC	74	9011-64-404	9211-64-404	10
----	-----	------	----	-------------	-------------	----

TANGUAY

Delimber

75	B8HC	85	9210-75-404	11
----	------	----	-------------	----



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

TAPIO

400, T550R

54		B8HC	65		9211-54-404	11	HRB-B11
----	--	------	----	--	-------------	----	---------

600

64	B3M	B8HC	73	9011-64-404	9211-64-404	11	HRB-B11
----	-----	------	----	-------------	-------------	----	---------

TARGET (SEE VOTEC)

TEVA

TP01

64	B3M	B8HC	76	9011-64-404	9211-64-404		
----	-----	------	----	-------------	-------------	--	--

TP02

75		B8HC	87		9210-75-404		
----	--	------	----	--	-------------	--	--

Processor

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

RD970, 380

75		B8HC	86		9219-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

RD975 Top Saw

54		B8HC	64		9211-54-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

TIMBCO

380, RD970 Single Grip

75		B8HC	86		9219-75-404	11	
----	--	------	----	--	-------------	----	--

385 (Butt Saw)

54		B8HC	64		9211-54-404	11	
----	--	------	----	--	-------------	----	--

Processor (.404" pitch)

75		B8HC	85		9210-75-404	11	
----	--	------	----	--	-------------	----	--

TIMBERJACK (FMG)

260, 670, 706/250, 707/280

75		B8HC	85		9210-75-404	11	HRB-B11
----	--	------	----	--	-------------	----	---------

75		B8HC	85		9210-75-404	12	
----	--	------	----	--	-------------	----	--

705/270, 705/260, 706/260S

75		B8HC	85		9210-75-404	12	
----	--	------	----	--	-------------	----	--

735, 740, 743, 750GP

54		B8HC	64		9211-54-404	10	
----	--	------	----	--	-------------	----	--

742

59	B3M	B8HC	70	9011-59-404	9211-59-404	12	
----	-----	------	----	-------------	-------------	----	--

745


64		B8HC	74		9210-64-404	12	HRB-C11
----	--	------	----	--	-------------	----	---------

746

59	B3M	B8HC	69	9011-59-404	9211-59-404	10	
----	-----	------	----	-------------	-------------	----	--

752 SuperCut

75		B8HC	86		9219-75-404	12	
----	--	------	----	--	-------------	----	--



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

TIMBERJACK (FMG)

754

64	B3M	B8HC	74	9011-64-404	9211-64-404	12	
----	-----	------	----	-------------	-------------	----	--

754 SuperCut

75		B8HC	86		9219-75-404	12	
----	--	------	----	--	-------------	----	--

755, 755B, 756, 756B

75		B8HC	84		9210-75-404		
----	--	------	----	--	-------------	--	--

758

75		B8HC	85		9210-75-404	12	
----	--	------	----	--	-------------	----	--

758/758HD (SuperCut)

75		B8HC	86		9219-75-404	12	
----	--	------	----	--	-------------	----	--

82		B8HC	93		9219-82-404	12	
----	--	------	----	--	-------------	----	--

746B, 746C, 762, Gipsaw 780

64		B8HC	74		9210-64-404	12	
----	--	------	----	--	-------------	----	--

762B

75		B8HC	85		9211-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

Gipsaw 770, 772, 773

75		B8HC	85		9210-75-404	12	
----	--	------	----	--	-------------	----	--

H762 Supercut

82		B8HC	93		9219-82-404	12	
----	--	------	----	--	-------------	----	--

82		B8HC	95		9209-82-404	14	
----	--	------	----	--	-------------	----	--

TRAKTOR NORD

(Slasher), Logma MTD-75

59	B3M	B8HC	69	9011-59-404	9211-59-404	10	
----	-----	------	----	-------------	-------------	----	--

64	B3M	B8HC	74	9011-64-404	9211-64-404	10	
----	-----	------	----	-------------	-------------	----	--

75		B8HC	85		9210-75-404	11	
----	--	------	----	--	-------------	----	--

TIMBERTEC (SEE FORESRO)

VALMET (PARTEK)

360

75		B8HC	89		9209-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

370

82		B8HC	96		9209-82-404	14	
----	--	------	----	--	-------------	----	--

380

75		B8HC	87		9209-75-404	14	
----	--	------	----	--	-------------	----	--

900, 900T, 993

64		B8HC	76		9201-64-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

902H

64		B8HC	76		9201-64-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

75		B8HC	86		9201-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

955, 960 Manual Tensioner


64	B3M	B8HC	74	9011-64-404	9211-64-404	12	
----	-----	------	----	-------------	-------------	----	--

960 Auto Tensioner

64		B8HC	76		9201-64-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

75		B8HC	87		9201-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------





cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

VALMET (PARTEK)

960 II, Automatic Tensioner

64		B8HC	76		9201-64-404	14	HRB-A14
75		B8HC	87		9201-75-404	14	HRB-A14

960 II, Manual Tensioner

64	B3M	B8HC	74	9011-64-404	9211-64-404	12	
----	-----	------	----	-------------	-------------	----	--

965, 965B

75		B8HC	87		9201-75-404	14	HRB-A14
----	--	------	----	--	-------------	----	---------

VALOR (SEE VOTEC & WOODKING)

VICORT

V340

54		B8HC	68		9211-54-404	12	HRB-C12
64	B3M	B8HC	76	9011-64-404	9211-64-404	12	HRB-C12

VIKING

520

54		B8HC	67		9211-54-404	13	HRB-C13
64	B3M	B8HC	76	9011-64-404	9211-64-404	13	HRB-C13

620, 630

64	B3M	B8HC	75	9011-64-404	9211-64-404	11	HRB-C11
75		B8HC	86		9210-75-404	11	HRB-C11

VOTEC

501

64	B3M	B8HC	75	9011-64-404	9211-64-404	13	
----	-----	------	----	-------------	-------------	----	--

504

64	B3M	B8HC	75	9011-64-404	9211-64-404	13	
----	-----	------	----	-------------	-------------	----	--

550

64	B3M	B8HC	75	9011-64-404	9211-64-404	13	
----	-----	------	----	-------------	-------------	----	--


650

75		B8HC	86		9211-75-404	13	
----	--	------	----	--	-------------	----	--

VOTEC INNOVATION

Hornet 825

75		B8HC	85		9210-75-404	11	
----	--	------	----	--	-------------	----	--



cm	.063"	.080"	#	.063" (1,6 mm)	.080" (2,0 mm)	#	
----	-------	-------	---	----------------	----------------	---	--

WARATAH

HTH20 (Pierce-Pacific)

75		B8HC	87		9200-75-404	14	
----	--	------	----	--	-------------	----	--

HTH250 Super Cut

75		B8HC	86		9219-75-404	12	
----	--	------	----	--	-------------	----	--

HTH26 Topping Saw (Pierce-Pacific)

59	B3M	B8HC	71	9011-59-404	9211-59-404	13	HRB-C13
----	-----	------	----	-------------	-------------	----	---------

HTH270 SuperCut

82		B8HC	93		9219-82-404	12	
----	--	------	----	--	-------------	----	--

HTH450 (2002 & before)

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

HTH450 (2003 & after)

64	B3M	B8HC	74	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

HTH450 SuperCut (2002 & before)

75		B8HC	85		9211-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

HTH450 SuperCut (2003 & after)

75		B8HC	74		9219-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

HTH460 (2002 & before)

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

HTH460 (2003 & after)

64	B3M	B8HC	74	9011-64-404	9211-64-404	12	HRB-C12
----	-----	------	----	-------------	-------------	----	---------

HTH460 SuperCut (2002 & before)

75		B8HC	85		9211-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

HTH460 SuperCut (2003 & after)

75		B8HC	85		9219-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

HTH470 (2002 & before)

75		B8HC	85		9211-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

HTH470 (2003 & after)

75		B8HC	86		9211-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

HTH470 SuperCut (2002 & before)

75		B8HC	85		9211-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------

HTH470 SuperCut (2003 & after)

75		B8HC	86		9219-75-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

82		B8HC	93		9219-82-404	12	HRB-C12
----	--	------	----	--	-------------	----	---------

HTH622B

82		B8HC			9209-82-404		
----	--	------	--	--	-------------	--	--

WOODKING

550

64	B3M	B8HC	74	9011-64-404	9211-64-404	11	HRB-C11
----	-----	------	----	-------------	-------------	----	---------

650 F2 Tensioner

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------



650 w/ Hultdins Saw Unit

75		B8HC	85		9210-75-404	11	HRB-C11
----	--	------	----	--	-------------	----	---------





.404"



00 01




10 11




09 19




29






			
HRB-A14	A	14	
HRB-B11	B	11	
HRB-C11	C	11	
HRB-C12		12	
HRB-C13		13	
HRB-C14		14	
HRB-C15		15	
HRB-C16		16	
HRB-C17		17	



	12C1000*
	78003*
	12W1000*
	230V*, 50Hz
	230 W
	2800 r/min
	Ø 145 (5.75")
	5,8 kg (13 lbs)

* + 12C1115, 78004, 12W1115, 120V

13C1032	78100	13W1032	5.75"	1/8"	1/4", .325", 3/8" LP
13C1047	78101	13W1047	5.75"	3/16"	3/8" & .404"
13C1060	78102	13W1060	5.75"	1/4"	







3




50

				
21C0840	5/32" (4,0 mm)	30° / 35°	75050	21W0840
21C0845	11/64" (4,5 mm)		75080	21W0845
21C0848	3/16" (4,8 mm)		75070	21W0848
21C0852	13/64" (5,2 mm)		75090	21C0852
21C0855	7/32" (5,5 mm)		75060	21W0855
 x 12				



		
29C2000	93004-10	29W2000
 x 25		



	
22C2000	22W2000



CARLTON		CARLTON SAW CHAIN™	WINDSOR
20C0616	6" (150 mm)	75100	20W0616
x 12			




3



50

CARLTON	CARLTON SAW CHAIN™
14C8015	78015





CARLTON	CARLTON SAW CHAIN™	
15C1532	78015-1	4,0 mm (5/32")
15C1164	—	4,5 mm (11/64")
15C1316	78015-2	4,8 mm (3/16")
15C1732	75801-3	5,5 mm (7/32")








CARLTON MULTI-TOOL	CARLTON SAW CHAIN	WINDSOR
10C1000	75310-CA	10W1000



CARLTON MULTI-TOOL	CARLTON SAW CHAIN	WINDSOR
11C1000	75320-CA	11W1000





						
41C1719		17 x 19 mm	68 mm	170 mm	Stihl, Dolmar	41W1719
41C1319T		13 x 19 mm	78 mm	215 mm	Stihl, Dolmar	41W1319T




		
31C1000	78009	31W1000

			
43C1000	6 L	2.5 L	43W1000








		
24C1000	75400	24W1000




			
23C4025	8532CA	23W4025	4,0 mm (5/32")
23C4525	8164CA	23W4525	4,5 mm (11/64")
23C4825	8316CA	23W4825	4,8 mm (3/16")
23C5525	8732CA	23W5525	5,5 mm (7/32")




		
33C1015	15 M	33W1015



	
19C8001	80001

		
32C1055	5.5" (130 mm)	32W1055
32C1080	8" (200 mm)	32W1080
32C1100	10" (240 mm)	32W1100












			
42C1028	2,8 mm x 50 M	76005-1	-
42C1030	3,0 mm x 50 M	76010-1	42W1030
42C1035	3,5 mm x 50 M	76015-1	42W1035
42C1040	4,0 mm x 50 M	76020-1	42W1040
42C1045	4,5 mm x 50 M	76025-1	42W1045
42C1050	5,0 mm x 50 M	76030-1	-



			CHAMPION®	BOSCH®	NGK®
x 1	x 50				
SPCA5E	—	40WSE5	CJ4	WS5E	—
SPCA5Y	—	40WSF5	CJ6Y	WS7E	BM7A
SPCAR7Y		40WSRF7	RCJ7Y	WSR7F	BPMR7A
SPCA8Y	—	40WSF7	CJ8Y	WS7F	BPM6A
SPC8S	—	40WAW7	L86C	W8A	B6HS
SPCA6	—	40WSRF6	RCJ6Y	WSR5F	BPMR7A
SPC11	—	40WRE011	J19LM	W9EO	B2LM
SPLR19A	—	40W3REW011	RJ19LM	W7AC	BR2LM
SPSCR11C	—	40WWRDS8	RN11YC4	WR8DS	BPR5ES
—	SPCA8Y-50	40WSF7-50	CJ8Y	WS7F	BPM6A
—	SPC11-50	40WRE011-50	J19LM	W9EO	B2LM
—	SPSCR11C-50	40WRDS8-50	RN11YC4	WR8DS	BPR5ES


CARLTON	WINDSOR
55C2000	55W2000



CARLTON	WINDSOR	
53C2039	53W2039	39
53C2040	53W2040	40
53C2041	53W2041	41
53C2042	53W2042	42
53C2043	53W2043	43
53C2044	53W2044	44
53C2045	53W2045	45
53C2046	53W2046	46
53C2047	53W2047	47





		
51C10S	51W10S	S
51C10M	51W10M	M
51C10L	51W10L	L
51C10XL	51W10XL	XL
51C10XXL	51W10XXL	XXL
51C10XXXL	51W10XXXL	XXXL




EN 381-5
Class 1
(20 m/s)



		
52C10S	52W10S	S
52C10M	52W10M	M
52C10L	52W10L	L
52C10XL	52W10XL	XL
52C10XXL	52W10XXL	XXL
52C10XXXL	52W10XXXL	XXXL



		
50C10S	50W10S	S
50C10M	50W10M	M
50C10L	50W10L	L
50C10XL	50W10XL	XL
50C10XXL	50W10XXL	XXL
50C10XXXL	50W10XXXL	XXXL





	
50C1000	50W1000




		
54C1009	54W1009	9 M
54C1010	54W1010	10 L



EN 381-7
16 m/s






20 cc ■ 30 cc ■ 40 cc ■ 50 cc ➔

				mm	1,65	2,0	2,4	2,7	3,0	3,3	3,5	4,0	
Round Power Pro					■	■	■		■		■	■	★★★★
Penta Pro					■	■	■		■	■	■		★★★★
Nylium® Star					■	■	■	■		■		■	★★★★
Nylium® Square					■	■	■	■		■		■	★★★★ PRO
Saw Line								■					★★★★ PRO



ROUND POWER PRO LINE

				
	60C3016	1,65 mm	15 M	60W3016
	60C3020	2,00 mm	15 M	60W3020
	60C3024	2,40 mm	15 M	60W3024
	60C3030	3,00 mm	15 M	60W3030
	60C3120	2,00 mm	112 M	60W3120
	60C3124	2,40 mm	78 M	60W3124
	60C3130	3,00 mm	48 M	60W3130
	60C3135	3,50 mm	36 M	60W3135
	60C3140	4,00 mm	28 M	60W3140
	60C3224	2,40 mm	234 M	60W3224
	60C3230	3,00 mm	144 M	60W3230




PENTA PRO LINE

				
	60C2016	1,65 mm	15 M	60W2016
	60C2020	2,00 mm	15 M	60W2020
	60C2024	2,40 mm	15 M	60W2024
	60C2030	3,00 mm	15 M	60W2030
	60C2116	1,65 mm	184 M	60W2116
	60C2120	2,00 mm	122 M	60W2120
	60C2124	2,40 mm	86 M	60W2124
	60C2130	3,00 mm	55 M	60W2130
	60C2133	3,30 mm	46 MM	60W2133
	60C2135	3,50 mm	41 M	60W2135
	60C2220	2,00 mm	365 M	60W2220
	60C2224	2,40 mm	259 M	60W2224
	60C2230	3,00 mm	156 M	60W2230




NYLIUM® STAR LINE

			
	60C4065	.065"	40'
	60C4080	.080"	40'
	60C4095	.095"	40'
	60C5065	.065"	514'
	60C5080	.080"	383'
	60C5095	.095"	298'
	60C5105	.105"	226'
	60C5130	.130"	144'
	60C5155	.155"	111'
	60C6080	.080"	1154'
	60C6095	.095"	810'
	60C6105	.105"	669'



NYLIUM® SQUARE LINE

			
	65C4065	.065"	40'
	65C4080	.080"	40'
	65C4095	.095"	40'
	65C5065	.065"	482'
	65C5080	.080"	328'
	65C5095	.095"	226'
	65C5105	.105"	187'
	65C5130	.130"	118'
	65C5155	.155"	82'
	65C6080	.080"	987'
	65C6095	.095"	685'
	65C6105	.105"	561'





SAW LINE

				
60C4027	2,75 mm	26 cm	60W4027	

 **x 60 =**



FIXED LINE HEAD

			
61C3001	2,0 – 3,0 mm	2,0 – 2,7 mm	61W2001



TAP & GO HEAD

			
61C2001	≤ 3,0 mm	–	61W2001



GRA3



GRA8



GRA4



GRA3-255C	3	10" (255 mm)	1" (25,4 mm)	20 mm	2,25 mm	GRA3-255
GRA3-300C	3	12" (300 mm)	1" (25,4 mm)	20 mm	2,25 mm	GRA3-300
GRA4-200C	4	8" (200 mm)	1" (25,4 mm)	20 mm	1,5 mm	GRA4-200
GRA4-225C	4	9" (225 mm)	1" (25,4 mm)	20 mm	1,8 mm	GRA4-225
GRA8-200C	8	8" (200 mm)	1" (25,4 mm)	20 mm	1,5 mm	GRA8-200
GRA8-225C	8	9" (225 mm)	1" (25,4 mm)	20 mm	1,8 mm	GRA8-225





MAXI



EIA



					
MAXI-200-20C	22	8" (200 mm)	20 mm	1,5 mm	MAXI-200-20
MAXI-225-20C	24	9" (225 mm)	20 mm	1,8 mm	MAXI-225-20
MAXI-225-25C	24	9" (225 mm)	1" (25,4 mm)	1,8 mm	MAXI-225-25
EIA-200-20C	22	8" (200 mm)	20 mm	1,5 mm	EIA-200-20
EIA-200-25C	22	8" (200 mm)	1" (25,4 mm)	1,5 mm	EIA-200-25
EIA-225-20C	24	9" (225 mm)	20 mm	1,8 mm	EIA-225-20
EIA-225-25C	24	9" (225 mm)	1" (25,4 mm)	1,8 mm	EIA-225-25



2011 - 2012



Blount, Inc.
Portland, OR 97222 USA
Corporate Headquarters
carltonproducts.com

BLOUNT

A107265 REV AB: 10/11