The Gardening Catalogue 2025

FISKARS





Over 375 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

The gardening catalogue



















6 Seasonal calendar

8 Plant, grow, harvest

Tips for seasonal planting, growing and harvesting

12 Outdoor cooking

Norden Outdoor cooking

18 Plant Care

Pruners Loppers Hedge Shears Tree pruners Scissors

52 Lawn Care

Rakes Grass Shears Weed Pullers Classic & Solid "Yard Tools Reel Mowers

72 Soil Care

Indoor Gardening Growing & Planting Harvesting Shovels, Spades & Forks QuikDrill" Soil Care Tools Nursery Tools

122 Yard Cleaning

128 Kids Tools

132 Fiskars QuikFit[™]

146 Wood Preparation

Axes
Wood Kindling tools
WoodXpert" Wood handling
tools
Saws
Other tools
Knives

176 Watering

Waterwheels Hoses Sprinklers Spray Nozzles Connectors Accessories Sets

217 Car Snow Tools

222 Snow Tools

228 Accessories

232 Hardware Tools

(see separate index on page 235)

277 Maintenance & Spare Parts

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

We belied happiness ground gro

eve that is yours to ow.

Yearly Calendar for gardening products



Tools for autumn

Fall is the time to enjoy the fruits and veggies of our labour and prepare for upcoming winter.







1<mark>062831</mark> Plus Garden Harvesting Basket



Right tools for every season





Designed for happy planting & harvesting

Nothing tastes better than freedom and independence. No wonder more and more people (especially, in urban areas) are growing their own vegetables and fruit – whether on the smallest balcony, in the seasonal garden or on their own expansive plot of land. We show how easy it is to supplement supermarket shopping with your own produce.

The balcony: For the minimalist

From classic planter boxes to vertical gardening or a potato tower – the balcony offers more space for culinary self-fulfilment than one might initially think. Nevertheless, vegetables, fruit, and herbs on the balcony should be one thing above all: robust and high-yielding.



WHAT GROWS ON A SOUTH-FACING BALCONY? Welcome to the sunny side of life

Welcome to the sunny side of life with the best conditions for a small, self-catering existence. From spring to autumn everything that grows in full sun can be sown and harvested on a south-facing balcony.

However, it can even get too hot for them. Therefore, it is best to provide shade, a sunshade is usually sufficient. Large planters, pots and boxes store water well, so that you don't have to water all the time.

SOUTH



Tomatoes
Strawberries
Rosemary
Courgettes
Bell peppers
Chillis
Peppermint
Chives
Beans
Cucumbers

NORTH



Rocket Spinach Ramsons Chard Kohlrabi Radishes Mache

WHAT GROWS ON A NORTH-FACING BALCONY? Imagine you live on the

Imagine you live on the Mediterranean. Then someone suddenly transports you to cold climates. You would die, just like plants and herbs from the Mediterranean. So with rosemary or oranges you don't even need to try it on the north balcony. Nevertheless, some things can grow there. It is best not to place the containers directly on the ground, but rather hang them on a railing or in a hanging basket. A bonus: here the plants are more likely to forgive you if you forget to water them.

The seasonal garden: For the part-time self-supporter



Among the top five favourite gardening activities, planting and cultivating fruit and vegetables sits far in the lead. Many people dream of having their own garden, however few can make it a reality. This is why more and more hobby gardeners are renting a seasonal garden.

Here, as the name suggests, it is usually possible to rake, weed and harvest from March to November. Most plots are available in different sizes (from approx. 25 m² to 80 m²). Depending on space and taste, any fruit and vegetables can be planted.



CHOICE OF SUITABLE OPTIONS

Onions Potatoes Lettuce Carrots Sweetcorn Broccoli Parsley Gooseberries

Create a dance of colour with bulbs

The last day of winter easily becomes the first day of spring if you have planted early spring bulbs like snowdrops or galanthus in the autumn months. As spring progresses to summer you can enjoy gently nodding daffodils, vibrant tulips or majestic alliums that impress every year. With these planting tips, next spring is sure to be vibrant and colourful.

PLANTING TIPS FOR TULIP BULBS

- 1. Fill the planter to about three quarters with soil. Dig a small hole for the bulb.
- 2. Place the bulb in the soil. Rule of thumb: flower bulbs must be planted three times as deep as the bulb is tall.
- Cover the bulb loosely with soil. Only water a little, as the bulb won't develop well if too much liquid is added, or even rots.
- 4. All you need now is a little patience, and in no time you'll be able to enjoy the flowerage.

Planting time: September to December **Blooming period:** March to June





The XXL garden: For the all-rounder

No space problems, enough distance and sufficient light – we pay tribute to large gardens. Here you can let off steam and plant what you like all year round. Those who also try their hand at winter vegetables will not only save themselves a trip to the supermarket in the colder season, they'll also do something for their good conscience, as exotic, imported fruit and vegetables often have been transported long distances.

WHAT ARE TYPICAL WINTER VEGETABLES? Root vegetables: beetroot, parsnips, swede.


Root vegetables: beetroot, parsnips, swede.
Leafy vegetables: mache, endive, chicory.
Cabbage: Curly kale, white cabbage, red cabbage.

WILL MY VEGETABLES FREEZE TO DEATH IN WINTER? While some of us take out our winter

While some of us take out our winter socks at temperatures below 20 degrees, most winter-proof vegetables don't even mind a light blanket of snow. Lettuce leaves freeze in frost, but they also thaw quickly. Wait to harvest them, as they could become mushy.









Norden outdoor cooking tools features & benefits





Grill utensils

Solid, premium wood Oak and heat-treated birch

wood are sourced from responsibly managed forests.

Premium stainless steel for ultimate performance Premium stainless steel for durability and high temperature use.

Wood for non-stick cookware

All wooden grilling utensils are suitable for non-stick cookware surfaces.

Perfectly balanced

Perfect balance for comfort and control in use.





Grill cookware

Durable cast iron

Durable cast iron pot and plate are ideal for a wide variety of cooking styles.

Easy to clean

THERMIUM™ mineral treatment makes inner surface very easy to clean and care for.

6 High temperatures

Heatproof up to 270°C, not recommended for use with metal utensils.

Premium stainless steel

Premium stainless steel lid for lasting durability.

5 Stainless steel steaming basket

Multi-function cooking: use it as a grill basket for preparing delicate ingredients, as a steamer or as a colander.

6 Norden Grill Chef system

Use it with the Norden Grill Chef Pot for 1- or 2-layer steaming on your barbeque grill or indoor kitchen.

Convenient storing

All Grill Chef parts can be stored inside the grill





Cooking basket





Cooking plate







Grill pot

















Norden outdoor cooking tools

| Grill Chef po | ot | | | | Art.no. | 1066430 | z | 6 424002 016311 |
|----------------|----------------|-------------|-----------------|---------------|------------|---------|----------|---------------------------|
| Height: 13,1cm | Length: 33,2cm | Width: 34cm | Weight: 5,86 kg | Retail box: 1 | Oldart.no. | - | <u> </u> | 6 4 2 4 0 0 2 0 1 6 3 1 1 |







- Durable cast iron pot is ideal for a wide variety of cooking styles on the grill and indoors and for easy mixing
- Thermium™ mineral treatment makes inner surface very easy to clean and care for
- · Premium stainless steel lid
- · Part of the stackable Norden Grill Chef system
- · Suitable for induction, ceramic, gas and traditional hobs. Also for open fire and different grills

| Grill Chef Steel basket/steamer | | | | | | 1066431 | z | 6 424002 016328 |
|---------------------------------|--------------|---------------|-----------------|--------------|------------|---------|------------|-----------------|
| Height: 8,1cm | Length: 32cm | Width: 32,2cm | Weight: 1,05 kg | Retailbox: 1 | Oldart.no. | - | E / | 6 424002 016328 |





reddot winner 2024 best of the best



- · For multi-function cooking: use it as a grill basket for preparing delicate ingredients, as a steamer or as a colander
- Premium stainless steel for lasting durability
- · Use it with the Norden Grill Chef Pot for 1- or 2-layer steaming on your barbeque grill or indoor kitchen
- Part of the stackable Norden Grill Chef system

| Grill Chef cooking plate | | | | | Art.no. | 1066432 | z | 6"424002"016335 |
|--------------------------|----------------|---------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 4,3cm | Length: 32,2cm | Width: 32,2cm | Weight: 2,64 kg | Retailbox: 1 | Oldart.no. | - | | 6 424002 016335 |







reddot winner 2024 best of the best



- $\cdot \, \mathsf{Durable} \, \mathsf{cast} \, \mathsf{iron} \, \mathsf{plate} \, \mathsf{is} \, \mathsf{ideal} \, \mathsf{for} \, \mathsf{cooking} \, \mathsf{pancakes}, \mathsf{fish} \, \mathsf{or} \, \mathsf{vege-}$ $tables\,on\,the\,grill\,or\,over\,open\,flame$
- Two layers of enamel and unique Thermium" mineral treatment makes cooking surface very easy to clean and care for
- · Bottom legs provide stability while cooking and serving
- Part of the stackable Norden Grill Chef system
- · Suitable for open fire and different grills

| Grill Chef sp | atula | | | | Art.no. | 1066425 | Z | 6 424002 016267 |
|---------------|-----------------|--------------|-----------------|--------------|------------|---------|----------|-----------------|
| Height: 3cm | Length: 44,4 cm | Width: 8,6cm | Weight: 0,39 kg | Retailbox: 1 | Oldart.no. | - | <u> </u> | 6 424002 016267 |





- · Solid, premium stainless steel head is thinly shaped to easily flip
- · Serrated edge cuts ingredients
- · Convenient loop for hanging when not in use
- · Handle made of high-quality, heat-treated birch

| reddot winner 2024 best of the best |
|--|
| |

| Grill Chef to | ngs | | | | Art.no. | 1066426 | Z | |
|---------------|----------------|---------------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 3cm | Length: 44,4cm | Width: 8,6cm | Weight: 0,38 kg | Retailbox: 1 | Oldart.no. | - | Ä | 6 4 2 4 0 0 2 0 1 6 2 7 4 |





- · Solid, premium stainless steel tongs have a non-twisting joint for precision
- Serration enables good grip
- · Convenient loop for hanging when not in use
- $\cdot \text{Handle made of high-quality, heat-treated birch} \\$



| Grill Chef for | rk | | | | Art.no. | 1066427 | Z | 6 4 2 4 0 0 2 0 1 6 2 8 1 |
|----------------|----------------|---------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 2,9 cm | Length: 45,2cm | Width: 8,7 cm | Weight: 0,31kg | Retailbox: 1 | Oldart.no. | - | 1 | 6 4 2 4 0 0 2 0 1 6 2 8 1 |
| | | | | | | | | |





- $\cdot \text{Solid}, premium \, \text{stainless steel fork easily grabs large ingredients}$
- · Convenient loop for hanging when not in use
- · Handle made of high-quality, heat-treated birch



reddot winner 2024 best of the best

| Grill Chef sp | oon wooder | 1 | | | Art.no. | 1066428 | Z | 6 424002 016298 |
|----------------|----------------|--------------|----------------|--------------|------------|---------|---|-----------------|
| Height: 2,5 cm | Length: 43,2cm | Width: 7,7cm | Weight: 0,13kg | Retailbox: 4 | Oldart.no. | - | | 6 424002 016298 |









- · A beautiful piece for grilling, cooking and serving
- Made of solid, high-quality oak
 Natural variation in wood colour and grain makes each product unique
- · Perfectly balanced design
- · Safe for use with non-stick cookware











- A beautiful piece for grilling, cooking and serving
 Made of solid, high-quality oak
 Natural variation in wood colour and grain makes each product
- · Perfectly balanced design
- ·Safe for use with non-stick cookware

| Grill Chef to | ols set 2pcs | | | | Art.no. | 1066552 | EAN |
|----------------|-----------------|----------------------|----------------|--------------|------------|----------------------|-------------------------------------|
| Height: 3,3 cm | Length: 47,3 cm | Width: 14,2cm | Weight: 0,78kg | Retailbox: 1 | Oldart.no. | - | 6 4 2 4 0 0 2 0 1 6 4 8 9 |
| | | | | | ·Spatula's | solid, premium stain | less steel head is thinly shaped to |







- easily flip food · Spatula's serrated edge cuts ingredients
- · Tongs are made of premium stainless steel and have a non-twisting joint for precision

- Tongs serration enables good grip
 Convenient loop for hanging when not in use
 Handle made of high-quality, heat-treated birch

FISKARS® Norden

Pure Nordic

Grill chef cookware

Incorporate fresh, healthy outdoor cooking into your modern life. Norden Grill chef turns your outdoor grill into a complete kitchen, with versatile, stackable pieces that excel at cooking a wide variety of meals. You won't just prepare delicious food with Grill chef, you'll create adventures.

Pure Nordic cooking fiskars.com



Plant Care

Pruners p.24
Loppers p.36
Hedge Shears p.42
Tree Pruners p.45
Scissors p.48









Founded in 1649, Fiskars' iconic heritage of creating highly aesthetic, intuitive tools makes us proud to be a world-renowned expert in two-blade cutting and manual hand tools for gardening enthusiasts all over the world.

Design philosophy

We submerge ourselves in segmentation studies, immersive consumer interviews and usability research to find ingenious ways to continually improve our products. As a result, we've won many awards, including the prestigious RedDot Best of the Best Design Awards.

Innovation

We've developed hundreds of patents and technologies to-date, all designed to help our tools outperform the competition and feel like a natural extension of your body.

Durability & quality

In addition to using only the highest quality materials, all of our products must pass rigorous lab testing before they can be distributed.

Global leader

Already known as the world's #1 brand in scissors, our gardening tools are also top sellers in Europe, North America, Australia and the Middle East.

Commitment

If gardening is happiness, Fiskars is committed to providing tools to help you find 100% happiness in the garden.

Fiskars Pruners

Offer your customers a balance of products from each of our three ranges to ensure quality options for each and every consumer – no matter what motivates them.

X-series[™]

Exceptional performance.

Our top-of-the-line range of products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception – and experience – of the activity itself. Model IDs: P900

Plus™

Adds something more.

Our mid-range offers the opportunity to trade-up casual users to reliable tools that are better equipped for rugged, everyday use. Improved durability and thoughtful, additional features allow these tools to offer a more enhanced user experience.

Model IDs: P500-700

Solid™

The solid choice.

Our base range offers quality, no-frills tools that will entice and introduce casual or new users to the brand.

Model IDs: P100-300







GUARANTEE 25 YEARS

X-series Pruners






MORE

Designed for easy and clean cutting, these pruners are ideal for quick snips on thinner branches, as well as heavy cuts on thicker branches

Blade coating

Silver PTFE coating for less friction

4 Grip





X-series[™] Pruners





best of the best

Exceptional performance.

Combining best-in-class technologies, ergonomics and durability to provide an experience that exceeds expectations. Gardening will never be the same.


| X-series [™] Bypass Pruner, L (P961) | | | | | | 1057175 | 3 | 6 4 1 1 5 0 1 1 1 1 2 3 4 |
|---|----------------|---------------|-----------------|--------------|-----------|---------|----------|---------------------------|
| Height: 28,5 cm | Length: 4,4 cm | Width: 9,5 cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no | | 1 | 6 411501 111234 |











- ·PowerGear™ maximises leverage for 3x more power.
- $\cdot \text{For clean cuts on green, living growth up to } \varnothing \, 26 \, \text{mm.}$
- $\cdot \text{Fully hardened, precision-ground steel blade stays sharp longer.} \\$ ·Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- Ergonomic FiberComp" handle with full SoftGrip" details for secure, comfortable grip.
- · Optimised for both medium and large hand sizes.
- · Spare part available: 1064258.

| X-series [™] Aı | nvil Pruner (P | 941) | | | Art.no. | 1057174 | z | |
|--------------------------|----------------------|---------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 28,5 cm | Length: 4,4cm | Width: 9,5 cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no. | - | 12 | 6 4 1 1 5 0 1 1 1 1 2 2 7 |









- · PowerGear™ maximises leverage for 3x more power.
- · Anvil-style blade for cleaner cuts while pruning dead growth up to
- Fully hardened, precision-ground steel blade stays sharp longer.
- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- · Ergonomic FiberComp" handle with full SoftGrip" details for secure, comfortable grip.
- · Spare part available: 1064259.

| <u>□ </u> | X-series [™] By | /pass Pruner | , M (P921) | | | Art.no. | 1057173 | Z | 6 4 1 1 5 0 1 1 1 1 2 1 0 |
|--|--------------------------|---------------|----------------------|------------------------|--------------|------------|---------|------------|---------------------------|
| Height: 28,5 cm Length: 4,4 cm Width: 9,5 cm Weight: 0,25 kg Retail box: 4 Oldart.no | Height: 28,5 cm | Length: 4,4cm | Width: 9,5 cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no. | - | E / | 6 4 1 1 5 0 1 1 1 1 2 1 0 |









- PowerGear™ maximises leverage for 3x more power.
- · Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
- Fully hardened, precision-ground steel blade stays sharp longer.
- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming. • Ergonomic FiberComp™ handle with full SoftGrip™ details for
- secure, comfortable grip.
- Optimised for both small and medium hand sizes.
- · Spare part available: 1064260

Plus Pruners






3 Blade coating

PTFE coating for less friction

4 Grip

SoftGrip™ for comfort and better grip





Plus Pruners



Adds something more.

Trusted performers with additional features that not only improve durability, but enhance the overall experience. Better tools, equipped for rugged, everyday use.

| Plus [™] Bypass Pruner, metal (P751) | | | | | | 1057172 | z | 6 4 1 1 5 0 1 1 1 1 1 9 7 |
|---|---------------|--------------|-----------------|--------------|------------|---------|---|-----------------------------|
| Height: 28,5 cm | Length: 2,5cm | Width: 9,5cm | Weight: 0,28 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 1 1 1 1 1 9 7 |





- ·Power-Lever[™] powers through tough stems and branches.
- · Bypass blade for clean cuts on green, living growth up to Ø 22 mm.
- $\cdot \text{Fully hardened, precision-ground steel blade stays sharp longer.} \\$ Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
 Ergonomic cast-aluminium handle with SoftGrip" details for
- secure, comfortable grip.

| Plus [™] Anvil F | Pruner (P741) | | | | Art.no. 1057171 | Z | |
|---------------------------|---------------|--------------|----------------|--------------|------------------------|----|-----------------|
| Height: 28,5 cm | Length: 2,5cm | Width: 9,5cm | Weight: 0,21kg | Retailbox: 4 | Oldart.no | 73 | 6 411501 111180 |





- Power-Lever powers through tough stems and branches.
- · Anvil-style blade for cleaner cuts while pruning dead growth up to
- Fully hardened, precision-ground steel blade stays sharp longer.

 Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming.
- Ergonomic FiberComp handle with SoftGrip reduces fatigue and adds durability and comfort.

| Plus [™] Bypass Pruner (P721) | | | | | Art.no. 1057170 | 2 | |
|--|---------------|---------------|-----------------|--------------|------------------------|----------------|--------------|
| Height: 28,5 cm | Length: 2,5cm | Width: 9,5 cm | Weight: 0,20 kg | Retailbox: 4 | Oldart.no | 6"411501"11117 | 1 7 3 |





- Power-Lever[™] powers through tough stems and branches.
- Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
 Fully hardened, precision-ground steel blade stays sharp longer.
 Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming. · Ergonomic FiberComp™ handle with full SoftGrip™ details for
- secure, comfortable grip.



| Plus [™] SmartFit [™] Bypass Pruner (P541) | | | | | Art.no. | 1057169 | z | 6411501 111166 |
|--|-------------|--------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 26,5 cm | Length: 2cm | Width: 7,6cm | Weight: 0,19 kg | Retailbox: 4 | Oldart.no. | - | 1 | 6 411501 111166 |





- · SmartFit[™] lever adjusts how wide the pruner opens for easy pruning of stems and branches.
- · For clean cuts on green, living growth up to Ø 24 mm.
- $\cdot \text{Fully hardened, precision-ground steel blade stays sharp longer.} \\$
- $\cdot \text{Low-friction} \, \text{blade coating resists rust} \, \text{and improves performance},$ resulting in smoother cuts and less gumming.
- Ergonomic FiberComp™ handle with full SoftGrip™ detail for a secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.

| Plus [™] Bypass Pruner, metal (P531) | | | | | | 1057168 | Z | 6 411501 111159 |
|---|---------------|--------------|----------------|--------------|------------|---------|---|-----------------|
| Height: 27,1cm | Length: 2,3cm | Width: 7,6cm | Weight: 0,27kg | Retailbox: 4 | Oldart.no. | - | | 6 411501 111159 |





- · Fully hardened, precision-ground steel blade stays sharp longer.
- \bullet Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
- $\cdot \text{Low-friction blade coating resists rust and improves performance,} \\$ resulting in smoother cuts and less gumming.
 • Ergonomic cast aluminium handle with full SoftGrip" detail for a
- secure, comfortable grip.
- · Conveniently placed lock for quick, easy activation.

| Plus [™] Bypas | s Pruner (P5 | 21) | | | Art.no. | 1057167 | z | |
|-------------------------|--------------|--------------|---------------|--------------|------------|---------|---|------------------------------|
| Height: 26,5 cm | Length: 2cm | Width: 7,6cm | Weight: 0,2kg | Retailbox: 4 | Oldart.no. | - | | 6" 4 1 1 5 0 1" 1 1 1 1 4 2" |





- $\cdot \hbox{Fully hardened, precision-ground steel blade stays sharp longer}.$
- \cdot Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
- $\cdot \, \text{Low-friction} \, \text{blade coating resists rust} \, \text{and improves performance},$ resulting in smoother cuts and less gumming.
- Ergonomic Fiber Comp" handle with full Soft Grip" detail for a secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.





Both blade and counter blade press into the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This makes it possible to cut close to the stem, making bypass pruners ideal for cutting fresh wood.



The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead wood.

Solid Pruners

The "solid choice."


Simple, effective and affordable with the quality Fiskars is known for. In short, these tools get the job done.





3 Blade coating

4 Grip





Solid[™] Pruners



reddot winner 2021 best of the best

| Solid [™] Anvil | Pruner (P361 | 1) | | | Art.no. | 1057165 | EAN | 6 4 1 1 5 0 7 1 1 1 1 2 8 |
|--------------------------|--------------|--------------|-----------------|--------------|------------|---------|-----|---------------------------|
| Height: 26,5 cm | Length: 2cm | Width: 7,6cm | Weight: 0,19 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 1 1 1 1 2 8 |





- · Fully hardened, precision-ground steel blade stays sharp longer. · Anvil-style blade for cleaner cuts while pruning dead growth up to
- $\cdot \, \text{Low-friction blade coating resists rust and improves performance,} \\$
- resulting in smoother cuts and less gumming.
 Light, yet sturdy, FiberComp" handle has full SoftGrip" detail for a secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.

| Solid [™] Bypass Pruner (P341) | | | | | | 1057164 | EAN | 6 4 1 1 5 0 1 1 1 1 1 1 1 1 |
|---|-------------|--------------|-----------------|--------------|------------|---------|-----|-----------------------------|
| Height: 26,5 cm | Length: 2cm | Width: 7,6cm | Weight: 0,19 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 1 1 1 1 1 1 1 |





- · Fully hardened, precision-ground steel blade stays sharp longer.
- \bullet Bypass blade for clean cuts on green, living growth up to Ø 20 mm.
- $\boldsymbol{\cdot} \text{Low-friction blade coating resists rust and improves performance,}$ resulting in smoother cuts and less gumming.

 Light, yet sturdy, FiberComp* handle has full SoftGrip* detail for a
- secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.

| Solid [™] Bypa | ss Pruner, m | etal (P331) | | | Art.no. | 1057163 | EAN | 6 411501 111098 |
|-------------------------|---------------|--------------|---------------|--------------|------------|---------|-----|-----------------------------|
| Height: 25,8 cm | Length: 2,3cm | Width: 7,6cm | Weight: 0,2kg | Retailbox: 4 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 1 1 1 1 0 9 8 |





- $\cdot \text{Fully hardened, precision-ground steel blade stays sharp longer.} \\$
- \bullet Bypass blade for clean cuts on green, living growth up to Ø 20 mm.
- ·Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- •Strong steel handle with SoftGrip for added comfort.
- · Easy-open lock protects blade during transport and storage.

| Solid [™] Bypass Pruner (P321) | | | | | | 1057162 | z | 6 411501 111081 |
|---|-------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 26cm | Length: 2cm | Width: 7,6cm | Weight: 0,18 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 1 1 1 0 8 1 |





- •Fully hardened, precision-ground steel blade stays sharp longer. •Bypass blade for clean cuts on green, living growth up to \varnothing 20 mm.
- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- · Light, yet sturdy, FiberComp™ handle with SoftGrip™ for added
- $\bullet {\sf Easy-open\,lock\,protects\,blade\,during\,transport\,and\,storage}.$

| Solid [™] Bypa | ss Pruner (P1 | 21) | | | Art.no. | 1057160 | Z | 6 411501 111029 |
|-------------------------|---------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 25,5 cm | Length: 2cm | Width: 7,6cm | Weight: 0,14 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 1 1 1 0 2 9 |





- Fully hardened, precision-ground steel blade stays sharp longer.
- · Bypass blade for clean cuts on green, living growth up to Ø 18 mm.
- · Low-friction blade coating resists rust and improves performance, $resulting \, in \, smoother \, cuts \, and \, less \, gumming.$
- Light, yet sturdy, FiberComp[™] handle.
- $\bullet {\sf Easy-open\,lock\,protects\,blade\,during\,transport\,and\,storage}.$

FISKARS

Prune trees & shrubs every spring to promote flowering, fruit development and renewal



Choose the right pruner



X-SERIES

- PowerGear[®] technology maximises leverage where you need it most, for 3x more cutting power
- Fully hardened, precision -ground steel blades stay sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomically designed FiberComp[®] handle fits the natural shape of your hand and has full SoftGrip[®] details for a secure, comfortable grip
- 25-year guarantee



PLUS'

- Power-Lever[™] technology powers through tough stems and branches
- SmartFit^{*} lever adjusts how wide the pruner opens for easier cuts
- Fully hardened, precision-ground steel blades stay sharp longer
- Ergonomically designed, FiberComp[®] or cast-aluminium handle fits the natural shape of your hand and has full SoftGrip[®] details for a secure, comfortable grip



SOLID°

- Ideal for easy cuts through stems and branches
- Fully hardened, precision-ground steel blade stays sharp longer
- Light, yet sturdy, FiberComp" handle has full SoftGrip" detail for a secure, comfortable grip
- Easy-open lock protects the blade during transport and storage



POWERSTEP*

- Allows for easy cuts through both thin and thick branches, using the same tool - without compromising on performance
- Thin branches are cut in one easy snip thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes



FINGERLOOP

- Lightweight and strong FiberComp[™] handles with SoftGrip[™] for added comfort and safety
- Fingers are protected by the loop in the lower handle
- · Corrosion-resistant, stainless steel blades




PRO PRUNERS

- Professional-quality CrMoV blades
- Easy to maintain, with all parts being replaceable
- Lightweight with SoftGrip[®] and shock absorber
- Handles and lock accommodate both left- and right-handed users

Professional Pruners

These shears have been developed with professionals' needs in mind. Made of the best materials, all parts are replaceable for added convenience. The Pro Pruner features a traditional design and includes special features such as a wire cutter.







- · Professional quality CrMoV blades.
- Bypass blade for clean cuts on green, living growth up to Ø 26 mm.
 Lightweight, durable, all-weather FiberComp" handles with sturdy grip.
- ·Left/right hand lock.
- · Greased cone bolt.
- ·Sap groove.
- Spare parts available: 1026280 and 1026282.

| Pro Pruner (P90) | | | | | | 1001530 | Z U |
|------------------|-------------|------------|----------------|--------------|------------|---------|-----------------|
| Height: 23cm | Length: 2cm | Width: 7cm | Weight: 0,27kg | Retailbox: 4 | Oldart.no. | 111960 | 8 008220 029629 |





- Blades have side support to ensure they stay in place when cutting thick branches up to Ø 26 mm.
- Includes a wire cutter to spare the blades.
- Nut locking ring allows for adjustable tightening to help ensure consistent, precise cuts.
- ·Spare part available: 1026278.

Fingerloop Pruners

Our fingerloop range includes two pruners and a snip for a neat, ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers while SoftGrip[™] detail provides an extra level of comfort for extended work in the garden.

| Fingerloop Pruner Bypass (P44) | | | | | | 1001534 | 6 4 1 1 5 0 1 9 6 4 4 0 3 |
|--------------------------------|-------------|------------|----------------|--------------|------------|---------|---------------------------|
| Height: 26,5 cm | Length: 3cm | Width: 9cm | Weight: 0,18kg | Retailbox: 4 | Oldart.no. | 111440 | 6 411501 964403 |



- ·For cutting fresh wood up to Ø 20 mm.
- · Fingerloop protects fingers while keeping the pruner comfortably in hand.
- \cdot Non-stick coating on upper blades allows for easier cuts and cleaning.

| Fingerloop Universal Snip (SP45) | | | | | | 1001533 | Z | 6 4 1 1 5 0 1 9 6 4 5 0 2 |
|----------------------------------|-------------|------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 26,5 cm | Length: 3cm | Width: 9cm | Weight: 0,20 kg | Retailbox: 4 | Oldart.no. | 111450 | | 6 4 1 1 5 0 1 9 6 4 5 0 2 |



- Designed to cut steel, plastic, tubes, rope or hoses up to Ø 20 mm. • Fingerloop protects fingers while keeping the pruner comfortably in hand
- NOTE! Not for cutting branches in garden.

Other Pruners



Solid[™] Snips

| Solid [™] Pruning Micro-Tip Snip (SP130) | | | | | Art.no. | 1051600 | z | 6 411501 110817 |
|---|-------------|--------------|-----------------|--------------|------------|---------|---|-----------------------------|
| Height: 21,5 cm | Length: 2cm | Width: 8,4cm | Weight: 0,08 kg | Retailbox: 4 | Oldart.no. | - | E | 6 4 1 1 5 0 1 1 1 1 0 8 1 7 |
| | | | | | | | | |



- $\cdot \mbox{ Ideal for encouraging healthy growth on plants and flowers.}$
- $\bullet \textit{Precision blades for shaping, repetitive trimming and intricate}$ snips in tight places.
- Stainless steel blades stay sharp even through heavy use.
 SoftGrip" touch-points on handle enhance comfort and control.
- · Easy-open lock protects the blade during transport and storage.

| Solid [™] Pruning Floral Snip (SP141) | | | | | Art.no. | 1051601 | Z | 6 411501 110824 |
|--|---------------|------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 24cm | Length: 2,2cm | Width: 8cm | Weight: 0,13 kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 1 1 0 8 2 4 |



- $\cdot \ \, \text{Ideal for encouraging healthy growth and working with cut flowers}.$
- For cuts up to Ø 13 mm. Coated, hardened blades, for easy durable use SoftGrip" touch points add comfort and control
- ·Includes stem stripper and wire cutter

| Solid [™] Pruning Snips (SP151) | | | | | Art.no. | 1051602 | Z | 6 4 1 1 5 0 1 1 1 0 8 3 1 |
|--|-------------|---------------|---------------|---------------|------------|---------|----|---------------------------|
| Height: 21,5 cm | Length: 2cm | Width: 8,4 cm | Weight: 0,1kg | Retail box: 4 | Oldart.no. | - | EA | 6 4 1 1 5 0 1 1 1 0 8 3 1 |





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{intricate} \, \mathsf{cuts} \, \mathsf{on} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{flowers} \, \mathsf{while} \, \mathsf{trimming} \, \mathsf{and} \,$
- shaping.
 Stainless steel blades stay sharp even through heavy use.
- · SoftGrip™ touch-points on handle enhance comfort and control. $\bullet \, \mathsf{Extra-large} \, \mathsf{handle} \, \mathsf{loops} \, \mathsf{leave} \, \mathsf{plenty} \, \mathsf{of} \, \mathsf{room} \, \mathsf{for} \, \mathsf{gloves}.$
- $\cdot \text{Handle design suits both left and right-handed users.}$

| Solid Herb Snip (SP220) | | | | | Art.no. | 1063326 | Z | 6 424002 014669 |
|-------------------------|---------------|--------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 20,5 cm | Length: 2,5cm | Width: 8,2cm | Weight: 0,07 kg | Retailbox: 4 | Oldart.no. | - | | 6 424002 014669 |



- · Ideal for quickly chopping and mincing herbs and vegetables directly into the bowl.
- · Stainless steel blades stay sharp longer.
- Forward hand position allows for quick cuts at any angle.
- $\bullet Spring-action \, design \, opens \, after \, each \, cut \, to \, reduce \, hand \, strain.$

| Solid [™] Multi Task Snips (SP320) | | | | | Art.no. | 1063328 | Z | |
|---|----------------|------------|----------------|--------------|------------|---------|---|-----------------|
| Height: 29,5 cm | Length: 1,6 cm | Width: 9cm | Weight: 0,11kg | Retailbox: 4 | Oldart.no. | - | | 6 424002 014683 |



- · Ideal for easily cutting netting, landscape fabric or slicing open soil bags.
- ·Sharp, stainless steel blades.
- $\cdot \text{Use outer serrated edge to saw rope, straight edge to open boxes} \\$ and integrated wire cutter to cut wire.
- Spring-action design opens after each cut to reduce hand strain.
- · Easy-open blade lock and sheath with belt loop for safe storage and portability.

Choose the right lopper

Suitable for all kinds of garden cutting tasks with a capacity of up to \emptyset 55 mm, Fiskars loppers are designed to be lightweight, efficient and comfortable to use.



Different heads for different purposes

Bypass head

For frequent cuts on fresh wood

2 Anvil head

For cutting dry and/or hard/dead wood

3 Hook head

For heavy cuts on fresh wood

Scissor head

For precision cuts

PowerGear[™]X Loppers

PowerGear™X Bypass Lopper, L (LX98)







- \cdot For heavy cuts on fresh wood up to Ø 50 mm.
 - $\cdot \, \mathsf{Bypass} \, \mathsf{blades} \, \mathsf{easily} \, \mathsf{catch} \, \mathsf{branches} \, \mathsf{while} \, \mathsf{providing} \, \mathsf{clean} \, \mathsf{cuts}.$ • Durable and light aluminium shaft with comfortable SoftGrip

 - ·Spare part available: 1026285.











Retailbox: 4

- For heavy cuts of hard and dry wood up to Ø 55 mm. Anvil blade configuration for added durability and efficiency.
 Durable, light aluminium shaft with comfortable SoftGrip* handles.

- ·Spare part available: 1026286.





| PowerGear™X Bypass Lopper, M (LX94) | | | | | Art.no. | 1020187 | Z | 6"411501" 123909 |
|-------------------------------------|-------------|---------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 69 cm | Length: 3cm | Width: 20,3cm | Weight: 1,19 kg | Retailbox: 4 | Oldart.no. | 112390 | Ä | 6 4 1 1 5 0 1 1 2 3 9 0 9 |





- For frequent cuts on fresh wood up to Ø 50 mm. Bypass blades easily catch branches while providing clean cuts.
- Durable and light aluminium shaft with comfortable SoftGrip
- ·Spare part available: 1026285.



| PowerGear [™] X Bypass Lopper, S (LX92) | | | | | Art.no. | 1020186 | Z | 6411501 122605 |
|--|---------------|-------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 62cm | Length: 2,5cm | Width: 23cm | Weight: 0,83kg | Retailbox: 4 | Oldart.no. | 112260 | | 6 4 1 1 5 0 1 1 2 2 6 0 5 |







- •For frequent cuts on fresh wood up to Ø38 mm.
- Bypass blades easily catch branches while providing clean cuts.
- Durable and light aluminium shaft with comfortable SoftGrip handles.
- ·Spare part available: 1026288.

PowerGear[™] Loppers

PowerGear[™] Hook Head Bypass Lopper, L (L78) 1000584 Art.no. Height: 75 cm Length: 3,4cm Width: 22,5 cm Weight: 0,94kg Retailbox: 4 Oldart.no. 112590



- \cdot For heavy cutting of fresh wood up to Ø 50 mm.
- · Very light weight due to FiberComp™ construction.
- · Bypass blades for easy catching of branches and a clean cuts.
- · Spare part available: 1026285.

| PowerGear [™] Anvil Lopper, L (L77) | | | | | | 1000583 | z | 6'41501''125804 |
|--|----------------|---------------|-----------------|--------------|------------|---------|-----|---------------------------|
| Height: 74,5 cm | Length: 3,5 cm | Width: 24,5cm | Weight: 1,12 kg | Retailbox: 4 | Oldart.no. | 112580 | T W | 6 4 1 1 5 0 1 1 2 5 8 0 4 |



- \cdot For heavy cutting of hard and dry wood up to Ø 50 mm.
- Very light weight due to FiberComp construction.
 Anvil blade configuration for added durability and effective cuts.
- ·Spare part available: 1026292.

| PowerGear [™] Scissor Head Bypass Lopper, M (L76) | | | | | Art.no. | 1001553 | z | 6 4 1 1 5 0 1 1 2 3 0 0 8 |
|--|--|--|--|--|---------|---------|---|---------------------------|
| Height: 61,3cm Length: 3cm Width: 18,4cm Weight: 0,59kg Retailbox: 4 | | | | | | 112300 | | 6 4 1 1 5 0 1 1 2 3 0 0 8 |



- \cdot For cutting of fresh wood up to Ø 40 mm.
- · Very light weight due to FiberComp™ construction.
- · Scissor head blades optimised for precision cutting.
- · Spare part available: 1026284.

| PowerGear [™] Hook Head Bypass Lopper, M (L74) | | | | | Art.no. | 1000582 | Z | 6"411501" 122902 |
|---|-------------|----------------|-----------------|---------------|------------|---------|---|------------------|
| Height: 60,7 cm | Length: 3cm | Width: 18,3 cm | Weight: 0,50 kg | Retail box: 4 | Oldart.no. | 112290 | | 6 411501 122902 |



- •For cutting of fresh wood up to Ø38 mm.
- · Very light weight due to FiberComp™ construction.
- · Bypass blades for easy catching of branches and a clean cuts.
- · Spare part available: 1026288.

| PowerGear [™] Scissors Head Bypass Lopper, S (L72) | | | | | Art.no. | 1001555 | 4 1 1 5 0 1 1 2 2 0 0 1 6 4 1 1 5 0 1 1 2 2 0 0 1 |
|--|--|--|--|--|------------|---------|---|
| Height: 51cm Length: 2,5cm Width: 15,7cm Weight: 0,27kg Retailbox: 4 | | | | | Oldart.no. | 112200 | 6 4 1 1 5 0 1 1 2 2 0 0 1 |



- For frequent cutting of fresh wood up to Ø 30 mm.
- · Very light weight due to FiberComp construction.
- · Scissor head blades optimised for precision cutting.
- ·Spare part available: 1026284.

| PowerGear [™] Hook Head Bypass Lopper, S (L70) | | | | | Art.no. | 1002104 | 6"411501" 121905 |
|---|---------------|---------------|-----------------|--------------|------------|---------|------------------|
| Height: 50,5 cm | Length: 2,4cm | Width: 15,4cm | Weight: 0,43 kg | Retailbox: 4 | Oldart.no. | 112190 | 6 411501 121905 |



- \bullet For frequent cutting of fresh wood up to Ø 38 mm.
- Very light weight due to Fiber Comp" construction.

 Hooked bypass blades for easy catching of branches and a clean
 - ·Spare part available: 1026288.

| PowerGear [™] Anvil Lopper, S (L31) | | | | | Art.no. | 1000581 | 6411503 961707 |
|--|---------------|--------------|-----------------|--------------|------------|---------|-----------------|
| Height: 43,2cm | Length: 2,4cm | Width: 18 cm | Weight: 0,40 kg | Retailbox: 4 | Oldart.no. | 112170 | 6 411503 961707 |



- \cdot For cutting of hard, dry wood up to Ø 35 mm.
- $\cdot \mbox{ Very light weight due to Fiber Comp} \mbox{"} \mbox{ construction}.$






Both blade and counter blade press into the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This $\hbox{makes it possible to cut close to the stem,}\\$ making bypass pruners ideal for cutting fresh wood.



The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead wood.

SmartFit[™]**Lopper**



SingleStep[™] Loppers

| SingleStep | [™] Hook Head | l Bypass Lop | per, L (L38) | | Art.no. | 1001426 | EAN |
|---------------------------|--------------------------|-----------------------------|---------------------------|-------------------------------|--------------------|---|----------------------|
| Height: 88,6 cm | Length: 2,5 cm | Width: 34,6cm | Weight: 1,16kg | Retailbox: 4 | Oldart.no. | 112460 | 6 411501 124609 |
| 6 | | 1 | | VPA Greater Greater Scheduler | · Cut capad | cutting of fresh wo ity: Ø 40 mm. steel blades with r | |
| 0 | | | | | | | _ |
| SingleStep | o [™] Hook Head | l Anvil Loppe | r, L (L39) | | Art.no. | 1001430 | z |
| SingleStep Height: 88,6cm | D [™] Hook Head | I Anvil Loppe Width: 34,6cm | r, L (L39) Weight: 1,20kg | Retailbox: 4 | Art.no. Oldart.no. | | - E 6"411501" 124500 |

| SingleStep [™] Hook Head Bypass Lopper, S (L28) | | | | | Art.no. | 1001432 | Z | |
|--|---------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 57cm | Length: 2,5cm | Width: 17,5 cm | Weight: 0,96 kg | Retailbox: 4 | Oldart.no. | 112160 | | 6 4 1 1 5 0 1 1 2 1 6 0 8 |





- $\cdot \text{For cutting fresh wood.}$
- Cut capacity: Ø 35 mm.
 Hardened steel blades with non-stick coating.





Hedge Shears

Whether you're interested in topiary, controlling annual growth or keeping a nice straight line in your hedge, Fiskars has a full range of hedge shears for your needs. From robust SingleStep[™] action hedge shears to adjustable telescopic shears, to shears featuring our unique PowerGear[™] technology, for 3x more cutting power, right to the tip.



PowerGear[™] Hedge Shears

PowerGear™ X Hedge Shears (HSX92) Art.no. 1023631 Height: 66,5 cm Length: 7,5 cm Width: 16,5 cm Weight: 1,10 kg Retailbox: 4 Oldart.no.





- · For effortless trimming of hedges and bushes.
- •Unique PowerGear* mechanism makes cutting up to 3 times easier vs standard mechanisms.
- ·Lightweight and durable with PTFE-coated, precision-ground blades.
- ·SoftGrip™handles for optimum comfort and balance.



| PowerGear [™] Hedge Shears (HS72) | | | | | | 1000596 | Z | 6 4 1 1 5 0 1 1 4 7 9 0 5 |
|--|----------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 61,2cm | Length: 4,5 cm | Width: 17 cm | Weight: 0,72 kg | Retailbox: 4 | Oldart.no. | 114790 | | 6 4 1 1 5 0 1 1 4 7 9 0 5 |



- $\cdot \text{For easy trimming of hedges and bushes}.$
- PowerGear™ technology reduces effort with up to 3x more cutting power.
- ·Lightweight, FiberComp shaft.

SmartFit[™] Hedge Shears

| SmartFit [™] H | ledge Shears | s (HS86) | | | Art.no. | 1013565 | EAN |
|-------------------------|----------------|---------------|-----------------|------------------------------------|--------------------------------|---------|---|
| Height: 73,5 cm | Length: 7,6 cm | Width: 21,5cm | Weight: 1,25 kg | Retailbox: 4 | Oldart.no. | 114800 | 6 411501 148001 |
| | 30 | | | reddot design award winner 2014 | Adjustable | | oushes both far and near. 93 cm for optimal working position. rip" handles. |

PowerLever[™] Hedge Shears

PowerLever[™] Hedge Shears (HS52) Art.no. 1001564 Height: 58,8 cm Length: 7,2 cm Width: **14,8 cm** Weight: 0,61kg Retailbox: 4 Oldart.no. 114750 · For easy trimming of hedges and bushes. •PowerLever[™] technology reduces effort with up to 2x more cutting ·Lightweight, FiberComp™shaft.

fenniaprize

Other Hedge Shears

| SingleStep* | Hedge Shea | ars Wavy Bla | de (HS22) | | Art.no. | 1001433 | z | 6 4 1 1 5 0 1 1 4 7 3 0 1 |
|---------------|--------------|--------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 58 cm | Length: 13cm | Width: 19cm | Weight: 0,71kg | Retailbox: 4 | Oldart.no. | 114730 | Ä | 6 4 1 1 5 0 1 1 4 7 3 0 1 |





- · For trimming hedges and bushes.
- Sturdy, comfortable, glassfibre-reinforced polypropene (PPGF) handle.
- · Hardened steel blades with non-stick coating.

| Solid [™] Hedg | e Shears (HS | 521) | | | Art.no. | 1026827 | z | 6 4 1 1 5 0 1 1 5 0 2 7 1 |
|-------------------------|----------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 59cm | Length: 4,5 cm | Width: 15cm | Weight: 0,32 kg | Retailbox: 4 | Oldart.no. | - | | 6 411501 150271 |



- For trimming hedges and bushes.Hardened steel blades.
- Sturdy, comfortable handles with Softouch grip.

PowerGear X Tree Pruners

More power with less effort

Improved strength of cutting head

Better maintenance

Spare parts available

Easy cutting in all directions

Adjustable head turns 230°

Telescopic Tree Pruner

↑ 6 m

Tree Pruner

↑ 3,5 m

Adjustable head turns 230°

Power Geat X


Improved strength and maintenance of cutting head


SoftGrip[™] for better grip

Power Gear X

PowerGear™X Tree Pruners

Fiskars tree pruners are multi-use tools that allow access to tree crowns and dense bushes, allowing gardeners to trim high branches without the use of a ladder - or at ground level without bending or kneeling.





Other Tree Pruners & Accessories

| Reach snip, | black (UP69 |) | | | Art.no. | 1073082 | 8 6 4 1 1 5 0 1 6 0 0 8 7 5 |
|------------------|---------------|---------------|----------------|--------------|--------------|---------|-----------------------------|
| Height: 175,5 cm | Length: 7,1cm | Width: 11,2cm | Weight: 0,9 kg | Retailbox: 4 | Old art. no. | 1023626 | 6 4 1 1 5 0 1 6 0 0 8 7 5 |

- \cdot For trimming branches high and low, Ø 12 mm.
- Cutting reach approx 3,5 m. Adjustable handle 270° for easy handling.



| Long Bypas | s Tree Prune | er (UP84) | | | Art.no. | 1001557 | 6 4 1 1 5 0 1 9 6 3 9 0 1 |
|---------------|---------------|---------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 221cm | Length: 7,4cm | Width: 11,3cm | Weight: 1,26 kg | Retailbox: 2 | Oldart.no. | 115390 | 6 411501 963901 |





 \bullet Bypass cutting action for up to Ø 32 mm thick branches.

Cutting reach of approximately 4,5 meters.


Adjustable cutting angle up to 230°.

Can be used with extension pole (art No 1001560) and fruit picker (art No 1001562).

·Spare part available: 1026293.



| Anvil Tree Pruner (UP53) | | | | | | 1000597 | EAN | 6 4 1 1 5 0 1 9 6 3 5 0 5 |
|--------------------------|----------------|---------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 165 cm | Length: 7,4 cm | Width: 13,8cm | Weight: 0,85 kg | Retailbox: 4 | Oldart.no. | 115350 | | 6 4 1 1 5 0 1 9 6 3 5 0 5 |



- · Cutting reach vertically about 3,5 meters.
- · Adjustable cutting angle up to 260°.
- · Can be used with fruit picker (art No 1001562).



| Fruit Picker (UP80), plus part | | | | | Art.no. | 1001562 | Z | |
|--------------------------------|----------------|--------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 33,4cm | Length: 7,5 cm | Width: 16 cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no. | 110970 | E | 6 4 1 1 5 0 1 9 6 9 7 0 5 |



- · Can be used with article No 1001557, 1000598, 1023624 and
- · FiberComp [™] frame and tabs gently pull fruit from tree.
- ${\color{red} \bullet} \textit{Machine-washable}, \textit{mesh bag catches the harvest}, \textit{allowing you} \\$ to see your yield.

The icon



The iconic Classic scissors are a symbol of Fiskars and our Finnish design heritage



cuts.

Easy cleaning

Handles are injection-molded onto the blades, ensuring easy, hygenic cleaning.

3 Supreme ergonomics

Handles are designed with strong consideration of the natural movement of the hand, resulting in enhanced comfort and cutting control.

durability.


5 Quality control


Each product is manually tested before leaving the factory, ensuring you get only the best scissors.





Classic Scissors













FINLAND



- · Scissors for life: 25-year extended guarantee.
- $\cdot \text{Optimal cutting edge and lifelong performance}. \\$
- Superior ergonomics ensuring good grip.
 Premium craftmanship: finished and tested by hand.
 Ideal for a wide variety of cutting needs.
- Durable stainless steel blades for long-lasting sharpness.
- · Serrated blades grip materials for easy cutting.
- · Impact resistant handle material.
- · For right-handed users.

· For right-handed users.

Easy choice for you



Features & benefits

Sharp blades

Facet grinding ensures excellent cutting performance and keeps the blades sharp longer.

2 Ergonomic design

Handles are ergonomic and comfortable.

3 Ideal tool

Versatile scissors are ideal for all-around household cutting.

Recycled materials

Scissors are made from recycled materials.

See product details for more information




New! Functional Form Scissors

Universal scissors 21 cm Art.no. 1074547 Height: 27,5 cm Length: 1,5 cm Width: 8,5 cm Weight: 0,09 kg Oldart.no. 1019197 Retailbox: 5









- · Unique comfort and cutting performance.
- · Made in Finland, finished and tested by hand.
- $\cdot \ \, \text{Ideal for a wide variety of uses in and around the home}.$
- Durable, recycled (~80%) stainless steel blades are precision ground for long-lasting sharpness.
- Ergonomically designed handle is made of recycled (~80%) plastic (80%) and glass fiber (20%) mix.
- For right-handed users.

| Large unive | ersal scissors | 25 cm | | | Art.no. | 1074546 | z | 6"424002"019381 |
|--------------|----------------|------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 32cm | Length: 2,5 cm | Width: 9cm | Weight: 0,14 kg | Retailbox: 6 | Oldart.no. | 1019198 | | 6 424002 019381 |







MADE IN

· Made of minimum 70% recycled materials.

- · Unique comfort and cutting performance.
- Finished and tested by hand.
- $\cdot \text{Ideal for a wide variety of uses in and around the home.} \\$
- ·Long, durable, recycled (~80%) stainless steel blades for long-last-
- · Larger, ergonomically designed handle is made of recycled (~80%) plastic (80%) and glass fiber (20%) mix.
- For right-handed users.

| Gardenings | scissors 21 cı | m (serrated) | | | Art.no. | 1074544 | Z | 6"424002"019404 |
|-----------------|----------------|--------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 27,5 cm | Length: 1,5 cm | Width: 8,5cm | Weight: 0,09 kg | Retailbox: 6 | Oldart.no. | 1062544 | | 6 424002 019404 |







MADE IN



- · Made of recycled materials (minimum 70%).
- · Unique comfort and cutting performance.
- · Finished and tested by hand.
- · Ideal for cutting herbs and flowers in the garden.
- · Serrated blades grip materials for easily cutting herbs & flowers.
- · Durable, recycled (~80%) stainless steel blades for long-lasting
- Ergonomically designed handle is made of recycled (~80%) plastic (80%) and glass fiber (20%) mix.
- · For right-handed users.

| Small univer | rsal scissors | 16 cm | | | Art.no. | 1074543 | Z | 6 4 2 4 0 0 2 0 1 9 4 1 1 |
|----------------|---------------|--------------|-----------------|---------------|------------|---------|----|---------------------------|
| Height: 22,5cm | Length: 1,5cm | Width: 8,5cm | Weight: 0,05 kg | Retailbox: 10 | Oldart.no. | 1062545 | E/ | 6 4 2 4 0 0 2 0 1 9 4 1 1 |







MADE IN

- Made of minimum 70% recycled materials.
- ·Unique comfort and cutting performance.
- · Finished and tested by hand.
- · Ideal for a wide variety of uses in and around the home.
- · Durable, recycled (~80%) stainless steel blades for long-lasting sharpness.
- $\cdot \, \text{Ergonomically designed handle is made of recycled ($\sim 80\%) plastic}$ (80%) and glass fiber (20%) mix.
 - · For right- and left-handed users.


Lawn Care





Rakes

Fiskars rakes are designed for comfortable raking, cleaning and gathering. Our four ranges offer a wide selection of rakes including leaf and soil rakes.



X-SERIES[™]

Premium quality materials and ergonomic, aluminium shafts for ultimate performance



ERGONOMIC

Special teardrop-shaped shaft with wide head for effective raking



SOLID™

A versatile selection of rakes ranging from lawn to soil care

X-series[™] Rakes









- · Ideal for gather grass clippings and other yard debris.
- Extremely efficient and durable large rake head.
 Hardened aluminium shaft with a unique profile reduces weight without sacrificing strength.
- · SoftGrip™ handle allows for multiple hand positions.
- ${\color{red} \bullet } \textbf{Convenient hanging hole for out-of-the-way storage and organ-}$ isation.

| X-series [™] R | ose rake S | | | | Art.no. | 1027038 | |
|-------------------------|-------------------------|----------------|------------------|---------------|------------|--------------------------|---|
| Height: 7,1cm | Length: 165,5 cm | Width: 23,5 cm | Weight: 0,795 kg | Retailbox: 4 | Oldart.no. | | 6 4 1 1 5 0 1 3 5 0 8 3 1 |
| }- | | | | GUARANTEE CO. | | efficient and durable st | lippings and other yard debris. ainless steel head sized for |



- · Hardened aluminium shaft with a unique profile reduces weight
- without sacrificing strength. • SoftGrip" handle allows for multiple hand positions.
- $\boldsymbol{\cdot} \textbf{Convenient hanging hole for out-of-the-way storage and organ-}$

| X-series [™] Sc | oil rake M | | | | Art.no. | 1027039 | Z | |
|--------------------------|----------------|---------------|------------------|--------------|------------|---------|---|-----------------|
| Height: 8,5 cm | Length: 164 cm | Width: 37,3cm | Weight: 1,045 kg | Retailbox: 4 | Oldart.no. | - | | 6 411501 350848 |








- · Ideal for leveling soil, clearing debris and spreading compost or
- Extremely efficient and durable stainless steel head with short, robust tines.
- $\cdot \text{Hardened aluminium shaft with a unique profile reduces weight}$
- without sacrificing strength.
 SoftGrip" handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organ-

Classic Rakes







- · Fiskars Classic Level rake has a robust metal head designed for finishing plant beds.
- · Ideal for evenly distributing and smoothing out topsoil and mulch
- Wooden shaft is FSC° certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging. Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Lea | f rake LFSC | | | | Art.no. | 1014784 | Z | 6 4 1 1 5 0 1 3 5 6 9 0 1 |
|----------------------|---------------|-------------|------------------|--------------|------------|---------|---|---------------------------|
| Height: 4,5cm | Length: 173cm | Width: 51cm | Weight: 0,785 kg | Retailbox: 5 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 3 5 6 9 0 1 |





- · Fiskars Classic Leaf rake, L has a larger head design for more extensive projects
- · Ideal for clearing leaves, grass clippings and other light yard debris.
- · Wooden shaft is FSC° certified (FSC C108780).

- Durable yet flexible tines grab debris without clogging.
 Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools. just keep getting better year after year.

| Classic Lea | f rake M FSC | ; | | | Art.no. | 1063091 | Z | 6 4 1 1 5 0 1 7 0 4 3 6 8 |
|---------------|----------------|-------------|-----------------|---------------|------------|---------|---|---------------------------|
| Height: 4,5cm | Length: 170 cm | Width: 43cm | Weight: 0,65 kg | Retailbox: 10 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 4 3 6 8 |





- · Fiskars Classic Leaf rake, M has a mid-sized head design for general clearing projects.
- Ideal for clearing leaves, grass clippings and other light yard debris.

 Wooden shaft is FSC" certified (FSC C108780).

 Durable yet flexible tines grab debris without clogging.

- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Fan Leaf rake flat prongs FSC | | | | | | 1001586 | Z | 6 4 1 1 5 0 3 " 4 7 5 0 1 3 |
|---------------------------------------|------------------|-------------|------------------|--------------|------------|---------|---|-----------------------------|
| Height: 6,5 cm | Length: 168,5 cm | Width: 40cm | Weight: 0,785 kg | Retailbox: 6 | Oldart.no. | - | | 6 4 1 1 5 0 3 4 7 5 0 1 3 |





- · Fiskars Classic Leaf rake has a flat, fan-style head design for clearing large areas.
- Ideal for clearing leaves, grass clippings and other light yard debris.
 Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- ${\boldsymbol{\cdot}} \ {\bf With\ timeless\ design\ and\ attention\ to\ details, Fiskars\ Classic\ Tools$ just keep getting better year after year.

| Classic Lea | f rake round | prongs FSC | | | Art.no. | 1003708 | Z | |
|-------------|----------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 9cm | Length: 198 cm | Width: 47cm | Weight: 1,33 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 5 8 2 0 2 |





- · Fiskars Classic Leaf rake has a rounded, fan-style head design that gently penetrates topmost soil and grass layer.
- · Ideal for clearing leaves, grass clippings and other light yard debris.
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- ${\boldsymbol{\cdot}} \, \text{With timeless design and attention to details, Fiskars Classic Tools} \,$ just keep getting better year after year.

| Classic Gatl | her rake FSC | ; | | | Art.no. | 1018577 | z | 6 4 1 1 5 0 1 3 6 9 4 5 1 |
|-----------------|---------------|-------------|----------------|--------------|------------|---------|----------|---------------------------|
| Height: 12,5 cm | Length: 167cm | Width: 57cm | Weight: 1,6 kg | Retailbox: 3 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 3 6 9 4 5 1 |






- $\cdot \textit{Fiskars Classic Gather rake has metal head with heavy-duty times}$

- Fiskars Classic Gather rake has metal head with heavy-duty tines that penetrate topmost layers of grass and soil.
 Ideal for clearing grass clippings, leaves and other yard debris.
 Unique metal guard aids in gathering and lifting materials into a waste or compost bin.
 Wooden shaft is FSC® certified (FSC C108780).
 Durable yet flexible tines grab debris without clogging.
 Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Ergonomic Rakes





- Ideal for removing yard waste without debris buildup.
 Wide head for working on large area of lawn.
 Sturdy, flexible tines with a specific geometry, preventing debris
- · Teardrop shaped handle provides an ergonomic grip.
- Hanging loop offers out-of-the-way storage.
- · Plastic-coated handle maximises grip and comfort.

| Ergonomic [®] | Fan rake | | | | Art.no. | 1076977 | z | |
|------------------------|---------------|-------------|---------------|--------------|------------|---------|----|---------------------------|
| Height: 9cm | Length: 187cm | Width: 42cm | Weight: 0,8kg | Retailbox: 4 | Oldart.no. | - | EA | 6 4 1 1 5 0 1 7 0 7 0 5 5 |



- $\cdot \text{Ideal for removing leaves, moss and grass clippings from uneven} \\$ ground.
 • Tines are made from durable boron steel.
- $\cdot \text{Teardrop-shaped handle provides ergonomic grip.}$
- $\cdot \mbox{Hanging loop offers out-of-the-way storage}.$
- $\cdot \textbf{Plastic-coated handle optimises grip and comfort.}$

| Ergonomic | c [™] Rake shove | el . | | | Art.no. | 1077116 | 2 |
|---------------|---------------------------|-------------|---------------|--------------|---|---|---------------------------------|
| Height: 16 cm | Length: 150cm | Width: 48cm | Weight: 1,1kg | Retailbox: 4 | Oldart.no. | - | |
| | | | -1 | | barn mater • Multi-use fruit, and m • Rake-sho ant polycar • Teardrop | tool effectively anure. vel head is mad | moves g e from e provide: |

- nd moving bulky yard, garden and
- grass clippings, fallen branches or
- extremely durable, fracture-resist-
- es an ergonomic grip.
- way storage.
- ·Plastic-coated handle maximises grip and comfort.

Solid[™] Rakes

| Solid [™] Wood | Leaf rake F | SC SC | | | Art.no. | 1080009 | Z | |
|-------------------------|----------------|--------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 4cm | Length: 165 cm | Width: 39 cm | Weight: 0,63 kg | Retailbox: 5 | Oldart.no. | - | Ę, | 6 4 1 1 5 0 1 7 0 7 7 0 3 |





- $\cdot \ \mathsf{ldeal} \ \mathsf{for} \ \mathsf{removing} \ \mathsf{yard} \ \mathsf{waste} \ \mathsf{without} \ \mathsf{debris} \ \mathsf{buildup}.$
- Wide head for working on large area of lawn.
 Sturdy, flexible tines with a specific geometry, preventing debris buildup.
- · Wooden shaft is FSC® certified (FSC C108780).

| Solid [™] Wood | d Plastic Leaf | rake 20 pror | ngs | | Art.no. 1011607 | Z | 7 3 1 7 7 9 6 5 2 6 3 0 4 |
|-------------------------|----------------|----------------------|----------------|--------------|------------------------|---|---------------------------|
| Height: 5cm | Length: 199 cm | Width: 42,5cm | Weight: 0,8 kg | Retailbox: 6 | Oldart.no | E | 7 3 1 7 7 9 6 5 2 6 3 0 4 |





- Easy-to-use tool for general yard and garden clearing projects.
 Extra-large head idea for clearing leaves, grass clippings and other
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.

| Solid [™] Wood | und prongs F | Art.no. 1077117 | z | | | | |
|-------------------------|---------------|------------------------|-----------------|--------------|-----------|-----|---------------------------|
| Height: 9cm | Length: 183cm | Width: 43cm | Weight: 1,33 kg | Retailbox: 6 | Oldart.no | 120 | 6 4 1 1 5 0 1 7 0 7 1 5 4 |





- · Easy-to-use tool for clearing leaves, grass clippings and other
- Fan-style head gently penetrates topmost soil and grass layer.

 Wooden shaft is FSC° certified (FSC C108780).
- $\cdot \text{Durable yet flexible tines grab debris without clogging.} \\$

| Solid [™] Wood | l Fan rake fla | t prongs FSC | | | Art.no. | 1077118 | z | |
|-------------------------|----------------|--------------|----------------|--------------|------------|---------|--|-----------------|
| Height: 9cm | Length: 182cm | Width: 44 cm | Weight: 0,8 kg | Retailbox: 6 | Oldart.no. | - | THE STATE OF THE S | 6"411501"707161 |





- · Easy-to-use tool for clearing leaves, twigs, grass clippings and other light yard and garden debris.
- Flatter, fan-style head easily manages to clear the largest projects.
 Flexible, curved tines prevent buildup.
 Wooden shaft is FSC* certified (FSC C108780).

| Solid Wood Leaf rake XL FSC | | | | | Art.no. | 1001584 | EAN | |
|-----------------------------|----------------|--------------|-----------------|--------------|-----------|---------|-----|-----------------|
| Height: 12cm | Length: 175 cm | Width: 63 cm | Weight: 1,76 kg | Retailbox: 5 | Oldart.no | | | 3 157331 355914 |





- $\bullet \, \mathsf{Easy-to-use} \, \mathsf{tool} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{leaves}, \mathsf{twigs}, \mathsf{grass} \, \mathsf{clippings} \, \mathsf{and} \,$
- other light yard and garden debris.

 Flatter, fan-style head easily manages to clear the largest projects.

 Flexible, curved tines prevent buildup.


 Wooden shaft is FSC* certified (FSC C108780).

| Solid [™] Leaf ı | rake XL | | | | Art.no. | 1015645 | EAN | 6 4 1 1 5 0 1 3 5 0 9 0 9 |
|---------------------------|---------------|-------------|-----------------|---------------|------------|---------|-----|---------------------------|
| Height: 5cm | Length: 171cm | Width: 63cm | Weight: 0,85 kg | Retail box: 5 | Oldart.no. | | 111 | 6 4 1 1 5 0 1 3 5 0 9 0 9 |



- \bullet Easy-to-use tool for clearing leaves, twigs, grass clippings and other light yard and garden debris.
- ·Flatter, fan-style head easily manages to clear the largest projects.
- Flexible, curved tines prevent buildup.
 Durable, lightweight aluminum shaft.

| Solid [™] Leaf r | ake L | | | | Art.no. | 1003465 | z | 6 4 1 1 5 0 1 3 5 0 1 6 9 |
|---------------------------|---------------|--------------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 5cm | Length: 171cm | Width: 52cm | Weight: 0,58kg | Retailbox: 5 | Oldart.no. | - | 1 | 6 4 1 1 5 0 1 3 5 0 1 6 9 |



- · Easy-to-use tool for clearing leaves, twigs, grass clippings and other light yard and garden debris.
- Flat head with straight edges reaches into hard-to-reach areas.
 Flexible, curved tines prevent buildup.
 Durable, lightweight aluminum shaft.

| Height: 170 cm Length: 5 cm Width: 46 cm Weight: 0,611 kg Retail box: 5 Oldart.no | Solid [™] Leafı | rake M | | | | Art.no. | 1063090 | EAN | 6411501704351 |
|---|--------------------------|-------------|-------------|-----------------|--------------|------------|-----------|-----|---------------------------|
| | Height: 170 cm | Length: 5cm | Width: 46cm | Weight: 0,611kg | Retailbox: 5 | Oldart.no. | Oldart.no | Ä | 6 4 1 1 5 0 1 7 0 4 3 5 1 |



- $\bullet \textbf{Easy-to-use tool for clearing leaves, twigs, grass clippings and}$ other light yard and garden debris.
 •Flat head with straight edges reaches into hard-to-reach areas.
 •Flexible, curved tines prevent buildup.
- · Durable, lightweight aluminum shaft.

| Solid [™] Gard | en rake | | | | Art.no. 1003466 | Z | 6"411501"350664 |
|-------------------------|----------------|--------------------|----------------|--------------|------------------------|----|-----------------|
| Height: 11cm | Length: 167 cm | Width: 41cm | Weight: 0,6 kg | Retailbox: 5 | Oldart.no | E/ | 6 411501 350664 |



- Easy-to-use tool for raking and leveling soil.
 Ideal for distributing stones and mulch.
 Curved tines prevent buildup.

- · Durable, lightweight aluminum shaft.

Solid[™] Rakes shafts & heads

| Solid [™] Wood | d rake & Broo | om Shaft FSC | ; | | Art.no. 1077120 | 8 411501 707185 |
|-------------------------|----------------|--------------|----------------|---------------|------------------------|-----------------|
| Height: 3cm | Length: 159 cm | Width: 3cm | Weight: 0,6 kg | Retail box: 4 | Oldart.no | 6 411501 707185 |



- · Wooden shaft is FSC° certified (FSC C108780).
- · Compatible with Solid rake heads (article No 1014914, 1014915 & 1014917).
- · Spare part for rakes (article No 1003465, 1003464 & 1003466).

| Solid [™] rake | & Broom Sha | aft | | | Art.no. | 1014913 | Z | 6411501 350015 |
|-------------------------|----------------|--------------|-----------------|----------------|------------|---------|----------|---------------------------|
| Height: 3cm | Length: 160 cm | Width: 2,8cm | Weight: 0,35 kg | Retail box: 10 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 3 5 0 0 1 5 |

- · Lightweight and durable aluminium construction.
- \bullet Compatible with Solid "rake heads (article No 1014914, 1014915 &
- Spare part for rakes (article No 1003465, 1003464 & 1003466).

| Solid [™] Leaf | rake L head | | | | Art.no. | 1014915 | Z | 6411501 350145 |
|-------------------------|----------------|---------------|----------------|----------------|------------|---------|----------|---------------------------|
| Height: 5,4 cm | Length: 22,8cm | Width: 51,1cm | Weight: 0,23kg | Retail box: 10 | Oldart.no. | - | <u>'</u> | 6 4 1 1 5 0 1 3 5 0 1 4 5 |



- $\cdot \textbf{Easy-to-use tool for clearing leaves}, twigs, grass \, \textbf{clippings and}$ other light yard and garden debris.
- Flat head with straight edges reaches into hard-to-reach areas.
 Flexible, curved tines prevent buildup.
- · Durable, lightweight aluminum shaft.
- Solid[™] Leaf rake M head Art.no. 1063089 Height: 4,5 cm Length: 41,6 cm Width: 20 cm Weight: 0,211kg Retailbox: 10 Oldart.no. -



- $\cdot \, \mathsf{Easy-to-use} \, \mathsf{head} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{leaves}, \mathsf{twigs}, \mathsf{grass} \, \mathsf{clippings} \, \mathsf{and} \,$ other light yard and garden debris.
 •Flat head with straight edges reaches into hard-to-reach areas.
- Flexible, curved tines prevent buildup.

| Solid [™] Gard | en rake head | | | | Art.no. 1014917 | 3 |
|-------------------------|----------------|-------------|----------------|---------------|------------------------|------------------|
| Height: 11,4 cm | Length: 15,2cm | Width: 41cm | Weight: 0,25kg | Retailbox: 10 | Oldart.no | 6"411501"350640" |



- · Easy-to-use tool for raking and leveling soil.
- · Ideal for distributing stones and mulch.
- · Curved tines prevent buildup.

Grass Shears



POWERLEVER*
Cutting head adjusts
up to 270°

SERVO-SYSTEM^{*} Cutting head adjusts up to 360°

SERVO-SYSTEM Cutting head adjusts up to 360°

Grass Shears

PowerLever[™] Grass and Hedge Shears (GS53) 1001565 Art.no. Length: 15,5 cm Oldart.no. **113710** Height: 90cm Width: 20,5cm Weight: 1,31kg Retailbox: 4







- For cutting grass, hedges and small bushes. Cuts up to 10 mm at the base of the blade and reaches up to 2,5 m.
- Cutting head adjusts up to 270°.



| Servo-Syst | em [™] Grass Sł | nears, Long (| 3 S46) | | Art.no. | 1000590 | z | 6"411501"966902" |
|----------------|--------------------------|---------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 105 cm | Length: 8cm | Width: 25cm | Weight: 0,74 kg | Retailbox: 4 | Oldart.no. | 113690 | 4 | 6 4 1 1 5 0 1 9 6 6 9 0 2 |





- ·For trimming lawn edges standing up.
- Cutting angle adjustable to 360°.
- Ergonomic handle with finger protection. Servo-System" technology prevents the blades from jamming.

| Servo-Syste | em [™] Grass Sh | nears (GS42) | | | Art.no. | 1000589 | z | 411501 966803 |
|-----------------|--------------------------|--------------|----------------|--------------|------------|---------|---|---------------|
| Height: 34,4 cm | Length: 4,5cm | Width: 12 cm | Weight: 0,31kg | Retailbox: 4 | Oldart.no. | 113680 | 6 | 411501 966803 |







- ·For trimming lawn edges and hedges.

- Cutting angle adjustable to 360°.
 Ergonomic handle with finger protection.
 Servo-System" technology prevents the blades from jamming.

| SmartFit [™] G | rass Shears | (GS40) | | | Art.no. 102363 | 2 2 | 6 4 1 1 5 0 1 1 2 0 1 0 6 |
|-------------------------|-------------|-------------|-----------------|--------------|-----------------------|-----|---------------------------|
| Height: 38cm | Length: 3cm | Width: 13cm | Weight: 0,35 kg | Retailbox: 5 | Oldart.no | E/ | 6 4 1 1 5 0 1 1 2 0 1 0 6 |



| ·For trimming lawn edges and hedges. | |
|--------------------------------------|--|
| · Cutting angle adjustable to 180°. | |

| Ergonomic handle with finger protect | ion |
|--|-----|
|--|-----|

| Solid [™] Grass | Solid [™] Grass Shears (GS21) | | | | | 1026826 | Z | 6 411501 150264 |
|---|--|--|--|--|------------|---------|---|-----------------|
| Height: 31,5cm Length: 4,5cm Width: 8,5cm Weight: 0,32kg Retailbox: 4 | | | | | Oldart.no. | - | | 6 411501 150264 |



[·] For trimming lawn edges and hedges.

[·]Non-slip handles for comfortable grip.

| Grass Shears (S50) | | | | | Art.no. | 1000557 | z | 6"411501"110909" |
|--------------------|-------------|---------------|-----------------|--------------|------------|---------|------------|---------------------------|
| Height: 22cm | Length: 1cm | Width: 9,5 cm | Weight: 0,09 kg | Retailbox: 3 | Oldart.no. | 111090 |) | 6 4 1 1 5 0 1 1 1 0 9 0 9 |




- For trimming lawn edges and hedges.
 SoftGrip* cover in upper handle for increased comfort.
 Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.

Weed Pullers

Our sturdy range of weed pullers offer a range of features including an ergonomic handle design, an adjustable shaft with SmartFit[™] technology that adapts to different size users, and beautifully designed white and Solid[™] weed pullers with light, aluminium construction for ease of use.



Weed Pullers



| SmartFit [™] \ | SmartFit [™] Weed Puller | | | | | | ş |
|-------------------------|-----------------------------------|--------------|-----------------|--------------|------------|------------------------|---------------------------|
| Height: 102cm | Length: 11,9cm | Width: 30 cm | Weight: 1,25 kg | Retailbox: 4 | Oldart.no. | 139960 | 6 4 1 1 5 0 1 3 9 9 6 0 1 |
| | | | | VPA 🚛 | •For ergon | omic, effortless remov | val of root weeds. |





- Telescopic aluminium shaft can be adjusted between 990-1190 mm.
- · Large, D-shaped handle fits all hand sizes.

| Solid [™] Weed Puller | | | | | | 1026652 | z | |
|--------------------------------|-------------|-------------|-----------------|--------------|---------------|-----------------------|------|---------------------------|
| Height: 93cm | Length: 9cm | Width: 30cm | Weight: 0,90 kg | Retailbox: 4 | Oldart.no. | - | EAN | 6 4 1 1 5 0 1 3 1 0 4 8 4 |
| | | | | | • For effortl | ess removal of root v | weed | S. |







Classic & Solid[™] Lawn Care Tools

| Classic Lawn Edger | | | | | | 1003707 | 6 4 1 1 5 0 1 3 6 8 6 0 7 |
|--------------------|-------------|---------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 104,2cm | Length: 4cm | Width: 23,7cm | Weight: 1,00 kg | Retailbox: 4 | Oldart.no. | 136860 | 6 411501 368607 |





- $\cdot \text{Optimal for cutting straight edges on planting beds and lawns.}$
- · After cutting a straight line with the lawn edger, remove weeds or soil blocks with the help of a spade, fork or cultiweeder.
- •FSC® certified wood.

| Solid [™] Lawn Edger | | | | | | 1011617 | 7 3 1 7 7 9 7 0 3 5 0 0 3 |
|-------------------------------|-------------|---------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 110 cm | Length: 3cm | Width: 30,5cm | Weight: 1,85 kg | Retailbox: 3 | Oldart.no. | 5371 | 7 3 1 7 7 9 7 0 3 5 0 0 3 |



- · Durable all steel construction.
- $\bullet \text{Optimal for cutting straight edges on lawns and planting beds.}$

| Solid [™] Gripper | | | | | | 1062271 | Z | 6 4 1 1 5 0 1 3 1 1 4 6 7 |
|----------------------------|-------------|--------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 87,5 cm | Length: 5cm | Width: 17 cm | Weight: 0,40 kg | Retailbox: 5 | Oldart.no. | - | E | 6 4 1 1 5 0 1 3 1 1 4 6 7 |



- $\bullet \textit{Ergonomic}, \textit{standing position makes it easy to collect debris from}$ the ground.

 Rubber pads grip easily on to paper, leaves, sticks and other debris.

 Steel shaft.

Pop-Up Bags

| Ergo [™] Pop-up Bag, S, 73L | | | | | | 1028371 | z | |
|--------------------------------------|-------------|-------------|----------------|----------------|------------|---------|---|-----------------|
| Height: 45cm | Length: 4cm | Width: 45cm | Weight: 0,71kg | Retail box: 10 | Oldart.no. | - | | 6 411501 600189 |







- ·Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clippings.
- ·Folds to 3 cm for space-saving storage.
- ·Internal spring pops it up for use.
- $\cdot \, \text{Tear-} \, \text{and} \, \text{mildew-resistant} \, \text{construction} \, \text{provides} \, \text{durability} \, \text{and} \,$ easy cleaning.
 • Height closed: 30 mm, Height open: 460 mm.

| Ergo [™] Pop-up Bag, M, 175L | | | | | Art.no. | 1028372 | Z | |
|---------------------------------------|-------------|-------------|----------------|---------------|------------|---------|----------|-----------------|
| Height: 53 cm | Length: 4cm | Width: 53cm | Weight: 1,21kg | Retail box: 8 | Oldart.no. | - | <u> </u> | 6 411501 600196 |







- ·Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clippings.
- ·Folds to 3 cm for space-saving storage.
- Internal spring pops it up for use.
 Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 700 mm.

| Ergo [™] Pop-up Bag, L, 219L | | | | | Art.no. | 1028373 | Z | |
|---------------------------------------|-------------|--------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 59 cm | Length: 4cm | Width: 59 cm | Weight: 1,63 kg | Retailbox: 6 | Oldart.no. | - | | 6 411501 600202 |





- $\cdot \text{Ideal for collecting wet yard and garden was te like damp leaves,} \\$ $weeds\, or\, grass\, clippings.$
- $\cdot \text{Folds to 3} \, \text{cm} \, \text{for space-saving storage}.$
- ·Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 700 mm.

| Solid [™] Pop-up Garden Bag, 56 I | | | | | | 1015646 | Z | |
|--|-------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 40 cm | Length: 3cm | Width: 40cm | Weight: 0,60 kg | Retailbox: 6 | Oldart.no. | 135041 | | 6 4 1 1 5 0 1 3 5 0 4 1 1 |



- $\cdot {\sf Ideal} \, {\sf for \, collecting \, weeds, \, grass \, clippings, \, other \, types \, of \, yard \,$ waste.
- · Folds to 3 cm for space-saving storage.
- ·Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 460 mm.

| Solid [™] Pop-up Garden Bag, 172 I | | | | | | 1015647 | z | |
|---|-------------|-------------|-----------------|--------------|------------|---------|------------|-------|
| Height: 56 cm | Length: 3cm | Width: 56cm | Weight: 1,25 kg | Retailbox: 6 | Oldart.no. | 135042 | 6 411501 3 | 50428 |



- $\cdot \ \mathsf{ldeal} \ \mathsf{for} \ \mathsf{collecting} \ \mathsf{weeds}, \mathsf{grass} \ \mathsf{clippings} \ \mathsf{or} \ \mathsf{other} \ \mathsf{types} \ \mathsf{of} \ \mathsf{yard}$ waste.
- · Folds to 4 cm for space-saving storage.
- ·Internal spring pops it up for use.
- $\cdot \text{Tear-} \, \text{and} \, \text{mildew-resistant} \, \text{construction} \, \text{provides} \, \text{durability} \, \text{and} \,$ easy cleaning.
- · Height closed: 40 mm, Height open: 700 mm.

StaySharp

Fiskars StaySharp™ Max Reel Mower promotes greener, healthier lawns by cleanly cutting each blade of grass with a scissors-like action. This minimises the lawn's moisture loss, while reducing exposure to disease.



StaySharp[™] Reel Mowers

| StaySharp [™] Max Reel Mower | | | | | Art.no. | 1000591 | Z | 6"411501"138804 |
|---------------------------------------|--------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 60 cm | Length: 61cm | Width: 37cm | Weight: 23,5 kg | Retailbox: 1 | Oldart.no. | 113880 | | 6 4 1 1 5 0 1 1 3 8 8 0 4 |







- $\hbox{-} 2x\,more\,cutting\,power\,compared\,to\,standard\,reel\,mowers.}$
- 60% easier to push than other reel mowers.
- · Cut height adjustable between 2,5 -10 cm.
- · Compatible with grass catcher.

| StaySharp [™] Plus Reel Mower | | | | | Art.no. | 1015649 | 6 411501 138729 |
|--|-----------------|-----------------------|---------------|--------------|------------|---------|---------------------------|
| Height: 60 cm | Length: 34,5 cm | Width: 45,5 cm | Weight: 18 kg | Retailbox: 1 | Oldart.no. | 113872 | 6 4 1 1 5 0 1 1 3 8 7 2 9 |







40% easier to push than other reel mowers.
Cut height adjustable between 3,8 - 8,9 cm.




| StaySharp [™] Grass Catcher | | | | | Art.no. | 1000592 | 6"411501" 138835 |
|--------------------------------------|--------------|------------|-----------------|--------------|------------|---------|------------------|
| Height: 54,5cm | Length: 55cm | Width: 6cm | Weight: 1,59 kg | Retailbox: 1 | Oldart.no. | 113883 | 6 411501 138835 |



- Simple, tool-free assembly with Fiskars StaySharp "Max Mower.
 Effective capacity of approximately 18 litres.
 UV- and mildew-resistant polyester screen with heavy-duty steel frame for long-lasting performance.

Soil Care









Plant care in small spaces

Pruner with holder Art.no. 1075314 Height: 24,1cm Length: 6,4 cm Width: 9,2cm Weight: 0,33 kg Retailbox: 4 Oldart.no. -· Ideal for the toughest cuts needed on indoor plants and flowers · Bypass pruner design gives clean cuts through branches, stems Plant Care and roots up to ø 18 mm · Low-friction blade coating means cuts are easier for you and healthier for plants · Stylish free-standing tool holder for convenient storage











- · Ideal for fine-detailed trimming on indoor plants, even in dense foliage
- Precision-ground, stainless steel blades stay sharp and are optimised for clean, fast-healing cuts on plant vegetation
- · Long handles provide extra leverage and reach for easier cuts
- $\hbox{-} Ambidex trous handle design accommodates right- and left-handed gardeners }$

| | (| | | | ed gardeners Stylish free-standing tool | I holder for convenient storage. |
|-----------------|----------------|---------------|-----------------|---------------|---|---|
| Complete p | oruning set, | 3 pcs | | | Art.no. 1075317 | EAN |
| Height: 26,4 cm | Length: 6,7 cm | Width: 20,8cm | Weight: 0,80 kg | Retailbox: 4 | Oldart.no | 6 411501 706416 |
| Man | 9000 | | | Plant Care | prune indoor plants and fit Pruner (Ø 18 mm capacity indoor plants up to ø 18 mr Plant Shears is a versatile stem stripper Plant Detailer is ideal for p dense foliage Each tool is equipped wit | y) is ideal for the toughest cuts needed on |
| Plant cloth | | | | | Art.no. 1075318 | EA . |
| Height: 21,0 cm | Length: 1,3 cm | Width: 19,1cm | Weight: 0,07kg | Retailbox: 6 | Oldart.no | 6 4 1 1 5 0 1 7 0 6 4 2 3 |
| , N | | | | Plant | · Ideal for dusting and clea spaces | ning while working in smaller gardening |







- $\cdot Soft microfiber fabric efficiently captures dust and dirt without scratching surfaces or harming your plants$
- Reversible, dual-texture cloth for gentle dusting and efficient cleaning
- ·Dimensions: 18 cm x 55 cm

| Water spike | e 3,5 dl | | | | Art.no. | 1075380 | z | 6 4 1 1 5 0 1 7 0 6 4 4 7 |
|----------------|---------------|--------------|----------------|---------------|------------|---------|----|---------------------------|
| Height: 29,8cm | Length: 7,9cm | Width: 9,9cm | Weight: 0,27kg | Retail box: 4 | Oldart.no. | - | EA | 6 4 1 1 5 0 1 7 0 6 4 4 7 |





- $\cdot I deal for keeping your plant continuously watered over multiple days while you are busy or traveling$
- Easy to use and maintain
- $\cdot \, \mathsf{Made} \, \mathsf{of} \, \mathsf{durable} \, \mathsf{UV} \, \mathsf{resistant} \, \mathsf{plastic} \,$
- · Volume: 3,5 dl

| Watering ca | an, 1,2 L | | | | Art.no. | 1071307 | Z | 6 4 1 1 5 0 1 7 0 5 6 9 3 |
|-----------------|-----------------|----------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 30,6 cm | Length: 13,7 cm | Width: 13,3 cm | Weight: 0,3 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 5 6 9 3 |





- · Ideal for gently and precisely waters plants on city balconies, patios
- Long, slim spout reaches high and low plants, and waters at the plant base for healthier growth.

 Easy-fill top allows you fill watering can without removing cap.

 Durable, light weight, resin body is made of 30% post-consumer
- recycled plastic.

| Mister, 0,31 | _ | | | | Art.no. | 1071306 | EAN | 6'411501'705709 |
|-----------------|----------------|---------------|---------------|---------------|------------|---------|-----|---------------------------|
| Height: 22,9 cm | Length: 7,9 cm | Width: 10,6cm | Weight: 0,1kg | Retail box: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 5 7 0 9 |





- $\cdot \text{Ideal for hydrating delicate plants and for cleaning debris from} \\$ broad leaves.
- $\cdot \, \mathsf{Delivers} \, \mathsf{a} \, \mathsf{fine}, \mathsf{even} \, \mathsf{mist} \, \mathsf{to} \, \mathsf{indoor} \, \mathsf{and} \, \mathsf{outdoor} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{succutor} \, \mathsf{and} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{plants} \, \mathsf{$ lents.
- $\boldsymbol{\cdot}\,\mathsf{Nozzle}\,\mathsf{locks}\,\mathsf{for}\,\mathsf{storage}\,\mathsf{and}\,\mathsf{transport}.$
- · Durable, lightweight, resin body is made of 30% post-consumer recycled plastic.

| Height: 17,5 cm | | | Art.no. 1071305 | EAN | | |
|-----------------|-----------------|---------------|------------------------|---------------|---|---|
| 11,00111 | Length: 34,9 cm | Width: 31,4cm | Weight: 1kg | Retailbox: 4 | Oldart.no | 6"411501"705716 |
| | repottingm | 11/2 | | Plant Care | indoors to out. • Spacious design include wall-mounting - perfect fo • Handle locks in place for for two-handed carrying. | , lightweight, resin with 20% post-consun |







- $\cdot \text{Ideal for protecting work surfaces and making cleanup fast and} \\$
- · Inner panels fold in multiple ways, allowing you to pour loose materials back into bag, minimising waste.
- $\boldsymbol{\cdot} \text{Outer layer is made of durable, water-resistant nylon that easily}$
- wipes clean. $\cdot \text{Mat unfolds to 82,5cm} \times \text{44,5cm} \\ \text{for a generously sized working}$ area.

| Soil scoop, | М | | | | Art.no. | 1071303 | z | |
|----------------|-------------|--------------|---------------|--------------|------------|---------|---|---------------------------|
| Height: 34,9cm | Length: 6cm | Width: 8,6cm | Weight: 0,1kg | Retailbox: 4 | Oldart.no. | - | 7 | 6 4 1 1 5 0 1 7 0 5 7 3 0 |





- Perfectly sized for transferring soil from bags into medium-sized planters when potting and transplanting patio gardens and house-
- ·Flat bottom keeps scoop from tipping when set on a flat surface.
- Deep sides maximize capacity and prevent spills.
 Made of durable, lightweight resin with 20% post-consumer recycled plastic.

| 2-in-1soil scoop and brush | | | | | | 1071302 | Z | 6 411501 705747 |
|----------------------------|----------------|--------------|---------------|--------------|------------|---------|---|---------------------------|
| Height: 27cm | Length: 4,8 cm | Width: 9,5cm | Weight: 0,1kg | Retailbox: 4 | Oldart.no. | - | Ę | 6 4 1 1 5 0 1 7 0 5 7 4 7 |







- $\cdot \text{Ideal for digging, re-potting, transplanting and cleaning up loose}$ planting materials.
- Soft, long brush bristles sweep dirt and debris onto wide side of scoop for fast, easy cleanup.

 Two-sided scoop has narrow rigid end for precisely placing,
- tapping down and digging into soil.
- · Scoop's wide, flexible end functions as a dustpan and for pouring
- Brush handle is made of durable resin with 20% post-consumer recycled plastic.

Planting and growing

The right tools for every planting task:





How to use



Press blade tip into ground by pressing the pedal.




Pull handle toward your self to open up hole until you hear



Drop your bulb or sapling through the top of the planter. Size up to 50 mm.



Pull planter from the ground, cover your bulb and tap down with your foot.





Comfortable handleFor loosening the soil

Easy depth scaleMeasurements in centimeters and inches

Circular motion and sharp teeth Help to pass through tight ground



Solid[™] Seed planting trowel

Offers four seed-planting essentials in one lightweight, durable tool



Solid[™] Hand spreader

Use to spread seeds, salt, sand, fertilizer and more



Solid[™] Planting stick

Creates divots and holes for planting seeds at the correct depth



Bulb planters

Features & benefits

Xact™

Standing bulb planter

Perfect for planting bulbs and small saplings without bending

- Release button
- 2 Aluminium shaft & FiberComp[™] handle
- 3 Planting depth 150 mm
- 4 Max. bulb size 55 mm

Ergo[™] Bulb planter

- Comfortable handle for loosening the soil
- Circular motion and sharp teeth allow it to pass easily through dense soil
- Stainless steel shaft & FiberComp[®] handle

<mark>Solid</mark>™ Hand bulb planter

- Durable, glass fiber reinforced plastic body
- Comfortable handle for loosening the soil
- Circular motion and sharp teeth help to pass through tight ground
- Easy-to-clean surface





Planting Tools

| Xact [™] Stand | ing Bulb Plar | nter | | | Art.no. 1057077 | - Karaman - Kara |
|-------------------------|---------------|--------------|-------------|--------------|------------------------|--|
| Height: 105,3 cm | Length: 31cm | Width: 30 cm | Weight: 2kg | Retailbox: 4 | Oldart.no | 6 411501 311320 |
| | | | A | VPA C | bending or kneeling. | I small saplings up to 50mm, without im shaft has a bladed end and step-creation. |



- · A locking mechanism on the stepping pedal holds the blade open, allowing you to drop your bulb through the top of the planter for
- perfect placement.
 Pull planter from the ground, cover your bulb, and tap down with your foot.
 • Planting depth up to 150 mm.

| Ergo [™] Standing Bulb Planter | | | | | | 1057078 | Z | 6 4 1 1 5 0 1 3 1 1 3 3 7 |
|---|----------------|----------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 99,5 cm | Length: 10,5cm | Width: 27,5 cm | Weight: 1,93 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 1 1 3 3 7 |



- Digs and fills holes for less time kneeling and bending.
 Non-slip standing board allows you to easily push the tool into the
- ·Cone features sharp teeth for powering through even tough soil.
- · Handle trigger releases soil over the bulb and hole for quick, efficient planting.
 • Shaft is made of durable steel for years of reliable use.
 • Planting depth up to 150 mm.

| Solid [™] Hand Bulb Planter | | | | | Art.no. | 1057079 | 8 6 4 1 1 5 0 1 3 1 1 3 4 4 |
|--------------------------------------|-----------------|---------------|-----------------|---------------|------------|---------|-----------------------------|
| Height: 24,3 cm | Length: 10,3 cm | Width: 11,7cm | Weight: 0,25 kg | Retailbox: 12 | Oldart.no. | - | 6 4 1 1 5 0 1 3 1 1 3 4 4 |



- $\cdot \mbox{ldeal for quick and precise planting of bulbs and seedlings}.$
- ·Blade has teeth for fast and efficient digging using a circular
- $\cdot \, \text{Planter features measuring guide on side for accurate depth.} \,$
- $\cdot \, \text{A}$ simple trigger opens the blade to release soil over the hole and bulb.
- Suited for bulbs up to 65 mm wide and planting depth of up to 125
- · Made of durable, weather-resistant FiberComp".

Solid[™] **Planting Tools**

| Solid [™] Seed | Solid [™] Seed Planting Trowel | | | | | | z | 6411501 311276 |
|-------------------------|---|--------------|-----------------|---------------|------------|---|---|---------------------------|
| Height: 33cm | Length: 6,4cm | Width: 2,2cm | Weight: 0,06 kg | Retailbox: 16 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 1 1 2 7 6 |



- \cdot Offers four seed-planting essentials in one lightweight, durable tool.
- \cdot Unique tool features a trowel, stylus, widger and measuring tool, all integrated into one 2-piece tool.
- Debossed, easy to read, English and metric measurements on trowel and widger won't fade or grode
- trowel and widger won't fade or erode.

 Made of lightweight, rust-proof FiberComp® for superior durability.

| Solid [™] Planting Stick | | | | | | Art.no. 1057080 | | 6 4 1 1 5 0 1 3 1 1 3 5 1 |
|-----------------------------------|-------------|-------------|-----------------|---------------|------------|------------------------|---|---------------------------|
| Height: 26,2cm | Length: 3cm | Width: 13cm | Weight: 0,08 kg | Retailbox: 16 | Oldart.no. | - | Ш | 6 4 1 1 5 0 1 3 1 1 3 5 1 |



- · Creates divots and holes for planting seeds at the correct depth.
- Measuring scale on tip of tool allows for depth of up to 150 mm.
- $\cdot \text{Unique L-shaped handle provides maximum torque and comfort}.$
- $\hbox{-Lightweight, yet incredibly strong, Fiber Comp} \^{} construction is weather-resistant and easy to clean.$

| Solid [™] Sprea | ader | | | | Art.no. | 1057076 | 4 1 1 5 0 1 3 1 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 |
|--------------------------|----------------|----------------|----------------|----------------|------------|---------|---|
| Height: 30 cm | Length: 13,1cm | Width: 16,5 cm | Weight: 0,28kg | Retail box: 12 | Oldart.no. | - | 6 411501 311313 |



- ·Ideal for accurate spreading of sand, salt, fertilizer and more.
- · Easy-to-turn adjustment knob controls dosing while deploying your material. Choose from pour, fast flow or slower flow options.
- Easy-lock system allows for quick refilling with spreading materials.



Harvesting tools

Intuitive tools made with durable &

lightweight materials for easy,

quick harvesting

X-series[™] Harvesting knife

Flat tip

For push cuts

Ideal for harvesting produce with thick stalks. It has a stainless steel blade with a flat tip for quick push cuts and a serrated section for slicing through fibrous stems.

Fixed-blade knife includes sheath and belt loop for storage, safety & convenience.

For saw cuts




With SoftGrip[™] for added comfort

Plus[™] Harvesting basket

- without damaging surrounding plants

Perfect for collecting, transporting and washing your harvest and tools.





Harvesting Tools

X-series[™] Folding produce knife K80 1062819 Art.no. Height: 18,42cm Length: 1,83 cm Width: 10,8 cm Weight: 0,07kg Retailbox: 8 Oldart.no. -



- Fiskars® X-series™ Folding Produce Knife is ideal for harvesting from smaller stalks and stems.
- $\bullet \mbox{ Precision-ground, stainless steel blade is curved at the tip, for }$ $easy\,access\,through\,dense\,growth\,without\,damaging\,surrounding$
- Foldable, ergonomic design offers comfort and compact storage.
- ·Blade length: 7,7 cm.
- · 25-year warranty.

| X-series [™] Harvesting knife K82 | | | | | | 1062830 | Z | 6 4 1 1 5 0 1 2 0 0 9 5 2 |
|--|----------------|---------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 34,62 cm | Length: 3,81cm | Width: 6,99cm | Weight: 0,25 kg | Retailbox: 8 | Oldart.no. | - | | 6 4 1 1 5 0 1 2 0 0 9 5 2 |



- ${\boldsymbol{\cdot}} \operatorname{Fiskars}^{\circ} \operatorname{X-series}^{\scriptscriptstyle{\mathsf{T}}} \operatorname{Harvesting} \operatorname{Knife} \operatorname{is} \operatorname{ideal} \operatorname{for} \operatorname{harvesting} \operatorname{thick}$ stalks and stems.
- · Precision-ground, stainless steel blade has a flat tip for quick push cuts and a serrated section for saw cuts through fibrous plants.
- · Extended tang for durability and ergonomic handle for comfort
- · Includes hard plastic sheath with belt loop.
- •Blade length: 15 cm.
- ·25-year warranty.

| Plus Garder | n Harvest Ba | sket | | | Art.no. 106283 | 6 4 1 1 5 0 1 2 0 0 9 6 9 |
|-----------------|-----------------|-----------------------|-----------------|--------------|-----------------------|---------------------------|
| Height: 60,96cm | Length: 13,67cm | Width: 38,84cm | Weight: 1,13 kg | Retailbox: 6 | Oldart.no | 6 411501 200969 |





- $\cdot \textit{Fiskars}^{\circ} \, \textit{Plus Garden Harvest Basket is perfect for collecting,} \\$ transporting and washing your harvest and food gardening tools.

 Colander side has drain holes for washing freshly harvested
- produce, while enclosed side can be used for soaking or carrying clean produce or tools.
- · Ergonomic side handles are ideal for two-handed carrying, while folding handles interlock for comfortable, one-handed use. • Dimensions: 61 cm x 39 cm x 13 cm.

| Solid [™] Knee | ling pad | | | | Art.no. | 1062832 | EAN | |
|-------------------------|-----------------|-----------------------|----------------|---------------|------------|---------|-----|---------------------------|
| Height: 1,91cm | Length: 45,72cm | Width: 27,94cm | Weight: 0,08kg | Retail box: 6 | Oldart.no. | - | | 6 4 1 1 5 0 1 2 0 0 9 7 6 |




- Fiskars® Solid® Kneeling Pad prevents sore knees when working in
- · Dual-layer construction provides lasting durability.
- ${\color{red} \bullet} \ Moisture-proof outer shell protects you from rough terrain.$
- $\cdot {\sf Soft}\, {\sf foam}\, {\sf inner}\, {\sf cushion}\, {\sf provides}\, {\sf generous}\, {\sf padding}.$
- Convenient handle makes carrying easy.
 Sized to offer plenty of room while working.
- · Dimensions: 45,7 cm x 27,9 cm x 1,9 cm.

Digging

To make digging as easy as possible, you need a reliable spade suitable for the task. That's why we've developed a variety of spades and shovels including spades for digging in hard soil, edging and planting, as well as light spades for soft soil. We also have shovels designed to move sand, soil and snow.





Gardening is a demanding pastime. Fiskars Xact[™] digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact digging tools fit you - combining the right length with lightweight material and durability.



ERGONOMIC"

Beautifully designed and realised, Fiskars Ergonomic[™]is a perfect selection of tools for digging and composting - all for the most discerning gardener. The spades, shovels and forks have angled shafts and handles for reduced strain on backs, hands and wrists. A powder coating on the shafts also maximise grip and comfort.



SOLID"

Offering simple, affordable quality and expertise for every garden, Fiskars Solid™range includes a wide variety of shovels, spades and forks designed to get the job done. With metal or FSC° certified wooden shafts, and straight or D-shaped handles, every Solid tool features the quality Fiskars is known for.

| Xact [™] Point | ed Spade | | | | Art.no. | 1066729 | Z | 6"411501" 311627 |
|-------------------------|-------------|----------------|-----------------|--------------|---------------|-----------------------|------|----------------------------|
| Height: 120 cm | Length: 8cm | Width: 19,2 cm | Weight: 1,95 kg | Retailbox: 4 | Oldart.no. | - | EA | 6 4 1 1 5 0 1 3 1 1 6 2 7 |
| | | | - | WDA 🐬 | ·ldeal for di | gging holes, edging l | oeds | and removing small amounts |







- of soil.
- · Non-slip stepping board.
- · Sharpened blade edge and sides that easily cut through soil and
- $\cdot \text{Measurement scale} \, \text{on blade for precise digging}.$
- $\boldsymbol{\cdot} \mathsf{Comfortable} \, \mathsf{handle} \, \mathsf{with} \, \mathsf{SoftGrip}^{\scriptscriptstyle{\mathsf{T}}} \, \mathsf{ensures} \, \mathsf{digging} \, \mathsf{comfort}$ control.
- $\bullet \, \text{Ergonomic angled shaft that ensures ideal working position}.$

| Xact [™] Roun | ded Spade | | | | Art.no. | 1066730 | EAN | 6"411501" 311634 |
|------------------------|----------------|----------------|----------------|---------------|------------|---------|----------|---------------------------|
| Height: 120 cm | Length: 8,9 cm | Width: 19,2 cm | Weight: 2,01kg | Retail box: 4 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 3 1 1 6 3 4 |







- $\cdot \ \mathsf{Ideal} \ \mathsf{for} \ \mathsf{edging} \ \mathsf{and} \ \mathsf{planting} \ \mathsf{in} \ \mathsf{standard}, \mathsf{grassy} \ \mathsf{topsoil}.$
- ·Non-slip stepping board.
- · Sharpened blade edge and sides that easily cut through soil and
- $\cdot \text{Measurement scale} \, \text{on blade for precise digging}.$
- $\boldsymbol{\cdot} \mathsf{Comfortable} \, \mathsf{handle} \, \mathsf{with} \, \mathsf{SoftGrip}^{\scriptscriptstyle \top} \mathsf{ensures} \, \mathsf{digging} \, \mathsf{comfort}$ control.
- $\bullet \, \text{Ergonomic angled shaft that ensures ideal working position}.$

| Xact [™] Shovel | | | | Art.no. | 1066731 | z | |
|----------------------------------|---------------|-----------------|--------------|------------|---------|---|------------------------------|
| Height: 130,4 cm Length: 15,9 cm | Width: 22,3cm | Weight: 2,19 kg | Retailbox: 4 | Oldart.no. | - | H | 6" 4 1 1 5 0 1" 3 1 1 6 4 1" |








- · Ideal for moving soil, sand, gravel and other bulk materials.
- · Wide, angled head allows you to shift materials quickly and with less strain on your back.
- $\boldsymbol{\cdot} \, \mathsf{D}\text{-shaped handle with SoftGrip} ^{\texttt{w}} \, \mathsf{ensures \, comfort \, and \, control}.$
- $\cdot \, \text{Ergonomic angled shaft that ensures ideal working position}.$

| Xact [™] Telescopic Pointe | Art.no. | 1066732 | Z | | | | |
|-------------------------------------|---------------|----------------|--------------|------------|---------|--|-----------------|
| Height: max130 cm Length: 8,2 cm | Width: 19,2cm | Weight: 1,94kg | Retailbox: 4 | Oldart.no. | 1001567 | | 6"411501"311658 |














- ${\color{gray}\boldsymbol{\cdot}} \, \mathsf{D}\text{-shaped handle with SoftGrip} ^{\texttt{\tiny `'}} \, \mathsf{ensures} \, \mathsf{digging} \, \mathsf{comfort} \, \mathsf{control}.$
- ${\boldsymbol \cdot} \, \text{Ergonomic angled shaft that ensures ideal working position}.$

| Xact [™] Telescopic Round | Xact [™] Telescopic Rounded Spade | | | | | Z | |
|------------------------------------|--|-----------------|--------------|------------|---------|----------|-----------------|
| Height: max130cm Length: 9,1cm | Width: 19,2 cm | Weight: 1,99 kg | Retailbox: 4 | Oldart.no. | 1000620 | | 6 411501 311665 |









- $\cdot \mbox{Ideal for edging and planting in normal, grassy topsoil.} \\$
- ·Non-slip stepping board.
- · Sharpened blade edge and sides that easily cut through soil and
- · Boron steel head is welded to a composite and steel shaft for ultimate durability.
- $\cdot \text{Measurement scale on blade for precise digging.} \\$
- Telescopic shaft extends from 110.8 cm to 130 cm
 D-shaped handle with SoftGrip" ensures digging comfort control.
- Ergonomic angled shaft that ensures ideal working position.

Xact[™] Telescopic Shovel Art.no. 1066734 Height: max140 cm Length: 15,9 cm Width: 22,3cm Weight: 2,19 kg Retailbox: 4 Oldart.no. -





- Ideal for moving soil, sand, gravel and other bulk materials.
 Wide, angled head allows you to shift materials quickly and with less strain on your back.
- Telescopic shaft extends from 120,8 cm to 140 cm.
- $\bullet \, \text{D-shaped handle with SoftGrip} ^{\tiny \top} \, \text{ensures digging comfort control}.$
- $\bullet \, \text{Ergonomic angled shaft that ensures ideal working position}.$

| Xact [™] Garde | en Fork | | | | Art.no. | 1070716 | Z | 6 4 1 1 5 0 1 7 0 5 6 4 8 |
|-------------------------|----------------|----------------|----------------|--------------|------------|-----------------------|--------|--|
| Height: 120 cm | Length: 6,9 cm | Width: 18,5 cm | Weight: 1,2 kg | Retailbox: 4 | Oldart.no. | - | Ē | 6 4 1 1 5 0 1 7 0 5 6 4 8 |
| | | | 1 | | ·Features | an exceptionally dura | able y | er tough, compacted soil. ret lightweight build. |



- · Shaft and handle are angled to keep your body in a natural position, reducing strain while you work.
- $\boldsymbol{\cdot} \, \mathsf{D} \text{-shaped handle is suitable for all hand sizes with or without}$ gloves.

| Xact [™] Teleso | copic Garder | n Fork | | | Art.no. 1070717 | A 6 4 1 1 5 0 1 7 0 5 6 5 5 |
|---------------------------|----------------|----------------|--------------|--------------|---|-----------------------------|
| Height: 110-130 cm | Length: 6,9 cm | Width: 18,5 cm | Weight:1,8kg | Retailbox: 4 | Oldart.no | 6 4 1 1 5 0 1 7 0 5 6 5 5 |
| | | | | | lata al fara a sustina ta colo a sil un | -1: |



- · Ideal for aerating tough soil, raking over stones or weeds and moving tufts of grass while bordering.
- $\cdot \textit{Features an exceptionally durable yet light weight build that can be}$
- adjusted from 110-130 cm.
 Shaft and handle are angled to keep your body in a natural position, reducing strain while you work.
- · Shaft includes non-slip grip which enhances control and insulates
- $\cdot \, \text{D-shaped handle is suitable for all hand sizes with or without} \,$ gloves.

Ergonomic[™] Spades, Shovels & Forks

Ergonomic Pro Pointed XL Spade Black Art.no. 1066707 Height: 130,5 cm Length: 13,5 cm Width: 20,5 cm Weight: 2,3 kg Retailbox: 4 Oldart.no.





- Ergonomic* Pro Pointed XL spade is designed for demanding, specialised tasks and heavy lifting.
- Ideal for driving into stone, clay and hard soils.
- · Stepping board helps drive into tough soil.
- D-shaped handle is sized for working with or without gloves.
- Angled shaft with non-slip grip offers added strength and improved ergonomics.

| Ergonomic [™] Pro Drainage Shovel Black | | | | | Art.no. | 1066709 | z | 6"411501"311702" |
|--|----------------|----------------|-----------------|---------------|------------|---------|---|---------------------------|
| Height: 130,7cm | Length: 9,3 cm | Width: 15,8 cm | Weight: 2,14 kg | Retail box: 4 | Oldart.no. | - | 7 | 6 4 1 1 5 0 1 3 1 1 7 0 2 |





- $\cdot \text{Ergonomic} "Pro \, \text{Drain spade is designed for demanding, special-ised tasks} \, \text{and heavy lifting.} \\$
- · Ideal for trenching and digging up bulbs in tough soil, as well as splittle roots.
- · Stepping board helps drive into tough soil.
- $\cdot \, \text{D-shaped handle is sized for working with or without gloves} \,$
- Angled shaft with non-slip grip offers added strength and improved ergonomics.

| Ergonomic [™] Pro Shovel Black | | | | | Art.no. | 1066711 | z | 6 411501 311719 |
|---|-----------------|-------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 131,7 cm | Length: 17,3 cm | Width: 23cm | Weight: 2,26kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 3 1 1 7 1 9 |





- \bullet Ergonomic $\mbox{\ensuremath{^{\circ}}}$ Pro Shovel is designed for demanding, specialised tasks and heavy lifting.
- \cdot Ideal for transferring heavy construction and garden materials like gravel, mulch, soil and sand.
- D-shaped handle is sized for working with or without gloves.
- Angled shaft with non-slip grip offers added strength and improved ergonomics.

| Ergonomic [™] Pro Concrete Shovel Black | | | | | Art.no. | 1066713 | Z | 6 411501 311726 |
|--|---------------|---------------|---------------|--------------|------------|---------|---|---------------------------|
| Height: 123,9 cm | Length: 14 cm | Width: 27,4cm | Weight: 2,4kg | Retailbox: 4 | Oldart.no. | - | 7 | 6 4 1 1 5 0 1 3 1 1 7 2 6 |



- $\cdot \text{Ergonomic} \text{``Pro Concrete shovel is designed for demanding, specialised tasks and heavy lifting.}$
- \cdot Ideal for transferring and mixing and spreading heavy-duty and wet materials.
- $\boldsymbol{\cdot}\, \text{D-shaped handle is sized for working with or without gloves}.$
- $\cdot \text{Angled shaft with non-slip grip offers added strength and improved ergonomics}.$

| Ergonomic [™] Perennial Spade S Grey | | | | | Art.no. | 1066714 | A 6 4 1 1 5 0 1 3 1 1 7 5 7 |
|---|----------------|---------------|---------------|---------------|------------|---------|-----------------------------|
| Height: 123 cm | Length: 8,3 cm | Width: 15,3cm | Weight: 2,1kg | Retail box: 4 | Oldart.no. | | 6 4 1 1 5 0 1 3 1 1 7 5 7 |



- Saw-toothed edge is ideal for cutting through roots and digging in rocky soil.
- D-shaped handle ensures a comfortable and firm grip.
- Tear-drop shaped steel shaft with a plastic coating makes it extremely durable, maximises grip and insulates from the cold.
- \bullet Sturdy welded connection between the blade and the shaft ensures rigid durability.

Height: 124,9 cm Length: 12 cm Width: 19,3 cm Weight: 2,06 kg

Ergonomic[™] Pointed Spade











Retailbox: 4

- $\textbf{\cdot} \textbf{Ergonomic}^{\text{``}} \textbf{Pointed spade is optimised for comfort} \textbf{working with your body}.$
- Sharp cutting edge is ideal for aerating, stirring and turning soil, cutting through roots, and digging in stone, clay and hard soil.
- D-shaped handle is sized for working with or without gloves.
- · Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- $\,\cdot\,$ Stepping board adds extra strength and makes driving into tough soil easier.
- Perfected lifting angle for improved comfort and optimal digging

| Ergonomic [™] Rounded Spade | | | | | | 1066710 | EAN | 1 311740 |
|--------------------------------------|-----------------|----------------|-----------------|--------------|------------|---------|---------|----------|
| Height: 125 cm | Length: 13,5 cm | Width: 19,3 cm | Weight: 2,07 kg | Retailbox: 4 | Oldart.no. | 1001411 | 6 41150 | 1 311740 |





- Ergonomic ``Rounded spade is optimised for comfort -- working with your body.
- Sharp cutting edge is ideal for digging, edging and planting in standard, grassy topsoil.
- Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- Stepping board adds extra strength and makes driving into tough soil easier.
- Perfected lifting angle for improved comfort and optimal digging performance.

| Ergonomic [™] Shovel | | | | | | 1066712 | A 6 4 1 1 5 0 1 3 1 1 7 6 4 |
|-------------------------------|-----------------|--------------|-----------------|---------------|------------|---------|-----------------------------|
| Height: 131,7 cm | Length: 17,3 cm | Width: 23 cm | Weight: 2,26 kg | Retail box: 4 | Oldart.no. | 1001579 | 6 4 1 1 5 0 1 3 1 1 7 6 4 |





- Ergonomic "Shovel is optimised for comfort working with your
- Wide scoop head is ideal for moving bulky materials, including gravel, sand and soil.
- Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- \cdot Perfected lifting angle for improved comfort and optimal digging performance.

| Ergonomic [™] Compost Fork Grey | | | | | Art.no. | 1070678 | 8 411501 705563 |
|--|-----------------|-------------|----------------|--------------|------------|-------------------------|------------------------------------|
| Height: 136 cm | Length: 10,7 cm | Width: 22cm | Weight: 1,8 kg | Retailbox: 4 | Oldart.no. | - | 6 411501 705563 |
| | | | | | Thin force | adtinos ara ideal for m | moving bulky materials like leaves |



- \cdot Thin, forged tines are ideal for moving bulky materials like leaves, mulch, hay and cut grass.
- The shaft has an ergonomic lifting angle to minimise strain on back and shoulders.
- ${\boldsymbol \cdot} \, {\sf Angled} \, {\sf handle} \, {\sf keeps} \, {\sf hands} \, {\sf and} \, {\sf wrists} \, {\sf in} \, {\sf a} \, {\sf neutral} \, {\sf position}.$
- Boron steel shaft has SoftGrip coating for cold insulation and firm grip.
- Forks are forged for increased strength and durability.

| Ergonomic" | Garden Forl | < Grey | Art.no. 1070679 | A 6 4 1 1 5 0 1 7 0 5 5 7 0 | | |
|-----------------|----------------|----------------|------------------------|-----------------------------|-----------|---------------------------|
| Height: 132,2cm | Length: 10,8cm | Width: 20,5 cm | Weight: 2,2kg | Retailbox: 4 | Oldart.no | 6 4 1 1 5 0 1 7 0 5 5 7 0 |



- · Forged tines are ideal for breaking up soil.
- \bullet The shaft has an ergonomic lifting angle to minimise strain on back and shoulders.
- · Angled handle keeps hands and wrists in a neutral position.
- Boron steel shaft has SoftGrip coating for cold insulation and firm grip.
- Forks are forged for increased strength and durability.

Solid[™] + & Solid[™] Spades, Shovels & Forks

| Solid [™] +Spade XL Blade | | | | | | 1067516 | 6"411501" 311559 |
|------------------------------------|----------------|----------------------|----------------|--------------|------------|---------|------------------|
| Height: 113,5 cm | Length: 14,2cm | Width: 20,5cm | Weight: 2,06kg | Retailbox: 4 | Oldart.no. | - | 6 411501 311559 |





- ·Solid"+Spade, XL blade offers affordable quality for every garden.
- · Ideal for digging in hard ground like stone and clay.
- · Stepping board helps drive into tough soil.
- D-shaped handle is perfect for hands of all sizes, with or without gloves.

| Solid [™] + Spade XL Blade long shaft | | | | | | 1067517 | EAN | 6 411501 311566 |
|--|-----------------|---------------|-----------------|--------------|------------|---------|-----|---------------------------|
| Height: 126,5cm | Length: 13,4 cm | Width: 20,5cm | Weight: 2,20 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 1 1 5 6 6 |





- $\cdot Solid "+ Spade, XL \ blade \ long \ shaft \ offers \ affordable \ quality for every \ garden.$
- · Ideal for digging in hard ground like stone and clay.
- $\cdot Long, angled \, shaft \, provides \, ergonomic \, use \, for \, tallers \, users.$
- · Stepping board helps drive into tough soil.
- D-shaped handle is perfect for hands of all sizes, with or without gloves

| Solid [™] +Con | crete Shove | | | | Art.no. | 1067518 | EAN | |
|-------------------------|----------------|-----------------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 122,7cm | Length: 14,1cm | Width: 27,5 cm | Weight: 2,45 kg | Retailbox: 4 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 3 1 1 5 7 3 |



- $\textbf{\cdot} \textbf{Solid}^{\text{\tiny{"}}} \textbf{+} \textbf{Concrete Shovel offers affordable quality for every garden.}$
- Ideal for working with sand, gravel, wet concrete and other heavy-duty materials.
- ·Boron steel construction increases strength.
- $\cdot D\text{-shaped}$ handle is perfect for hands of all sizes, with or without gloves.

| Solid [™] +Cor | npost Fork | | | | Art.no. | 1071936 | EAN | |
|-------------------------|-------------|-------------|-----------------|--------------|--------------|--------------------|----------|------------------------------|
| Height: 129 cm | Length: 9cm | Width: 26cm | Weight: 2,10 kg | Retailbox: 4 | Oldart.no. | - | <u> </u> | 6" 4 1 1 5 0 1" 6 0 0 4 7 9" |
| | | | | | • Fiskars So | olid+ Compost fork | offers | affordable quality for every |



- eriskars Solid+ Composition Korlers allorable quality for every garden.
- · Ideal for aerating tough soil and turning compost.
- ·Boron steel head increases strength.
- D-shaped handle provides comfort and fits all hand sizes with or without gloves.

| Solid [™] Wood Pointed Spade FSC | | | | | | 1066721 | z |
|---|----------------|-------------|----------------|--------------|------------|---------|-----------------|
| Height: 108,5 cm | Length: 7,8 cm | Width: 18cm | Weight: 1,7 kg | Retailbox: 4 | Oldart.no. | 1014816 | 6"411501"311771 |






- Solid" Pointed spade with wood offers affordable quality for every garden
- ·Sharp, pointed blade edge is ideal for general digging tasks and for cutting turfor roots.
- Head is welded to metal shaft for optimal durability.
- Authentic wood shaft is FSC* certified.
- · Stepping board helps drive into tough soil.
- •D-shaped handle is perfect for hands of all sizes, with or without aloves.

| Solid [™] Wood Rounded Spade FSC | | | | | | 1066722 | z | |
|---|---------------|-------------|----------------|--------------|------------|---------|---|------------------|
| Height: 108,5cm | Length: 8,4cm | Width: 18cm | Weight: 1,8 kg | Retailbox: 4 | Oldart.no. | 1014817 | | 6"411501"311788" |








- $\boldsymbol{\cdot} \, \mathsf{Rounded} \, \mathsf{blade} \, \mathsf{edge} \, \mathsf{is} \, \mathsf{ideal} \, \mathsf{for} \, \mathsf{digging}, \mathsf{edging} \, \mathsf{and} \, \mathsf{planting} \, \mathsf{in}$ standard, grassy topsoil.

 • Head is welded to metal shaft for optimal durability.
- · Authentic wood shaft is FSC* certified.
- · Stepping board helps drive into tough soil.



| Solid [™] Wood Shovel D Handle FSC | | | | | Art.no. | 1066723 | z | |
|---|---------------|--------------|---------------|--------------|------------|---------|---|---------------------------|
| Height: 123 cm | Length: 18 cm | Width: 23 cm | Weight: 2,1kg | Retailbox: 4 | Oldart.no. | 1014818 | 7 | 6 4 1 1 5 0 1 3 1 1 7 9 5 |





- ${\boldsymbol{\cdot}} \, {\sf Solid}^{\scriptscriptstyle{\mathsf{IM}}} \, {\sf Shovel} \, {\sf with wood} \, {\sf offers} \, {\sf affordable} \, {\sf quality} \, {\sf for} \, {\sf every} \, {\sf garden}.$
- Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.
- Head is welded to metal shaft for optimal durability.
- · Authentic wood shaft is FSC* certified.
- $\boldsymbol{\cdot} \text{D-shaped handle is perfect for hands of all sizes, with or without}$

| Solid [™] Wood Shovel I Handle FSC | | | | | Art.no. | 1066724 | z | |
|---|---------------|--------------|---------------|--------------|------------|---------|---|------------------|
| Height: 143,5 cm | Length: 18 cm | Width: 23 cm | Weight: 2,1kg | Retailbox: 4 | Oldart.no. | - | Ä | 6"411501" 311801 |





- Solid" Shovel with wood offers affordable quality for every garden.
 Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.
- · Head is welded to metal shaft for optimal durability.
- $\boldsymbol{\cdot} \, \text{Authentic wood shaft is FSC}^{\circ} \, \text{certified}.$
- $\cdot \text{Straight handle offers a traditional, seamless grip.}$



| Solid [™] Wood | d Garden Fo | kFSC | Art.no. 1070676 | z | | |
|-------------------------|----------------|----------------|------------------------|--------------|-----------|-----------------|
| Height: 112,6cm | Length: 9,9 cm | Width: 18,5 cm | Weight: 1,5 kg | Retailbox: 4 | Oldart.no | 6 411501 705549 |





- · Forged steel tines are ideal for aerating and loosening soil and working the compost heap.
- Authentic wood shaft is FSC[®] certified.
- $\cdot \text{D-shaped handle provides comfort}.$

| Solid [™] Metal | Car Spade | | | | Art.no. | 1066715 | Z | 11501 311825 |
|--------------------------|-----------------|---------------|----------------|--------------|------------|---------|---|-----------------------|
| Height: 80cm | Length: 10,5 cm | Width: 18,2cm | Weight: 1,42kg | Retailbox: 4 | Oldart.no. | 1014809 | | 1 1 5 0 1 3 1 1 8 2 5 |





- · Solid "Car spade is conveniently sized to fit in the boot of your car.
- Pointed blade is ideal for digging out of snow, ice or mud in a hurry.
 Head is welded to metal shaft for optimal durability.
- $\cdot \textit{Easy-to-see} \, \textit{orange} \, \textit{D-shaped handle} \, \textit{is perfect for hands of all} \\$ sizes, with or without gloves.

| Solid [™] Metal Pointed Spade | | | | | Art.no. | 1066716 | 4 1 1 5 0 1 3 1 1 8 3 2 6 4 1 1 5 0 1 3 1 1 8 3 2 |
|--|----------------|-------------|-----------------|--------------|------------|---------|---|
| Height: 116,6 cm | Length: 12,1cm | Width: 18cm | Weight: 1,85 kg | Retailbox: 4 | Oldart.no. | 1003455 | 6 4 1 1 5 0 1 3 1 1 8 3 2 |





- · Solid™ Pointed spade offers affordable quality for every garden.
- Pointed blade edge is ideal for general digging tasks and for
- $\cdot \, \text{Head is welded to a strong metal shaft for optimal durability}.$
- Stepping board helps drive into tough soil.
 D-shaped handle is perfect for hands of all sizes, with or without gloves.

| Solid [™] Metal Rounded Spade | | | | | | 1066717 | 6"411501" 311849 |
|--|----------------|-------------|-----------------|--------------|------------|---------|------------------|
| Height: 116,6 cm | Length: 12,4cm | Width: 18cm | Weight: 1,90 kg | Retailbox: 4 | Oldart.no. | 1003456 | 6 411501 311849 |





- · Solid™ Rounded spade offers affordable quality for every garden.
- Rounded blade edge is ideal for digging, edging and planting in $standard, grassy \, topsoil. \\$
- Head is welded to a strong metal shaft for optimal durability.
 Stepping board helps drive into tough soil.
- · D-shaped handle is perfect for hands of all sizes, with or without

| Solid [™] Metal Shovel D Handle | | | | | Art.no. | 1066718 | Z | |
|--|-----------------|-------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 126,7 cm | Length: 17,6 cm | Width: 23cm | Weight: 2,13 kg | Retailbox: 4 | Oldart.no. | 1003457 | | 6 411501 311856 |





- Solid" Shovel offers affordable quality for every garden.
 Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.

 - Head is welded to a strong metal shaft for optimal durability.

 - D-shaped handle is perfect for hands of all sizes, with or without
- gloves.

| Solid [™] Metal Shovel I Handle | | | | | Art.no. | 1066720 | Z | |
|--|-----------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 149 cm | Length: 17,4 cm | Width: 23cm | Weight: 2,20 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 1 1 8 6 3 |





- $\boldsymbol{\cdot} \textbf{Solid} \\ \textbf{``Shovel offers affordable quality for every garden}.$
- Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel and other bulky garden materials.
- · Head is welded to a strong metal shaft for optimal durability.
- · Straight handle offers a traditional, seamless grip.

| Solid [™] Metal | < | Art.no. | 1070673 | z | 6 4 1 1 5 0 1 7 0 5 5 1 8 | | | |
|--------------------------|----------------|----------------|----------------|--------------|---------------------------|---|---|---------------------------|
| Height: 120,4 cm | Length: 7,5 cm | Width: 18,5 cm | Weight: 1,7 kg | Retailbox: 4 | Oldart.no. | - | Ę | 6 4 1 1 5 0 1 7 0 5 5 1 8 |



- Ideal for aerating tough soil and turning compost.
 Boron steel head increases strength.
 D-shaped handle provides comfort and fits all hand sizes with or without gloves.

| Solid [™] Metal | ork | Art.no. 1070674 | z | 6 4 1 1 5 0 1 7 0 5 5 2 5 | | | |
|--------------------------|----------------|------------------------|----------------|---------------------------|-----------|---|---------------------------|
| Height: 126,2cm | Length: 10,1cm | Width: 22cm | Weight: 1,6 kg | Retailbox: 4 | Oldart.no | Ä | 6 4 1 1 5 0 1 7 0 5 5 2 5 |



- Ideal for aerating soil and turning and spreading loose materials like grass, hay, weeds, leaves and other garden waste.
 Forged tines enhance strength in tough soil.
 D-shaped handle provides comfort.




QuikDrill™

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for planting flowers or bushes, or aerating and fertilizing the ground.

| QuikDrill [™] Garden Drill, S | | | | | | 1000636 | S 905568 347107 |
|--|---------------|-------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 111cm | Length: 10 cm | Width: 51cm | Weight: 1,80 kg | Retailbox: 2 | Oldart.no. | 134710 | 5 9 0 5 5 6 8 3 4 7 1 0 7 |





·Spare part available: 1000637.

| QuikDrill [™] Garden Drill, M | | | | | | 1000638 | Z |
|--|--------------|-------------|-----------------|--------------|------------|---------|-----------------|
| Height: 111cm | Length: 15cm | Width: 51cm | Weight: 2,15 kg | Retailbox: 2 | Oldart.no. | 134720 | 5 905568 347206 |



| ·For perennial planting, aerating and mixing compost and installing |
|---|
| medium sized posts. |

· Drilling hole width 150 mm.

| QuikDrill [™] Garden Drill, L | | | | | Art.no. | 1000640 | 5 9 0 5 5 6 8 3 4 7 3 0 5 |
|--|--------------|-------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 111cm | Length: 20cm | Width: 51cm | Weight: 2,40 kg | Retailbox: 2 | Oldart.no. | 134730 | 5 905568 347305 |



• Drilling hole width 200 mm.

·Spare part available: 1000641.

 $[\]cdot \textit{For planting hedges} \, \textit{and trees, drilling compost holes} \, \textit{and installing} \,$ large posts.

Classic Spades & Forks

Fiskars Classic tools are originals featuring timeless design and attention to detail. Better with time, after a few years, you start wondering how long you've had them because it feels like they have always been there.

| Classic Pointed Spade FSC | | | | | | 1071935 | z | 6'411501'600486 |
|---------------------------|-------------|--------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 106 cm | Length: 8cm | Width: 19 cm | Weight: 1,9 kg | Retailbox: 4 | Oldart.no. | - | Ë | 6 4 1 1 5 0 1 6 0 0 4 8 6 |





- Features a sharpened steel blade for driving into tough soil.
- Spade head is made of boron steel for added strength. Head features depth measurements for precision and accuracy.
- · Authentic wood shaft is FSC* certified.
- · Comfortable D-shaped handle

| Classic Rounded Spade FSC | | | | | | 1071933 | و المالية الم |
|---------------------------|-------------|--------------|----------------|--------------|------------|---------|---|
| Height: 106cm | Length: 8cm | Width: 19 cm | Weight: 1,9 kg | Retailbox: 4 | Oldart.no. | | 6 411501 600509 |





- Features a sharpened steel blade for edging and planting.
- · Spade head is made of boron steel for added strength.
- · Head features depth measurements for precision and accuracy.
- Authentic wood shaft is FSC[®] certified. Comfortable D-shaped handle.

| Height: 112cm Length: 9cm Width: 19cm Weight: 2kg Retailbox: 4 Oldart.no | Classic Rou | Long Shaft F | Art.no. | 1071931 | EAN | 6 4 1 1 5 0 1 6 0 0 5 2 3 | | | |
|--|----------------|--------------|--------------|-------------|--------------|---------------------------|---|---|---------------------------|
| | Height: 112 cm | Length: 9cm | Width: 19 cm | Weight: 2kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 6 0 0 5 2 3 |





- · Features a sharpened steel blade for edging and planting.
- Spade head is made of boron steel for added strength.
- · Head features depth measurements for precision and accuracy.
- · Authentic wood shaft is FSC® certified.
- · Comfortable D-shaped handle.

| Classic Perennial Spade FSC | | | | | Art.no. | 1071930 | 8 4 1 1 5 0 1 6 0 0 5 3 0 |
|-----------------------------|-------------|-------------|-------------|--------------|------------|---------|---------------------------|
| Height: 104cm | Length: 8cm | Width: 15cm | Weight: 2kg | Retailbox: 4 | Oldart.no. | | 6 411501 600530 |





- · Features a sharpened steel blade with a unique saw-blade edge for planting and dividing perennials.
- · Spade head is made of boron steel for added strength.
- $\cdot \, \text{Head features depth measurements for precision and accuracy}.$
- · Authentic wood shaft is FSC* certified.

| Height: 117 cm | Length: 10 cm | Width: 22 cm | Weight: 1,8 kg |
|----------------|---------------|--------------|----------------|
| | | | |

Classic Garden Spade FSC









Oldart.no. -







- · Features a reinforced steel head.
- · Spade head is made of boron steel for added strength.
- · Authentic wood shaft is FSC® certified.
- · Comfortable D-shaped handle.

| Classic Pro | de FSC | Art.no. | 1071927 | Z | 6 4 1 1 5 0 1 6 0 0 5 6 1 | | | |
|---------------|---------------|-------------|-------------|--------------|---------------------------|---|---|---------------------------|
| Height: 106cm | Length: 10 cm | Width: 26cm | Weight: 2kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 6 0 0 5 6 1 |
| | | | | | | | | |





- The Frankfurt style wide and pointed spade head is made of boron steel for added strength.
- $\cdot \, \text{Authentic wood shaft is FSC}^{\circ} \, \text{certified}.$
- · Comfortable D-shaped handle.

| Classic Shovel FSC | | | | | | 1071925 | z | 6 4 1 1 5 0 1 6 0 0 5 8 5 |
|--------------------|---------------|-------------|---------------|--------------|------------|---------|---|---------------------------|
| Height: 127 cm | Length: 14 cm | Width: 23cm | Weight: 2,1kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 6 0 0 5 8 5 |





- $\cdot \mbox{ Features a wide scoop that efficiently moves bulky materials.}$
- Shovel head is made of boron steel for added strength.
 Authentic wood shaft is FSC® certified.
 Comfortable T-shaped handle.

| Classic Digging Shovel Lacquered FSC | | | | | | 1071924 | Z | 6 4 1 1 5 0 1 6 0 0 5 9 2 |
|--------------------------------------|---------------|-------------|---------------|--------------|------------|---------|----|---------------------------|
| Height: 127cm | Length: 14 cm | Width: 23cm | Weight: 2,1kg | Retailbox: 4 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 6 0 0 5 9 2 |





- $\cdot \textit{Features a wide scoop with a stepping board for digging into soft} \\$ topsoil.
- · Shovel head is made of boron steel for added strength.
- · Authentic wood shaft is FSC° certified and lacquered for long-lasting value.

| Classic Shovel Lacquered FSC | | | | | Art.no. | 1071922 | EAN | 6 4 1 1 5 0 1 6 0 0 6 1 5 |
|------------------------------|---------------|-------------|---------------|--------------|------------|---------|-----|---------------------------|
| Height: 126 cm | Length: 14 cm | Width: 23cm | Weight: 2,1kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 6 0 0 6 1 5 |





- $\cdot \, \mathsf{Features} \, \mathsf{a} \, \mathsf{wide} \, \mathsf{scoop} \, \mathsf{that} \, \mathsf{efficiently} \, \mathsf{moves} \, \mathsf{bulky} \, \mathsf{materials} \, \mathsf{like}$ mulch and soil.
- · Shovel head is made of boron steel for added strength. · Authentic wood shaft is FSC° certified and lacquered for long-last-
- · Comfortable T-shaped handle.

| Height: 112cm | Length: 9cm | Width: 16 cm | Weight: 1,8 kg |
|---------------|-------------|--------------|----------------|
| | | | |

Classic Drainage Spade FSC









Retailbox: 4

- · Features a sharpened blade for precise trenching.
- · Shovel head is made of boron steel for added strength.
- · Authentic wood shaft is FSC® certified.
- $\boldsymbol{\cdot} \textbf{Comfortable D-shaped handle that fits hands of all sizes, with or}$ $without\,gloves.$

| Classic Pro Drainage Spade Long Blade FSC | | | | | Art.no. 1071920 | 6"411501" 600639 |
|---|---------------|-------------|----------------|--------------|------------------------|---------------------------|
| Height: 138 cm | Length: 10 cm | Width: 20cm | Weight: 3,9 kg | Retailbox: 2 | Oldart.no | 6 4 1 1 5 0 1 6 0 0 6 3 9 |





- · Features a sharpened blade for carving out trenches or ditches.
- Shovel head is made of boron steel for added strength.
 Authentic wood shaft is FSC® certified.
 Comfortable D-shaped handle.

| Classic Pro Drainage Shovel FSC | | | | | Art.no. | 1071919 | EAN | 501 600646 |
|---------------------------------|---------------|--------------|----------------|--------------|------------|---------|---------|------------|
| Height: 129cm | Length: 14 cm | Width: 14 cm | Weight: 1,7 kg | Retailbox: 4 | Oldart.no. | - | 6 4 1 1 | |





- $\cdot \textit{Features a narrow scoop that clears debris from drains and} \\$ trenches.
- Shovel head is made of boron steel for added strength.
- · Authentic wood shaft is FSC® certified.

| Classic Pro | ShoveIIHan | ndle FSC | | | Art.no. | 1071918 | EAN |
|---------------|---------------|-------------|---------------|--------------|--------------|---------|----------------------------------|
| Height: 145cm | Length: 14 cm | Width: 23cm | Weight: 2,2kg | Retailbox: 4 | Oldart.no. | | 6 4 1 1 5 0 1 6 0 0 6 5 3 |
| | | | | \bigcap | • Features a | | ng piles of bulky materials like |





- · Shovel head is made of boron steel for added strength. · Authentic wood shaft is FSC® certified.

| Classic Pro Digging Shovel FSC | | | | | Art.no. | 1071917 | z | |
|--------------------------------|---|--|--|--|---------|---------|---|---------------------------|
| Height: 127cm | Height: 127cm Length: 14cm Width: 23cm Weight: 2,1kg Retailbox: 4 | | | | | - | | 6 4 1 1 5 0 1 6 0 0 6 6 0 |





- $\bullet \textit{Features a wide scoop with a stepping board for digging into bulky}$ materials like mulch, rock and soil.
- · Shovel head is made of boron steel for added strength.
- ${\color{red} \bullet} \, \text{Authentic wood shaft is FSC}^{\circ} \, \text{certified}.$

| Classic Pro Building Shovel FSC | | | | | Art.no. | 1071916 | z | 6 4 1 1 5 0 1 6 0 0 6 7 7 |
|---------------------------------|--------------|-------------|---------------|--------------|------------|---------|----|---------------------------|
| Height: 126cm | Length: 14cm | Width: 23cm | Weight: 2,1kg | Retailbox: 4 | Oldart.no. | - | ĒĀ | 6 4 1 1 5 0 1 6 0 0 6 7 7 |





- $\cdot \textit{Features a wide scoop perfect for moving piles of bulky materials} \\$ like mulch, rock and soil.
- Shovel head is made of boron steel for added strength.
 Authentic wood shaft is FSC® certified.

| Classic Pro Digging Spade Grey FSC | | | | | Art.no. | 1071915 | Z | 6 4 1 1 5 0 1 6 0 0 6 8 4 |
|------------------------------------|-------------|-------------|-------------|--------------|------------|---------|---|---------------------------|
| Height: 112 cm | Length: 9cm | Width: 36cm | Weight: 2kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 6 0 0 6 8 4 |





- · Features a sharpened steel blade that drives into hard soil.
- Spade head is made of boron steel for added strength.
 Authentic wood shaft is FSC* certified.
 Comfortable D-shaped handle.

| Classic Dig | gging Fork FS | SC . | | | Art.no. | 1071914 | ş |
|----------------|---------------|-------------|----------------|--------------|--------------|-------------------------|-----------------|
| Height: 116 cm | Length: 9cm | Width: 18cm | Weight: 1,9 kg | Retailbox: 4 | Oldart.no. | | 6 411501 600691 |
| | | | | <u></u> | ·Ideal for d | igging, turning and loo | sening soil. |





- Strong, narrow fork tines are made of boron steel for increased strength.

 Authentic wood shaft is FSC* certified.

 Comfortable D-shaped handle.

| Classic Ma | nure Fork FS | C | | | Art.no. | 1071912 | z |
|----------------|--------------|-------------|-------------|--------------|------------|---|---|
| Height: 125 cm | Length: 11cm | Width: 26cm | Weight: 2kg | Retailbox: 4 | Oldart.no. | | 6 4 1 1 5 0 1 6 0 0 7 1 4 |
| | | | | | | oving and clearing m rrow fork tines are m | nanure and hay. ade of boron steel for increased |





- Authentic wood shaft is FSC[®] certified.
- · Comfortable D-shaped handle.

| Classic Pro Lifting Fork FSC | | | | | Art.no. | 1071911 | A 6 4 1 1 5 0 1 6 0 0 7 2 1 |
|------------------------------|--------------|-------------|----------------|--------------|------------|---------|-----------------------------|
| Height: 138cm | Length: 14cm | Width: 32cm | Weight: 1,3 kg | Retailbox: 4 | Oldart.no. | - | 6 4 1 1 5 0 1 6 0 0 7 2 1 |





- · Ideal for lifting and moving straw and hay bales.
- · Shovel head is made of boron steel for added strength.
- Authentic wood shaft is FSC° certified.
 Comfortable T-shaped handle.

Classic Rose rake S FSC 1077121 Art.no. Weight: 0,832 kg Height: 166,4 cm Length: 7,5 cm Width: 23,2 cm Retailbox: -Oldart.no. -





- · Fiskars Classic Rose rake has a small metal head sized for clearing around delicate plants.
- · Ideal for reaching around and in-between plant beds without causing harm to roots or stems.

 · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Soil rake 16 curved prongs FSC | | | | | Art.no. | 1014786 | z | 6 4 1 1 5 0 1 3 5 7 7 0 0 |
|--|---------------|----------------|---------------|--------------|------------|---------|-----|---------------------------|
| Height: 6,5cm | Length: 168cm | Width: 41,4 cm | Weight: 1,1kg | Retailbox: 3 | Oldart.no. | - | EAI | 6 4 1 1 5 0 1 3 5 7 7 0 0 |





- · Fiskars Classic Soil rake has a large metal head with 16 curved
- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{loosening} \, \mathsf{and} \, \mathsf{leveling} \, \mathsf{soil} \, \mathsf{while} \, \mathsf{aiding} \, \mathsf{in} \, \mathsf{rock} \, \mathsf{and} \, \mathsf{weed} \,$ removal
- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Soil rake 14 straight prongs FSC | | | | | Art.no. 1014780 | Z | |
|--|---------------|--------------------|------------------|--------------|------------------------|------|-----------------------------|
| Height: 165 cm | Length: 8,5cm | Width: 36cm | Weight: 1,005 kg | Retailbox: 5 | Oldart.no | [E/ | 6" 4 1 1 5 0 1" 3 5 6 3 0 7 |





- Fiskars Classic Soil rake has a mid-sized metal head with 14 straight prongs.
- · Ideal for loosening and leveling soil, mulch and compost.
- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Soil rake 14 curved prongs FSC | | | | | Art.no. 1003705 | Z | |
|--|---------------|--------------------|-----------------|--------------|------------------------|----|---------------------------|
| Height: 6,5cm | Length: 168cm | Width: 36cm | Weight: 1,03 kg | Retailbox: 4 | Oldart.no | E/ | 6 4 1 1 5 0 1 3 5 7 6 0 1 |





- · Fiskars Classic Soil rake has a mid-sized metal head with 14 curved prongs
- · Ideal for loosening and leveling soil while aiding in rock and weed
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- $\cdot \text{Hanging loop for easy, out-out-of-the-way storage.} \\$
- · With timeless design and attention to details. Fiskars Classic Tools just keep getting better year after year.

| Classic Soil rake 12 prongs FSC | | | | | | 1018603 | Z | |
|---------------------------------|--|--|--|--|--|---------|---|-----------------|
| Height: 6,5 cm | eight: 6,5cm Length: 168cm Width: 30,5cm Weight: 0,97kg Retailbox: 3 | | | | | | | 6 411501 357502 |





- · Fiskars Classic Soil rake has a small metal head with 12 curved
- Ideal for loosening and leveling soil while aiding in rock and weed
- \bullet Wooden shaft is FSC $^{\circ}$ certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
 Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Contractor rake 14 prongs FSC

Length: 165cm

Weight: 1,13 kg

Retailbox: 3

1014779

Art.no.

Oldart.no. -







- · Fiskars Classic Contractor rake has a robust metal head with 14
- Ideal for heavy-duty projects like leveling gravel and thatching.
 Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Dutch hoe pus | sh-pull FSC |
|-----------------------|-------------|
|-----------------------|-------------|

Height: 11cm Length: 164 cm

Height: 10 cm

Width: 23cm

Width: 59 cm

Weight: 0,92kg

Retailbox: 3

1014796 Art.no.

Oldart.no. -







- · Fiskars Classic Dutch-style hoe has a dual-sided blade that enables a push-pull motion.
- · Ideal for uprooting weeds just below soil surface.
 Wooden shaft is FSC* certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Hoe | Art.no. | 1014794 | | | | |
|-------------|----------------|---------------|-----------------|--------------|------------|---|
| Height: 9cm | Length: 140 cm | Width: 16,5cm | Weight: 0,721kg | Retailbox: 5 | Oldart.no. | - |





- $\boldsymbol{\cdot} \mathsf{Optimal} \, \mathsf{for} \, \mathsf{removing} \, \mathsf{weeds} \, \mathsf{between} \, \mathsf{rows} \, \mathsf{of} \, \mathsf{plants} \, \mathsf{or} \, \mathsf{breaking}$ up the soil surface
- ·Wooden shaft is FSC° certified (FSC C108780).

| Classic Cultivator 3 prongs FSC | | | | | | 1014797 | z |
|---------------------------------|----------------|----------------|-----------------|--------------|------------|---------|-----------------|
| Height: 13cm | Length: 147 cm | Width: 12,3 cm | Weight: 0,73 kg | Retailbox: 3 | Oldart.no. | - | 6 411501 368942 |





- · Fiskars Classic Cultivator has 3 sharpened prongs that penetrate compact soil.
- · Ideal for loosening soil during plant bed preparation.
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- $\cdot \ With time less design and attention to details, Fisk ars Classic Tools$ just keep getting better year after year.

| Classic Rose cultivator FSC | | | | | | 1018600 | Z | |
|-----------------------------|---------------|--------------|----------------|--------------|------------|---------|----|-----------------|
| Height: 8cm | Length: 147cm | Width: 9,6cm | Weight: 0,63kg | Retailbox: 3 | Oldart.no. | - | E/ | 6 411501 368928 |





- · Fiskars Classic Cultivator has 3 sharpened prongs that penetrate compact soil.
- Ideal for loosening soil during plant bed preparation.
- Wooden shaft is FSC® certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- Hanging loop for easy, out-ot-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Height: 22cm

Classic Contractor hoe FSC

Length: 90 cm

Width: 32cm

Weight: 1,33kg

Retailbox: 5

1020747

Art.no.

Oldart.no. -







- · Fiskars Classic Contractor hoe a narrow head that efficiently
- ·Ideal for breaking up roots and weeds during plant bed prepara-
- · Wooden shaft is FSC° certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Pro Contractor hoe long FSC

Height: 122 cm Length: 20,5 cm

Width: 32cm

Weight: 1,4 kg

Retailbox: 5

1014793 Art.no.

Oldart.no. -







- · Fiskars Classic Contractor hoe a narrow, elongated head that
- efficiently penetrates soil. · Ideal for breaking up roots and weeds during plant bed prepara-

1003709

- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Potato hoe FSC

Height: 3,5 cm

Length: 120 cm

Width: 12,4 cm

Weight: 1,2 kg

Retailbox: 4 Oldart.no. -

Art.no.





- Fiskars Classic Potato hoe has a specialized fork head for breaking
- · Ideal for working around root crops without damaging harvest.
- Wooden shaft is FSC[®] certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage
- $\cdot \, \text{With timeless design and attention to details, Fiskars Classic Tools} \\$ just keep getting better year after year.

Classic Pro Digging hoe grey FSC

Height: 17 cm

Length: 87 cm

Width: 35 cm

Weight: 1,79 kg

Retailbox: 3

Art.no. 1005047

Oldart.no. -





- $\cdot \, \text{Fiskars Classic Digging hoe a narrow, elongated head that efficiency} \\$ ciently penetrates soil
- · Ideal for breaking up roots and weeds during plant bed prepara-
- · Wooden shaft is FSC° certified (FSC C108780).
- Durable yet flexible tines grab debris without clogging.
- Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

Classic Shaft for soil rake FSC

Height: 2,9 cm

Length: 161,5 cm

Width: 2,9cm

Weight: 0,675 kg

Retailbox: 4

Oldart.no. -

Art.no.

1005035




· Wooden shaft is FSC° certified (FSC C108780).



Cultivating Tools

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes.



tasks with ultimate performance

Selected ergonomic tools for the most discerning gardener

All-purpose, basic garden tools

X-series[™] Soil Care Tools







- ·Extremely efficient and durable stainless steel.
- · Hardened aluminium shaft with a unique profile reduces weight without sacrificing strength.
- $\boldsymbol{\cdot} \textbf{SoftGrip} \verb|"handle allows for multiple hand positions.$
- $\boldsymbol{\cdot} \textbf{Convenient hanging hole for out-of-the-way storage and organ-}$ isation.

| X-series [™] Dutch hoe | | | | | | 1027041 | z | |
|---------------------------------|---------------|---------------|------------------|--------------|------------|---------|----|---------------------------|
| Height: 4cm | Length: 170cm | Width: 12,4cm | Weight: 0,805 kg | Retailbox: 4 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 3 5 0 8 6 2 |












- ·Extremely efficient and durable stainless steel.
- $\cdot \text{Hardened aluminium shaft with a unique profile reduces weight} \\$ without sacrificing strength.

 • SoftGrip* handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organisation.









- · Ideal for weeding between plants without causing damage.
- $\cdot \text{Extremely efficient and durable double-bladed stainless steel}. \\$
- $\cdot {\sf Hardened} \ {\sf aluminium} \ {\sf shaft} \ {\sf with} \ {\sf a} \ {\sf unique} \ {\sf profile} \ {\sf reduces} \ {\sf weight} \ {\sf without} \ {\sf sacrificing} \ {\sf strength}.$
- · SoftGrip™ handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organisation.

| X-series [™] Weeding knife | | | | Art.no. | 1027112 | EAN | 6"411501" 350886 | |
|-------------------------------------|---------------|--------------|------------------|--------------|------------|-----|------------------|---------------------------|
| Height: 2,9cm | Length: 173cm | Width: 9,5cm | Weight: 0,735 kg | Retailbox: 4 | Oldart.no. | - | E | 6 4 1 1 5 0 1 3 5 0 8 8 6 |








- ·Ideal for removing weeds and moss in between pavers.
- Extremely efficient and durable stainless steel.
 Hardened aluminium shaft with a unique profile reduces weight without sacrificing strength.
- · SoftGrip™ handle allows for multiple hand positions.
- · Convenient hanging hole for out-of-the-way storage and organ-


Ergonomic[™] Soil Care Tools



| Ergonomic | [™] Hoe | | | | Art.no. | 1076979 | |
|---------------|------------------|--------------|-----------------|--------------|--|---------|--|
| Height: 19 cm | Length: 166 cm | Width: 19 cm | Weight: 0,62 kg | Retailbox: 5 | Oldart.no. | | 6 4 1 1 5 0 1 " 7 0 7 0 7 9" |
| | | | - | | soil. • Curved sha • Teardrop-s • T-shaped h • Plastic-coa | | e wrist position. grip and comfort. |

| Ergonomi | c™Weeder | | | | Art.no. | 1077110 | z |
|--------------|----------------|-------------|---------------|--------------|-------------|--------------------|------------------------------------|
| Height: 17cm | Length: 166 cm | Width: 23cm | Weight: 0,7kg | Retailbox: 5 | Oldart.no. | - | 6 4 1 1 5 0 1 7 0 7 0 8 |
| | | | - | | ·Idealforre | emoving weeds betw | veen rows of plants or to loosen t |

- ${\boldsymbol{\cdot}} \text{ Curved shaft improves the position of the back while working.}$
- Teardrop-shaped grip provides a natural grasp.
 T-shaped handle for a comfortable wrist position.
- Plastic coating on handle optimises secondary grip and comfort.
- · Durable boron steel head.



| Ergonomic | [™] Push-pull w | eeder | | | Art.no. | 1077111 | 6 4 1 1 5 0 1 7 0 7 0 9 3 |
|---------------|--------------------------|--------------|------------------|--------------|--|-------------------------|--|
| Height: 17 cm | Length: 170 cm | Width: 15 cm | Weight: 0,725 kg | Retailbox: 5 | Oldart.no. | - | 6 4 1 1 5 0 1 7 0 7 0 9 3 |
| > | | | | | Dual-bladCurved shTeardropT-shapedPlastic-co | ed to allow effective a | able wrist position. es grip and comfort. |

| Ergonomic | Soil rake wi | th curved sh | aft | | Art.no. | 1077112 | ş |
|---------------|---------------|--------------------|---------------|--------------|--|--|---|
| Height: 16 cm | Length: 162cm | Width: 36cm | Weight: 1,1kg | Retailbox: 5 | Old art. no. | - | 6 4 1 1 5 0 1 7 0 7 1 0 9 |
| | | | | | branches of Curved short Teardrops of Hanging Io | or spreading mulch. Haft improves the pos Shaped handle provide Dop offers out-of-the | ds, levelling the ground and raking sition of the back while working. des an ergonomic grip. e-way storage. ses grip and comfort. |

| Ergonomic [™] Soil rake | | | | | | 1077113 | EAN | |
|----------------------------------|---------------|--------------------|-------------------------|--------------|------------|---------|-----|---------------------------|
| Height: 6cm | Length: 158cm | Width: 36cm | Weight: 0,775 kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 7 0 7 1 1 6 |



- Ideal for preparing plant beds, levelling the ground and raking branches or spreading mulch.
 Teardrop shaped handle provides an ergonomic grip.
 Hanging loop offers out-of-the-way storage.
 Plastic-coated handle maximises grip and comfort.

Solid[™] Wood Soil Care tools

| Solid [™] Wood Push-pull weeder FSC | | | | | Art.no. | 1077119 | EAN | 6 411501 707178 |
|--|-------------|----------------|------------------|--------------|------------|---------|-----|---------------------------|
| Height: 171,5 cm | Length: 5cm | Width: 15,5 cm | Weight: 0,825 kg | Retailbox: - | Oldart.no. | - | Ερ | 6 4 1 1 5 0 1 7 0 7 1 7 8 |
| | | | | | | | | |



- \bullet Easy-to-use tool with dual-sided blade that allows a push-pull motion.
- ·Ideal for uprooting weeds just below soil surface. · Wooden shaft is FSC* certified (FSC C108780).

| Solid [™] Woo | Solid [™] Wood Soil rake 16 straight prongs FSC | | | | | | |
|------------------------|--|-------------|-------------|----------------|---|--------------|---------------------------|
| Height: 7cm | Length: 161cm | Width: 41cm | Weight: 1kg | Retailbox: 6 | Oldart.no | EAN | 7 3 1 7 7 9 6 0 1 6 2 0 1 |
| N | | | | FSC PSO CHEESE | Easy-to-use tool for ra Ideal for distributing st Wooden shaft is FSC* | tones and mu | lch. |

| Solid [™] Wo | od Soil rake 14 | curved pro | ngs FSC | | Art.no. | 1011598 | z | 7"317796"014009 |
|-----------------------|-----------------|-------------|----------------|--------------|------------|---|---|---------------------------|
| Height: 7cm | Length: 165cm | Width: 36cm | Weight: 0,9 kg | Retailbox: 6 | Oldart.no. | - | Ā | 7 3 1 7 7 9 6 0 1 4 0 0 9 |
| 1 | | | | | | se tool for raking and stributing stones and | | |



| Solid [™] Woo | d Rose rake F | SC | | | Art.no. | 1011597 | 3 |
|------------------------|---------------|---------------|----------------|---------------|---------------------------------------|--|---------------------------|
| Height: 6cm | Length: 173cm | Width: 24,5cm | Weight: 0,8 kg | Retail box: 6 | Oldart.no. | - | 7 3 1 7 7 9 6 0 1 3 0 0 2 |
| - | | | | FSC westerne | ·Smaller-s beds witho ·Wooden s | ized head ideal for rea out causing harm to ro shaft is FSC® certified | |

| Solid Wood Dutch hoe 150mm FSC | | | | | | 1011615 | z | |
|--------------------------------|----------------|-------------|-----------------|--------------|------------|---------|-----|-----------------|
| Height: 12 cm | Length: 159 cm | Width: 15cm | Weight: 0,728kg | Retailbox: 6 | Oldart.no. | - | EAN | 7"317797"032002 |






- Easy-to-use, Dutch-style hoe for working between rows.
 Ideal for uprooting weeds and breaking up dense soil.
 Wooden shaft is FSC° certified (FSC C108780).

| Solid [™] Wood | d Hoe FSC | | | | Art.no. 1011613 | EAN |
|-------------------------|-------------------------|--------------|-----------------|--------------|------------------------|---------------------------|
| Height: 9cm | Length: 168,5 cm | Width: 17 cm | Weight: 0,77 kg | Retailbox: 6 | Oldart.no | 7 3 1 7 7 9 7 0 1 8 0 0 6 |





| riaraciica cicciiicaa poriorateo tiii cagii teagii |
|---|
| Wooden shaft is FSC° certified (FSC C108780). |
| |

| Solid [™] Wood | d Cultivator F | SC | Art.no. 1011614 | z | | |
|-------------------------|----------------|----------------|------------------------|--------------|-----------|-----------------|
| Height: 12 cm | Length: 146 cm | Width: 12,5 cm | Weight: 0,8 kg | Retailbox: 6 | Oldart.no | 7 317797 020030 |





Easy-to-use tool for loosening soil.
Hardened steel prongs penetrate through tough soil.
Wooden shaft is FSC° certified (FSC C108780).

| Solid Wood Soil rake 12 prongs FSC | | | | | | Art.no. 1014811 | | |
|------------------------------------|----------------|--------------|-----------------|--------------|------------|------------------------|--|------------------|
| Height: 6,5 cm | Length: 155 cm | Width: 30 cm | Weight: 0,87 kg | Retailbox: 4 | Oldart.no. | - | | 6"411501"357519" |





- Easy-to-use tool for raking and leveling soil.
 Ideal for distributing stones and mulch.
 Curved tines prevent buildup.
 Wooden shaft is FSC° certified (FSC C108780).

Solid[™] Soil Care tools

| Solid [™] Soil | Rake | | | | Art.no. | 1016036 | Z | 6 4 1 1 5 0 1 3 5 7 1 5 1 |
|-------------------------|---------------|--------------------|----------------|--------------|------------|------------------------|----|---------------------------|
| Height: 7cm | Length: 154cm | Width: 36cm | Weight: 0,67kg | Retailbox: 4 | Oldart.no. | - | ΕĀ | 6 4 1 1 5 0 1 3 5 7 1 5 1 |
| Я | | | | | | ise tool for raking an | | |



- · Curved tines prevent buildup.
- $\cdot \, {\hbox{\it Durable, lightweight aluminum shaft.}}$

| Solid [™] Cultiv | <i>r</i> ator | | | | Art.no. | 1016034 | 4 6 4 1 1 3 5 6 6 6 6 6 7 8 8 8 8 8 8 8 8 9 8 8 8 8 8 9 9 9 10 10 10 10 10 11 12 12 13 13 13 13 14 15 16 17 18 18 10 10 10 10 11 12 13 14 15 16 16 16 16 17 18 18 18 18 18 |
|---------------------------|---------------|--------------|-------------------------|--------------|------------|---------|--|
| Height: 12 cm | Length: 167cm | Width: 13 cm | Weight: 0,675 kg | Retailbox: 4 | Oldart.no. | | 6 4 1 1 5 0 1 3 5 7 1 4 4 |



- · Easy-to-use tool for loosening soil.
- Hardened steel prongs penetrate through tough soil.
 Durable, lightweight aluminum shaft.

| Solid [™] Hoe | | | | | Art.no. | 1016035 | EAN | |
|------------------------|----------------|----------------|-----------------|--------------|------------|---------|-----|---------------------------|
| Height: 14 cm | Length: 155 cm | Width: 18,5 cm | Weight: 0,62 kg | Retailbox: 4 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 3 5 7 1 3 7 |



- ${\boldsymbol{\cdot}} \, \mathsf{Easy-to-use} \, \mathsf{tool} \, \mathsf{for} \, \mathsf{cutting} \, \mathsf{out} \, \mathsf{weeds}.$
- Hardened steel head penetrates through tough soil.
 Durable, lightweight aluminum shaft.





Nursery Tools

Fiskars nursery tools are ergonomically designed with rounded edges to minimise soil and root damage while planting, cultivating, weeding and seeding.





XACT[™] PLANTERS

Perfect tools covering all nursing tasks with ultimate performance



PREMIUM PLANTERS

Ergonomically designed for comfortable planting



ERGO[™] PLANTERS

Robust nursery tools for demanding cultivating tasks



SOLID[™] PLANTERS

Lightweight and rust-free nursery tools

Xact[™] Hand Tools

| Xact [™] Trow | el | | | | Art.no. | 1027043 | z | 6411501 350893 |
|------------------------|-------------|--------------|-----------------|---------------|------------|---------|----|---------------------------|
| Height: 37,5 cm | Length: 5cm | Width: 8,3cm | Weight: 0,28 kg | Retail box: 4 | Oldart.no. | - | EA | 6 4 1 1 5 0 1 3 5 0 8 9 3 |




Height: 44,3cm










· Convenient hanging hole on handle for easy storage.





Width: 12,3cm






Length: 4cm











- · Perfectly finished stainless steel head with 7 prongs provide ultimate precision and control.
- Comfortable SoftGrip" handle allows for multiple handle positions, while its longer length brings balance and extra power when
- · Convenient hanging hole on handle for easy storage.













mance and control.

paving stones and patios.





• Dual blade weeding knife for removing weeds and moss between

· Precisely finished stainless steel blades provide ultimate perfor-











- Effective hand extractor for removing deep rooted weeds with minimal soil adhesion.
- · Long, sharp stainless steel blade provides precision and efficiency. · Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra power when
- · Convenient hanging hole on handle for easy storage.

| Xact [™] Cultiv | ator | | | | Art.no. | 1027047 | Z | 6 4 1 1 5 0 1 3 5 1 0 4 3 |
|--------------------------|----------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 32,3cm | Length: 6,2 cm | Width: 9,2cm | Weight: 0,26 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 5 1 0 4 3 |







- Durable and functional cultivator for loosening soil, removing weeds and aerating soil
- · Large and sharp stainless steel tines provide maximum soil contact to speed work.
- Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra power when
- · Convenient hanging hole on handle for easy storage.

Premium Planters[™] Nursery Tools

Fiskars Premium Planters[™] tools are constructed with added durability for repetitive tasks and heavy use in tough, hard ground.

| Premium Pl | lanters [™] Trow | <i>r</i> el | Art.no. | 1000726 | z | 6 4 1 1 5 0 1 3 7 2 0 0 0 | | |
|---|---------------------------|-------------|---------|---------|--------------|---------------------------|--------|-----------------|
| Height: 37,5 cm Length: 5,7 cm Width: 8,7 cm Weight: 0,13 kg Retail | | | | | Oldart.no. | 137200 |) H | 6 411501 372000 |
| | | | | | •For plantir | ng and transplanting i | n ha | rd ground. |





·Stainless steel blade.

| Premium Planters [™] Transplanter | | | | | | 1000727 | Z | 6 4 1 1 5 0 1 3 7 2 1 0 9 |
|--|-------------|------------|----------------|--------------|------------|---------|---|----------------------------------|
| Height: 27,5 cm | Length: 4cm | Width: 7cm | Weight: 0,11kg | Retailbox: 4 | Oldart.no. | 137210 | | 6 4 1 1 5 0 1 3 <i>7</i> 2 1 0 9 |





- $\cdot \text{For planting and weeding in hard ground.} \\$
- $\bullet \text{Perfect for use in narrow bed layouts and on balconies}.$
- · Stainless steel blade.

| Premium I | Planters [™] Cul | tivator | Art.no. | 1000728 | | | |
|--------------|---------------------------|------------|-----------------|---------------|--------------|--------------------------|---------------------------|
| Height: 25cm | Length: 5cm | Width: 8cm | Weight: 0,14 kg | Retail box: 4 | Oldart.no. | 137220 | 6 4 1 1 5 0 1 3 7 2 2 0 8 |
| | | | | Ø). | •For aeratin | ng and loosening soil in | hard ground. |





- ·Stainles steel blade.

Ergo[™] Hand Tools

| Ergo [™] Trowel | | | | | | 1027017 | z | 6"411501" 350718" |
|--------------------------|---------------|--------------|------------------------|---------------|------------|---------|----|---------------------------|
| Height: 30 cm | Length: 2,5cm | Width: 7,5cm | Weight: 0,17 kg | Retail box: 4 | Oldart.no. | - | EA | 6 4 1 1 5 0 1 3 5 0 7 1 8 |



- · Ideal for digging in tough soil and breaking up hardened dirt clods.
- · Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- · Steel head won't break while digging in dense soil.
- $\cdot \, \text{Handle hang hole offers easy storage}.$

| Ergo [™] Transplanter | | | | | | 1027018 | Z | 6 4 1 1 5 0 1 3 5 0 7 2 5 |
|--------------------------------|---------------|---------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 30 cm | Length: 2,5cm | Width: 5,5 cm | Weight: 0,14 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 5 0 7 2 5 |



- · Ideal for transplanting small plants and flowers.
- $\cdot \ \, \text{Lightweight, ergonomically shaped handle feels natural in your}$ hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
 Gradation marks on the blade make it easy to measure depth for perfect transplants.

| Ergo [™] Cultivator | | | | | | 1027019 | EAN | 6"411501" 350732 |
|------------------------------|---------------|--------------|-----------------|--------------|----------------|------------------------|-------|--------------------------------|
| Height: 30,5 cm | Length: 4,5cm | Width: 8,5cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 3 5 0 7 3 2 |
| | | | | | · Ideal for di | igging in tough soil a | nd br | eaking up hardened dirt clods. |



- · Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.

 Steel head won't break while digging in dense soil.
- · Large tines provide maximum soil contact to speed up work.

| Ergo [™] Cultivator Hoe | | | | | | 1027030 | Z | 6 411501 350749 |
|----------------------------------|----------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 30,5 cm | Length: 7,5 cm | Width: 18cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no. | - | 1 | 6 4 1 1 5 0 1 3 5 0 7 4 9 |



- Ideal for loosening, aerating and shaping tough soil.
 Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- · Sharpened hoe blade breaks up hard soil easily.
- · Large cultivator tines provide maximum soil contact to speed
- $\cdot \, \text{Handle hang hole offers easy storage}.$

| Ergo [™] Weed | | Art.no. 1027031 | Z | | | | |
|------------------------|---------------|------------------------|-----------------|--------------|-----------|--|-----------------|
| Height: 31cm | Length: 2,5cm | Width: 2,5 cm | Weight: 0,13 kg | Retailbox: 4 | Oldart.no | | 6 411501 350756 |



- · Ideal for removing dandelions, thistles and other invasive plants.
- · Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- $\cdot \, \text{Sharpened forked tip helps you remove weeds by the roots.} \,$

Solid[™] Nursery Tools

| Solid [™] Plant | ers Trowel | | | | Art.no. | 1071899 | Z | 411501 705754 |
|--------------------------|----------------|------------|-----------------|---------------|------------|---------|---|---------------|
| Height: 28,2cm | Length: 4,9 cm | Width: 8cm | Weight: 0,08 kg | Retailbox: 16 | Oldart.no. | 1000694 | 6 | 411501 705754 |





- $\,\cdot\,^*\,\text{Made}$ from 65% recycled plastic with fibreglass for durability. $\cdot \text{Ideal for breaking up soil and digging small holes in planters and} \\$
- UV resistant.Convenient hang hole offers easy storage options.

| Solid [™] Planters Transplanter | | | | | | 1072101 | 6 4 1 1 5 0 1 7 0 5 7 7 8 |
|--|----------------|------------|----------------|---------------|------------|---------|---------------------------|
| Height: 28,2cm | Length: 4,5 cm | Width: 6cm | Weight: 0,07kg | Retailbox: 16 | Oldart.no. | 1000695 | 6 4 1 1 5 0 1 7 0 5 7 7 8 |





- ${\color{red} \bullet^*} \, \text{Made from 65\% recycled plastic with fibre glass for durability}.$
- · Ideal for transplanting small plants in tight spaces. · UV resistant.
- · Convenient hang hole offers easy storage options.

| Solid [™] Planters Cultivator | | | | | | 1072102 | 6 4 1 1 5 0 1 7 0 5 7 8 5 |
|--|---------------|--------------|-----------------|---------------|------------|---------|---------------------------|
| Height: 27,4cm | Length: 8,1cm | Width: 8,2cm | Weight: 0,08 kg | Retailbox: 16 | Oldart.no. | 1001600 | 6 4 1 1 5 0 1 7 0 5 7 8 5 |





- * Made from 65% recycled plastic with fibreglass for durability.
 Wide tines are angled to loosen compact soil and remove weeds

- · Convenient hang hole offers easy storage options.

| Solid [™] Planters Weed Fork | | | | | Art.no. | 1072103 | Z | 6 4 1 1 5 0 1 7 0 5 7 9 2 |
|---------------------------------------|----------------|--------------|----------------|---------------|------------|---------|----|---------------------------|
| Height: 27,7 cm | Length: 4,5 cm | Width: 8,2cm | Weight: 0,07kg | Retailbox: 16 | Oldart.no. | 1000696 | /4 | 6 4 1 1 5 0 1 7 0 5 7 9 2 |





- ·* Made from 65% recycled plastic with fibreglass for durability.
- · Narrow, curved tines aerate soil, remove rocks and weeds and spread compost over small areas.
- ·UV resistant.
- · Convenient hang hole offers easy storage options.

| Solid [™] Planters Hoe | | | | | Art.no. | 1072100 | A |
|---------------------------------|-----------------|---------------------|----------------|---------------|------------|---------|---------------------------|
| Height: 28,2cm | Length: 18,9 cm | Width: 7,4cm | Weight: 0,12kg | Retailbox: 12 | Oldart.no. | 1001601 | 6 4 1 1 5 0 1 7 0 5 7 6 1 |





- ·* Made from 65% recycled plastic with fibreglass for durability.
- · Wide, flat edge for digging seed furrows or chopping up tough
- $\cdot \textit{Forked}\, \textit{edge}\, \textit{for}\, \textit{aerating}\, \textit{soil}\, \textit{and}\, \textit{removing}\, \textit{weeds}\, \textit{and}\, \textit{rocks}.$
- ·UV resistant.
- · Convenient hang hole offers easy storage options.



Yard Cleaning





New! Patio & Yard Brooms

Fiskars offers a range of brooms that make light work of outdoor yard and garden clearing, including front doors, sidewalks, driveways, garages, stairs, wooden decks and more.

Our brooms' ingeniously-designed heads combine attractive design with functionality and durability.

Features & benefits

Easy storage

Functional grip knob offers a comfortable grip & easy storage solution

2 Durable materials & construction

Perfect selection of durable, weather tolerant materials suitable for outdoor use

3 Efficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.

Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.



New! Classic Brooms





- · Fiskars Classic Broom, S has 15 rows of high-quality bristles used for tidying up patios, pavement and other yard areas
- · Ideal for clearing away leaves, grass and other garden and lawn
- · Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- · With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year

| Classic Yard broom 17 rows FSC | | | | | | 1077124 | z | |
|--------------------------------|---------------|--------------------|----------------|--------------|------------|---------|----|---------------------------|
| Height: 13 cm | Length: 171cm | Width: 35cm | Weight: 1,1 kg | Retailbox: 3 | Oldart.no. | - | Ĕ, | 6 4 1 1 5 0 1 7 0 7 2 2 2 |



- Fiskars Classic Broom, M has 17 rows of high-quality bristles used for tidying up patios, pavement and other yard areas
- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{away} \, \mathsf{leaves}, \mathsf{grass} \, \mathsf{and} \, \mathsf{other} \, \mathsf{garden} \, \mathsf{and} \, \mathsf{lawn}$ debris
- · Wooden shaft is FSC° certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

| Classic Yard | Classic Yard broom 20 rows FSC | | | | | | EAN | 6 4 1 1 5 0 |
|---------------|--------------------------------|-------------|----------------|--------------|------------|---|-----|-------------|
| Height: 13 cm | Length: 171cm | Width: 45cm | Weight: 1,2 kg | Retailbox: 3 | Oldart.no. | - | Ä | 6 4 1 1 5 0 |
| | - | | | | | | | |





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{away} \, \mathsf{leaves}, \mathsf{grass} \, \mathsf{and} \, \mathsf{other} \, \mathsf{garden} \, \mathsf{and} \, \mathsf{lawn}$ debris.
- Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage

for tidying up patios, pavement and other yard areas

 $\boldsymbol{\cdot} \, \text{With timeless design and attention to details, Fiskars \, Classic \, Tools \, \\$ just keep getting better year after year.

| Classic Pavi | ing brush FS0 | C | | | Art.no. 10 | 014791 | 4 1 1 5 0 1 3 | |
|--------------|---------------|--------------|------------------|--------------|-------------------|--------|---------------|-------|
| Height: 4cm | Length: 141cm | Width: 13 cm | Weight: 0,665 kg | Retailbox: 6 | Oldart.no | | 6 411501 3 | 66603 |






- · Fiskars Classic Paving brush has heavy-duty bristles for scraping away moss, dirt and other buildup.
- · Ideal for clearing paved walls and edges
- Wooden shaft is FSC® certified (FSC C108780).
- · Durable yet flexible tines grab debris without clogging.
- · Hanging loop for easy, out-out-of-the-way storage.
- $\boldsymbol{\cdot} \, \text{With timeless design and attention to details, Fiskars Classic Tools} \\$ just keep getting better year after year.

| Classic Pav | ement weed | er FSC | | | Art.no. 1005045 | ş |
|-------------|---------------|------------|------------------|--------------|------------------------|-----------------|
| Height: 7cm | Length: 137cm | Width: 3cm | Weight: 0,586 kg | Retailbox: 6 | Oldart.no | 6 411501 368409 |



- · Fiskars Classic Pavement weeder has sharp, curved blade for cutting through invasive roots.
- · Ideal for working along edges and in-between paved areas.
- · Wooden shaft is FSC° certified (FSC C108780).
- $\cdot \, \mathsf{Durable} \, \mathsf{yet} \, \mathsf{flexible} \, \mathsf{tines} \, \mathsf{grab} \, \mathsf{debris} \, \mathsf{without} \, \mathsf{clogging}.$
- Hanging loop for easy, out-out-of-the-way storage.
 With timeless design and attention to details, Fiskars Classic Tools just keep getting better year after year.

New! Ergonomic[™] Brooms





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{clearing} \, \mathsf{yard} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{and} \, \mathsf{other} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{from} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{garages}, \mathsf{drivew} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{ays} \, \mathsf{ays} \, \mathsf{debris} \, \mathsf{ays} \, \mathsf{ays}$ larger spaces.
- · Wide, sturdy head with durable bristles effective on uneven ground.

 • Curved shaft improves the position of the back while working.
- Teardrop shaped handle provides an ergonomic grip.
- · Hanging loop offers out-of-the-way storage.
- $\cdot \textbf{Plastic-coated handle maximises grip and comfort}.$

| Ergonomic | Broom | | | | Art.no. | 1077115 | ş | 6 4 1 1 5 0 1 7 0 7 1 3 0 |
|--------------|---------------|--------------|------------------|--------------|------------|---------|---|---------------------------|
| Height: 11cm | Length: 171cm | Width: 39 cm | Weight: 0,795 kg | Retailbox: 4 | Oldart.no. | - | Ш | 6 4 1 1 5 0 1 7 0 7 1 3 0 |



- $\cdot \mbox{ Ideal for clearing patios, wooden decks, balconies and terraces.}$
- Curved bristle head effectively sweep garden leaves and debris.
 Teardrop shaped handle provides an ergonomic grip.
- · Hanging loop offers out-of-the-way storage.
- · Plastic-coated handle maximises grip and comfort.

Solid[™] Brooms

| Solid [™] All pu | rpose Yard b | room L | | | Art.no. | 1025926 | Z | 6 4 1 1 5 0 1 3 1 0 3 8 5 |
|---------------------------|---------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 12,5 cm | Length: 172cm | Width: 48 cm | Weight: 0,871kg | Retailbox: 2 | Oldart.no. | - | E | 6 4 1 1 5 0 1 3 1 0 3 8 5 |
| | | | | | | | | |





- ${\boldsymbol{\cdot}}\, {\text{All-purpose}}\, {\text{yard}}\, {\text{broom}}\, {\text{for}}\, {\text{clearing}}\, {\text{pavements}}, {\text{patios}}\, {\text{and}}\, {\text{other}}\,$ large areas like driveways and garages.
- · Cleanly sweeps garden leaves and debris, while featuring a scrapping edge for stubborn dirt.

 • Power Clean "combines soft and hard bristles for efficient sweep-
- · Modern, functional, lightweight design for better ergonomics.

| Solid [™] All pu | rpose Yard b | room M | | | Art.no. 1025921 | E 6 4 1 1 5 0 1 3 1 0 3 7 8 |
|---------------------------|----------------|--------------|----------------|--------------|------------------------|-----------------------------|
| Height: 10 cm | Length: 169 cm | Width: 38 cm | Weight: 0,71kg | Retailbox: 4 | Oldart.no | 6 4 1 1 5 0 1 3 1 0 3 7 8 |





- · All-purpose yard broom for cleaning pavements, patios and other
- yard areas.
 Offers a clean sweep of all garden leaves and debris.
 The ends of the broom curve inwards, making it ideal for cleanly
- gathering and sweeping garden leaves and debris.
- ·PowerClean™ combines soft and hard bristles for efficient sweep-
- · Modern, functional, lightweight design for better ergonomics.

| Solid [™] All pu | ırpose Yard b | oroom M hea | d | | Art.no. | 1025930 | Z | 6 4 1 1 5 0 1 3 1 0 4 2 2 |
|---------------------------|------------------------|-----------------------|-----------------|--------------|--------------|-----------------------|------|-------------------------------|
| Height: 20 cm | Length: 37,5 cm | Width: 10,5 cm | Weight: 0,39 kg | Retailbox: 6 | Oldart.no. | - | Ш | 6 4 1 1 5 0 1 3 1 0 4 2 2 |
| | | | | | · All-purpo: | se yard broom for cle | anin | g pavements, patios and other |



- vard areas.
- · Offers a clean sweep of all garden leaves and debris.
- The ends of the broom curve inwards, making it ideal for cleanly gathering and sweeping garden leaves and debris.
- ·PowerClean combines soft and hard bristles for efficient sweep- $\label{eq:continuity} \textbf{ing.} \\ \cdot \textbf{Modern, functional, lightweight design for better ergonomics.}$
- ·Use with Solid Shaft (1014913).
- ·Spare part for Solid All purpose broom, M (1025921).


| Solid [™] All pu | rpose Yard b | room L head | | | Art.no. 1025931 | Z | 6"411501" 310439 |
|---------------------------|---------------|-----------------------|------------------|--------------|------------------------|----|---------------------------|
| Height: 20cm | Length: 47 cm | Width: 10,5 cm | Weight: 0,565 kg | Retailbox: 4 | Oldart.no | /3 | 6 4 1 1 5 0 1 3 1 0 4 3 9 |



- · All-purpose yard broom for clearing pavements, patios and other large areas like driveways and garages.
- · Cleanly sweeps garden leaves and debris, while featuring a scrapping edge for stubborn dirt.
- · PowerClean "combines soft and hard bristles for efficient sweep-
- Modern, functional, lightweight design for better ergonomics.
- ·Use with Solid Shaft (1014913).
- · Spare part to Solid™ All purpose yard broom, L (1025926).



MyFirst Fiskars Kids Tools



MyFirst Fiskars Trowel + Cultivator Set

1062471 Art.no.

Height: 24 cm

Length: 3,4 cm

Width: 7cm

Weight: 0,22 kg

Retailbox: 24

Oldart.no. -









· Long handles allow for multiple grips.

• Made of fibre-reinforced materials for durability.

MyFirst Fiskars 4pc Short-handled Set

1062472 Art.no.



Height: 33,3cm

Length: 5,7cm

Width: 22,86 cm

Weight: 1kg

Retailbox: 18

Oldart.no. -









· Quality, lightweight tools are right-sized for kids' hands.

MyFirst Fiskars Essentials Set

Height: 88,1cm

Height: 86,3 cm

Length: 10,7 cm

Width: 19cm

Weight: 0,39 kg

Retailbox: 4

1062473

Oldart.no. -

Art.no.



 $\hbox{\bf \cdot} Light weight, yet strong, a luminium handles resist rust.$ · Durable, fibre-reinforced plastic heads.



Length: 6,8 cm

Width: 19,8 cm

Weight: 0,48 kg

Retailbox: 4

Oldart.no. -

Art.no.





- $\hbox{\bf \cdot} Light weight, yet strong, a luminium handles resist rust.$
- · Durable, fibre-reinforced plastic heads.

1062474

 $\bullet \textit{Broom features strong, flexible bristles for effective sweeping.}$



Fiskars QuikFit[™]

Click & Reach p.135
Click & Clean p.137
Click & Grow p.140



Smart and safe











Click & Reach

Within the Click & Reach range, QuikFit offers easy solutions for those hard-to-reach tasks, paying special attention to safety. Forget the ladder when sawing high branches or cleaning gutters – let QuikFit do the job from the ground up.

Click & Clean

Within the Click & Clean range, QuickFit offers easy solutions for cleaning your lawn and yard, with special attention paid to functionality and storage efficiency. With their unique and smart design, QuikFit rakes and brooms allow you to tidy up your garden with minimal effort, all while keeping your shed neat and clutter-free.

Click & Grow

Within the Click & Grow range, QuikFit™ offers easy and mobile solutions for cultivating vegetables and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.

QuikFit™ Click & Reach



reddot design award winner 2010

| QuikFit [™] Tre | e Cutter | | | | Art.no. | 1001410 | Z H |
|--------------------------|---------------|----------------|----------------|---------------|------------|---------|---------------------------|
| Height: 44cm | Length: 7,5cm | Width: 12,5 cm | Weight: 0,57kg | Retail box: 6 | Oldart.no. | 136525 | 6 4 1 1 5 0 1 3 6 5 2 5 5 |





- Enhanced cutting power (x12) with PowerReel™ mechanism.
- · No external ropes on the cutting head allows you to easily reach
- · Anvil cutting action for dry and hard wood.
- · Cut capacity: Ø 32 mm.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

| QuikFit [™] Cui | rved Saw | | | | Art.no. | 1000691 | Z | |
|--------------------------|-------------|--------------|----------------|--------------|------------|---------|----------|-----------------|
| Height: 65cm | Length: 6cm | Width: 14 cm | Weight: 0,32kg | Retailbox: 6 | Oldart.no. | 136527 | | 5 905568 365279 |



- Pull saw with hardened steel blade with a length of 360 mm.
- · Top-hook ensures non-slip steadiness while pulling.
- $\bullet \, \mathsf{Bottom} \, \mathsf{knife} \, \mathsf{ensures} \, \mathsf{a} \, \mathsf{clean} \, \mathsf{and} \, \mathsf{precise} \, \mathsf{finishing} \, \mathsf{cut} \, \mathsf{from} \, \mathsf{below}$ the branch.

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

| QuikFit [™] Fru | it Picker | | | | Art.no. | 1000693 | z |
|--------------------------|---------------|----------------|-----------------|--------------|------------|---------|-----------------|
| Height: 41cm | Length: 8,5cm | Width: 16,8 cm | Weight: 0,23 kg | Retailbox: 6 | Oldart.no. | 136950 | 5 905568 369505 |



- $\bullet \, \text{Broad opening makes it easy to pull fruit off the branch, while an} \\$ optimal design directs the fruit to the end of the tips
- $\bullet \, \mathsf{Machine} \, \mathsf{washable}, \mathsf{mesh} \, \mathsf{bag} \, \mathsf{catches} \, \mathsf{the} \, \mathsf{harvest}, \mathsf{allowing} \, \mathsf{you} \, \mathsf{to}$ see your yield.
- Durable, lightweight Fiber Comp™ design.

 $Recommended\,Shaft:\,Telescopic\,Shaft\,L,\,Telescopic\,Shaft\,M\,and$

| QuikFit [™] Gu | tter Cleaner | | | | Art.no. | 1001414 | Z |
|-------------------------|--------------|-------------|-----------------|--------------|------------|---------|-----------------|
| Height: 26 cm | Length: 7cm | Width: 34cm | Weight: 0,34 kg | Retailbox: 6 | Oldart.no. | 135542 | 5 905568 355423 |



- $\bullet \, \text{Brush} \, \text{and} \, \text{scraper} \, \text{combination} \, \text{offers} \, \text{a} \, \text{full} \, \text{complement} \, \text{of} \, \text{gutter}$ cleaning capabilities.

 Adjustable angle ensures optimal positioning of tool safely from
- the ground.

 $Recommended\,Shaft:\,Telescopic\,Shaft\,L\,and\,Telescopic\,Shaft\,M.$

QuikFit™ Click & Reach



| QuikFit [™] Tele | escopic Shat | ft,M | | | Art.no. | 1000666 | Z |
|---------------------------|----------------|--------------|----------------|---------------|------------|---------|-----------------|
| Height: 140 cm | Length: 4,5 cm | Width: 7,5cm | Weight: 1,01kg | Retail box: 6 | Oldart.no. | 136042 | 5 905568 360427 |



- $\cdot \text{Specially designed for hard-to-reach tasks in the garden with a} \\$ reach of up to 4 metres.
- ·Fits conveniently into most cars.
- Dual locking system for maximum safety.
- Lightweight aluminium construction.
 Adjustable shaft length from 1400 2400 mm.

| QuikFit [™] Telescopic Shaft, L | | | | | Art.no. | 1000665 | 5 9 0 5 5 6 8 3 6 0 3 2 8 |
|--|-------------|--------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 228,5 cm | Length: 4cm | Width: 9,5cm | Weight: 1,55 kg | Retailbox: 4 | Oldart.no. | 136032 | 5 9 0 5 5 6 8 3 6 0 3 2 8 |

- $\cdot \text{Especially designed for hard to reach tasks in the garden with a} \\$ reach of up to 6 m.
- $\cdot {\hbox{\it Dual locking system for maximum safety}}.$
- Lightweight aluminium construction.Adjustable shaft length from 2280 4000 mm.



QuikFit[™] Click & Clean



red<mark>dot</mark> design award winner 2010

| Height: 41,5 cm Length: 6 cm Width: 51 cm Weight: 0,32 kg Retail box: 6 Oldart.no. 135013 | QuikFit [™] Lea | af Rake, L | | | | Art.no. | 1000642 | Z | 6 4 1 1 5 0 1 3 5 0 1 3 8 |
|---|--------------------------|-------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| | Height: 41,5 cm | Length: 6cm | Width: 51cm | Weight: 0,32 kg | Retailbox: 6 | Oldart.no. | 135013 | H | 6 4 1 1 5 0 1 3 5 0 1 3 8 |



- Wide rake for gathering fallen leaves and grass cuttings.
 Tines work in a pull direction for more comfort with less effort.
- I mes work in a pull direction for more comfort with less effor
 25 soft and flexible, high-quality PBT plastic tines withstand bending.

Recommended Shaft: Shaft L.

| QuikFit [™] Leaf Rake Metal | | | | | | 1000644 | z | 6 4 1 1 5 0 1 3 5 2 0 1 9 |
|--------------------------------------|----------------|--------------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 59cm | Length: 7,5 cm | Width: 45cm | Weight: 0,50 kg | Retailbox: 6 | Oldart.no. | 135201 | E/ | 6 4 1 1 5 0 1 3 5 2 0 1 9 |



- For removing loose moss and grass cuttings from the lawn.
- · 22 flexible steel prongs.

Recommended Shaft: Shaft L.

| QuikFit [™] Gat | ther Rake | | | | Art.no. | 1000656 | Z |
|--------------------------|---------------|-----------------------|-----------------|--------------|------------|---------|-----------------|
| Height: 26cm | Length: 12 cm | Width: 56,7 cm | Weight: 0,93 kg | Retailbox: 2 | Oldart.no. | | 5 905568 540331 |



- · Wide rake for gathering leaves and cutting waste from lawn areas.
- Hardened carbon steel head.

Recommended Shaft: Shaft L.

| QuikFit [™] Aeı | rator Rake | | | | Art.no. | 1000655 | Z | |
|--------------------------|---------------|-----------------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 36cm | Length: 8,2cm | Width: 35,5 cm | Weight: 0,99 kg | Retailbox: 2 | Oldart.no. | 135513 | E/ | 5 9 0 5 5 6 8 5 4 0 3 2 4 |



- $\cdot \textit{For removing moss and thatch from lawn areas}.$
- · Hardened carbon steel head.

Recommended Shaft: Shaft L.

| QuikFit [™] Leaf Rake, S | | | | | Art.no. | 1000659 | Z | |
|-----------------------------------|----------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 41cm | Length: 4,2 cm | Width: 22cm | Weight: 0,17 kg | Retailbox: 6 | Oldart.no. | 135551 | | 6 4 1 1 5 0 1 3 5 5 5 1 5 |



- \bullet Convenient small leaf rake for clearing around narrow beds and borders.
- Tines work in a pull direction for more comfort with less effort.
- •11 soft and flexible, high-quality PBT plastic tines withstand bending.

Recommended shaft: Shaft Mand L.



| QuikFit [™] Flo | wer Rake | | | | Art.no. | 1001412 | Z | 6 4 1 1 5 0 1 3 5 5 5 2 2 |
|--------------------------|-------------|----------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 48,5 cm | Length: 4cm | Width: 12,5 cm | Weight: 0,22 kg | Retailbox: 6 | Oldart.no. | 135552 | E/ | 6 4 1 1 5 0 1 3 5 5 5 2 2 |



• Durable Fiber Comp™ frame with 7 steel tines.

 $\cdot 13\,\text{cm}\,\text{working}\,\text{width}\,\text{-}\,\text{ideal}\,\text{for}\,\text{nursery}\,\text{spaces}\,\text{and}\,\text{narrow}\,\text{plant}$

 $Recommended\,shaft: Handle\,S\,and\,Shaft\,M.$

| QuikFit [™] Lawn Edger | | | | | Art.no. | 1000690 | 5905568 540454 |
|---------------------------------|-------------|----------------|----------------|--------------|------------|---------|-----------------|
| Height: 35 cm | Length: 4cm | Width: 19,7 cm | Weight: 0,30kg | Retailbox: 6 | Oldart.no. | 136526 | 5 905568 540454 |



· Easily clear space between your lawn and hard surfaces by stepping on the blade and driving it deep into the soil.

• Great for edging borders.

· Hardened boron steel head with flat top.

Recommended shaft: Shaft Mand L.

| QuikFit [™] Yard Broom | | | | | Art.no. | 1001417 | 5 9 0 5 5 6 8 3 5 5 3 2 4 |
|---------------------------------|---------------|-------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 29 cm | Length: 10 cm | Width: 26cm | Weight: 0,33 kg | Retailbox: 6 | Oldart.no. | 135532 | 5 905568 355324 |





- $\bullet All-purpose yard broom. \\ \bullet Featuring PowerClean ``soft and hard combing bristles for efficient$ sweeping.

Recommended shaft: Shaft Mand L.

| QuikFit [™] Patio Broom | | | | | Art.no. | 1001416 | S 905568 355331 |
|----------------------------------|---------------|-------------|----------------|---------------|------------|---------|-----------------|
| Height: 31cm | Length: 9,5cm | Width: 38cm | Weight: 0,34kg | Retail box: 6 | Oldart.no. | 135533 | 5 905568 355331 |



- $\cdot \textit{For sweeping smooth surfaces like patios, wooden decks and} \\$ polished concrete floors.

 Wide brush head and soft bristles allow for fast, efficient sweeping.

Recommended shaft: Shaft Mand L.

| QuikFit [™] Sweeping Broom | | | | | Art.no. | 1001415 | Z | 5905568 355348 |
|-------------------------------------|-------------|-------------|----------------|--------------|------------|---------|---|----------------|
| Height: 39,5 cm | Length: 7cm | Width: 26cm | Weight: 0,39kg | Retailbox: 6 | Oldart.no. | 135534 | | |



- · A modern take on the traditional sweeping broom.
- ·Robust construction and long bristles make it ideal for use on coarser debris, leaves, etc..

 $Recommended\,shaft: Shaft\,M\,and\,L.$



| QuikFit [™] Paving Brush | | | | | | 1000657 | z |
|-----------------------------------|----------------|----------------|-----------------|--------------|------------|---------|-----------------|
| Height: 32,5 cm | Length: 4,5 cm | Width: 14,5 cm | Weight: 0,19 kg | Retailbox: 6 | Oldart.no. | 135522 | 5 905568 355225 |



- For removing moss and weeds from between paving slabs.
 Hardened steel front blade for stubborn moss and dirt.
 Steel bristles for scrubbing paving and slabs.
 Lightweight Fiber Comp construction for added durability and resistance to moisture.

Recommended shaft: Shaft Mand L.

| QuikFit" Patio Knife | | | | | | 1000687 | Z | |
|----------------------|-------------|---------------|-----------------|--------------|------------|---------|-----|---------------------------|
| Height: 33,5cm | Length: 7cm | Width: 7,5 cm | Weight: 0,16 kg | Retailbox: 6 | Oldart.no. | 136521 | EAI | 5 9 0 5 5 6 8 5 4 0 3 9 3 |



- Ideal tool for removing grass, moss and weeds from between slabs, block paving, wall corners and steps.
 Blade of hardened boron steel.

Recommended shaft: Shaft M and L.

| QuikFit [™] Stra | aight Saw | | | | Art.no. | 1000692 | z | |
|---------------------------|---------------|--------------|-----------------|--------------|------------|---------|---|--|
| Height: 62cm | Length: 10 cm | Width: 10 cm | Weight: 0,20 kg | Retailbox: 6 | Oldart.no. | 136528 | Ш | |



- For sawing tasks in the garden.
 FiberComp" slider and adaptor.
 Hardened steel blade with a length of 345 mm.

Recommended shaft: Shaft Mand L.

QuikFit[™] Click & Grow



| QuikFit [™] Soil Rake, 14 prongs | | | | | Art.no. | 1000653 | 5 9 0 5 5 6 8 5 4 0 3 0 0 |
|---|-------------|-------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 27cm | Length: 9cm | Width: 38cm | Weight: 0,44 kg | Retailbox: 6 | Oldart.no. | 135511 | 5 9 0 5 5 6 8 5 4 0 3 0 0 |



- $\cdot \textit{For raking, leveling or smoothing seed beds that cover a wider}\\$
- · 14 spikes of hardened carbon steel.

Recommended shaft: Shaft L.

| QuikFit [™] Soil Rake, 16 prongs | | | | | Art.no. | 1000654 | EAN | 5 9 0 5 5 6 8 5 4 0 3 1 7 |
|---|-------------|---------------|----------------|--------------|------------|---------|-----|---------------------------|
| Height: 26,5 cm | Length: 8cm | Width: 61,4cm | Weight: 0,45kg | Retailbox: 6 | Oldart.no. | 135512 | 7 | |



- · For raking, leveling or smoothing seed beds that cover a wider
- ·16 tines of hardened carbon steel.

Recommended shaft: Shaft L.

| QuikFit [™] Universal Rake | | | | | Art.no. | 1000643 | z | |
|-------------------------------------|--------------|-------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 26 cm | Length: 11cm | Width: 41cm | Weight: 0,28kg | Retailbox: 6 | Oldart.no. | 135051 | | 6 4 1 1 5 0 1 3 5 0 5 1 0 |





- For raking and clearing long, loose grass, as well as leveling soil and sand or packing down soil while making planting beds.
 12 Fiber Comp* tines designed at a specific angle to help with
- ergonomic posture.
 Leveling function helps even soil beds.

Recommended shaft: Shaft L.

| QuikFit [™] Rose Rake | | | | | | 1000651 | 3 |
|--------------------------------|----------------|---------------|----------------|--------------|------------|---------|---------------------------|
| Height: 29,5 cm | Length: 7,5 cm | Width: 24,3cm | Weight: 0,22kg | Retailbox: 6 | Oldart.no. | 135501 | 5 9 0 5 5 6 8 5 4 0 3 5 5 |



- $\cdot \text{Unique}\,\text{head}\,\text{shape}\,\text{allows}\,\text{you}\,\text{to}\,\text{work}\,\text{between}\,\text{plants}\,\text{and}\,\text{stems}$ without causing damage.
 Ideal for narrow bed layouts.
 In teeth of hardened boron steel.

Recommended shaft: Shaft L and M.

| QuikFit [™] Cu | ltivator | | | | Art.no. | 1000680 | EAN |
|-------------------------|--------------|--------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 40 cm | Length: 12cm | Width: 12 cm | Weight: 0,40 kg | Retailbox: 6 | Oldart.no. | 136511 | 5 9 0 5 5 6 8 5 4 0 4 2 3 |



- For cultivating, scarifying, aerating and breaking up soil.
 Suitable for seed bed preparation and maintenance.
 Hardened carbon steel blade.

Recommended shaft: Shaft L.



| QuikFit [™] Cu | ltiweeder | | | Art.no. 1000681 | | | 5 9 0 5 5 6 8 5 4 0 4 1 6 | |
|-------------------------|-----------------|---------------|----------------|-----------------|------------|--------|---------------------------|-----------------|
| Height: 41,5 cm | Length: 17,5 cm | Width: 12,5cm | Weight: 0,51kg | Retailbox: 6 | Oldart.no. | 136512 | Ä | 5 905568 540416 |



- For cultivating, scarifying, aerating and breaking up soil.
 Suitable for seed bed preparation and maintenance.
- · Hardened carbon steel blade.

 $Recommended\,shaft:Shaft\,L.$

| QuikFit [™] Grubber | | | | | Art.no. | 1000685 | z | |
|------------------------------|---------------|------------|-----------------|--------------|------------|---------|---|----------------------------------|
| Height: 36,5cm | Length: 10 cm | Width: 9cm | Weight: 0,36 kg | Retailbox: 6 | Oldart.no. | 136517 | | 5 9 0 5 5 6 8 3 6 5 1 <i>7</i> 0 |



- For cultivating and aerating garden flower beds. Hardened carbon steel blade.

Recommended shaft: Shaft Mand L.

| QuikFit [™] Ho | е | | | | Art.no. | 1000677 | EAN | |
|-------------------------|---------------|---------------|----------------|--------------|------------|---------|-----|---------------------------|
| Height: 32,5 cm | Length: 9,5cm | Width: 19,5cm | Weight: 0,27kg | Retailbox: 6 | Oldart.no. | 136503 | | 5 9 0 5 5 6 8 5 4 0 3 7 9 |



- $\cdot \, \mathsf{Efficient} \, \mathsf{tool} \, \mathsf{for} \, \mathsf{removing} \, \mathsf{weeds} \, \mathsf{between} \, \mathsf{rows} \, \mathsf{of} \, \mathsf{plants} \, \mathsf{or} \,$ breaking up the soil.

 • Blade of stainless steel.

Recommended shaft: Shaft L.

| QuikFit [™] Push-Pull Weeder | | | | | Art.no. | 1000738 | Z | |
|---------------------------------------|---------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 37,5 cm | Length: 4,5cm | Width: 15,5 cm | Weight: 0,39 kg | Retailbox: 6 | Oldart.no. | 139970 | | 5 9 0 5 5 6 8 5 4 0 4 0 9 |



- Useful for weeding as it loosens the soil simply by pushing and pulling back and forth.
 Hardened boron steel head.

Recommended shaft: Shaft L.

| QuikFit [™] Hoe, 3 functions | | | | | Art.no. | 1000682 | Z | |
|---------------------------------------|-------------|-------------|----------------|--------------|------------|---------|---|-----------------|
| Height: 42cm | Length: 4cm | Width: 13cm | Weight: 0,27kg | Retailbox: 6 | Oldart.no. | 136513 | | 5 905568 540430 |



- For working around stems and in narrow spaces.
 Blade is sharpened on 3 sides to assist cultivating at different angles.
- ·Blade of hardened boron steel.

Recommended shaft: Shaft L.



| QuikFit [™] Du | tch Hoe | | | | Art.no. | 1000676 | Z d d |
|-------------------------|-------------|---------------|-----------------|--------------|------------|---------|-----------------|
| Height: 38,5 cm | Length: 4cm | Width: 12,5cm | Weight: 0,23 kg | Retailbox: 6 | Oldart.no. | 136502 | 5 905568 540362 |



 $\cdot \text{Sharp, ground weeding blade for removing weeds, breaking up} \\$ soil, creating seed rows or removing moss from patios.

·Blade of hardened boron steel.

Recommended shaft: Shaft L.

| QuikFit [™] Sp | iker | | | | Art.no. | 1000689 | 4 1 1 5 0 1 3 6 5 2 4 8 |
|-------------------------|---------------|---------------|----------------|--------------|------------|---------|---------------------------|
| Height: 39,5 cm | Length: 10 cm | Width: 20,5cm | Weight: 0,91kg | Retailbox: 2 | Oldart.no. | 136524 | 6 4 1 1 5 0 1 3 6 5 2 4 8 |



· Used for aerating smaller, narrower plots.

- · Allows nutrients to penetrate the surface and helps seed, fertiliser, water, air and light to reach the roots.
- · Hardened steel blades.

Recommended shaft: Shaft L.

| QuikFit [™] Cultivator, Angled | | | | | Art.no. | 1000683 | Z | |
|---|-------------|------------|-----------------|---------------|------------|---------|---|---------------------------|
| Height: 40,5cm | Length: 8cm | Width: 9cm | Weight: 0,34 kg | Retail box: 6 | Oldart.no. | 136515 | | 5 9 0 5 5 6 8 3 6 5 1 5 6 |



- · For loosening and aerating plant beds to optimise nutrient distribution.
- Tool design protects plants roots.Carbon steel head.

Recommended shaft: Handle S and Shaft M.

| QuikFit [™] Double Scraper Hoe | | | | | Art.no. | 1000734 | Z | |
|---|-----------------|---------------|-----------------|--------------|------------|---------|---|------------------------------|
| Height: 28,2 cm | Length: 14,7 cm | Width: 7,5 cm | Weight: 0,20 kg | Retailbox: 6 | Oldart.no. | 137562 | | 5" 9 0 5 5 6 8" 3 7 5 6 2 9" |



- $\cdot \text{Versatile use on patios and for removing grass, moss and weeds} \\$ from between tiles and slabs.

 Can also be used to cultivate plant beds.
- · Boron steel blades with carbon steel thong.

 $Recommended\,shaft: Handle\,S\,and\,Shaft\,M.$

| QuikFit [™] Double Hoe | | | | | | 1000735 | EAN | |
|---------------------------------|----------------|---------------|-----------------|---------------|------------|---------|----------|-----------------|
| Height: 28,2 cm | Length: 14,3cm | Width: 7,5 cm | Weight: 0,19 kg | Retail box: 6 | Oldart.no. | 137572 | 1 | 5 905568 375728 |



- Versatile use with dual functionality.
 For breaking up soil, cultivating plant beds and weeding.
 Boron steel blades with carbon steel thong.

 $Recommended\,shaft: Handle\,S\,and\,Shaft\,M.$



| QuikFit [™] Trowel | | | | | | 1000730 | z | |
|-----------------------------|----------------|---------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 41cm | Length: 5,5 cm | Width: 7,5 cm | Weight: 0,29 kg | Retailbox: 6 | Oldart.no. | 137512 | E | 5 905568 375124 |



 $\cdot For planting and transplanting.\\$

·Boron steel head.

Recommended shaft: Handle S and Shaft M.

| QuikFit [™] We | eed Extracto | r | | | Art.no. | 1000731 | EAN | 5905568 375223 |
|-------------------------|--------------|---------------|-----------------|--------------|------------|---------|-----|----------------|
| Height: 42,5 cm | Length: 4cm | Width: 7,5 cm | Weight: 0,23 kg | Retailbox: 6 | Oldart.no. | 137522 | É | |



 $\cdot \text{For planting and transplanting.} \\$

·Boron steel head.

Recommended shaft: Handle S and Shaft M.

| QuikFit [™] Sha | aft, L | | | | Art.no. | 1000661 | z |
|--------------------------|----------------|---------------|-----------------|--------------|------------|---------|-----------------|
| Height: 157cm | Length: 3,5 cm | Width: 7,5 cm | Weight: 0,49 kg | Retailbox: 6 | Oldart.no. | 136001 | 5 905568 540461 |

- ${\boldsymbol{\cdot}} \mathsf{Teardrop\text{-}shaped}, \mathsf{hardened\,aluminium\,shaft\,with\,SoftGrip}^{\scriptscriptstyle{\mathsf{T}}} \mathsf{for}$ optimum comfort.
- Hang hole for easy storage.
 Shaft works with several heads for all-around use in the garden.

| Height: 87,5 cm Length: 4 cm Width: 7,5 cm Weight: 0,31 kg Retail box: 6 Old art.no. 136022 | QuikFit [™] Sh | aft, M | | | | Art.no. | 1000664 | z | |
|---|-------------------------|-------------|----------------------|----------------|--------------|------------|---------|-----|---------------------------|
| | Height: 87,5 cm | Length: 4cm | Width: 7,5 cm | Weight: 0,31kg | Retailbox: 6 | Oldart.no. | 136022 | EAN | 5 9 0 5 5 6 8 3 6 0 2 2 9 |



- Medium-length shaft can be used with nursery tools, cultivators and hoes.
- $\cdot \mathsf{Teardrop}\text{-}\mathsf{shaped}, \mathsf{hardened}\,\mathsf{aluminium}\,\mathsf{shaft}\,\mathsf{with}\,\mathsf{SoftGrip}^{\scriptscriptstyle{\mathsf{Ti}}}\mathsf{for}$ optimum comfort.
- · Hang hole for easy storage.
- $\cdot \, \text{Shaft works with several heads for all-around use in the garden}.$

| QuikFit [™] Handle, S | | | | | | 1000663 | z |
|--------------------------------|---------------|------------|-----------------|--------------|------------|---------|-----------------|
| Height: 25,5 cm | Length: 4,5cm | Width: 8cm | Weight: 0,11 kg | Retailbox: 6 | Oldart.no. | 136012 | 5 905568 360120 |




- ·Small handle ideal for use with nursery tools.
- · Teardrop-shaped, hardened aluminium shaft with SoftGrip™ for optimum comfort.
- Hang hole for easy storage.
 Shaft works with several heads for all-around use in the garden.



| QuikFit [™] Universal Adapter | | | | | Art.no. | 1000617 | 8 6 4 1 1 5 0 1 3 0 0 0 0 3 |
|--|---------------|------------|----------------|--------------|------------|---------|-----------------------------|
| Height: 17,1cm | Length: 4,3cm | Width: 3cm | Weight: 0,07kg | Retailbox: 6 | Oldart.no. | 130000 | 6 411501 300003 |



- $\cdot \text{For connecting a variety of interchangable heads produced by other manufacturers.} \\$
- ·Lightweight FiberComp[™] construction.





Wood Preparation

Over 300 years of axe expertise.

In the midst of the Finnish woodlands lies the small village of Fiskars, where the timeless traditions of crafting the highest quality hand tools have been passed down through the generations since 1649.

Norden axes & knives p.150

X-series axes p.154

Kindling tools p.158

WoodXpert[™] p.160

Yard clearing tools p.168


Saws p.170

Other tools p.173

Knives p.175









Norden Axes

GUARANTEE 25
YEARS'

With Norden axes, Fiskars returns to its deep roots. The finest hickory is used to craft a handle with the authentic and natural feel of the traditional wooden axes. Yet as with all its axes, Fiskars always insists on the highest possible performance. After thorough testing, you can be sure that the blade will always stay attached, while enjoying unparalleled performance, endurance and durability.

Fiskars Norden.
Pure performance.



Ultimate safety

- ① Safest, undetachable axe head and shaft connections
- ② Virtually unbreakable, FiberComp[™] overstrike protection for lightweight, break- and shock-proof use
- 3 Hooked handle for secure grip & control

Unbeatable performance

4 Ultra stay-sharp blades are double-hardened to optimise strength in demanding situations.

Precision-ground cutting edge with low-friction coating.

- Optimal weight balance
- Optimally designed blades for chopping & splitting tasks

High quality, durable materials

- UHigh-quality, hickory wood handle made from sustainably managed forests
- 8 Carbon steel blades



The mark of responsible forestry



Norden Axes









- $\cdot \, \text{Small universal hatchet for limbing, chopping} \, \& \, \text{kindling.} \\$
- · Its compact size makes it a perfect companion for camping, hiking and other outdoor activities.
- Product: 3,2 x 35,5 x 13 cm.
- ·FSC® certified wood.





| Norden Chopping Axe, N10 | | | | | | 1051143 | Z | 6 4 1 1 5 0 1 7 0 1 1 3 8 |
|--------------------------|----------------|---------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 47,6 cm | Length: 3,5 cm | Width: 19,4cm | Weight: 1,21kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 7 0 1 1 3 8 |







- · A great general tool for chopping & kindling tasks on the yard and small construction projects around the house.
- · Its 44,5 cm handle makes it ideal for easy one-handed use.
- · Product: 3,2 x 44,5 x 15,2 cm.
- ·FSC® certified wood.



| Norden Spl | 12 | Art.no. | 1051144 | z | 6 4 1 1 5 0 1 7 0 1 1 4 5 | | | |
|-----------------------|----------------|----------------|-----------------|--------------|---------------------------|---|----------|---------------------------|
| Height: 52,6cm | Length: 3,5 cm | Width: 19,4 cm | Weight: 1,30 kg | Retailbox: 4 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 7 0 1 1 4 5 |







- For easy splitting of small sized logs up to Ø 20 cm.
- · Its 50 cm shaft size makes it a perfect size also for 2 handed use.
- Product: 3,2 x 49,5 x 15,2 cm.FSC° certified wood.





| Premium A | xe Blade Cov | ver, XS | | | Art.no. | 1057531 | Z | 6411501 600332 |
|-----------------|---------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 18,8 cm | Length: 2,5cm | Width: 10 cm | Weight: 0,04 kg | Retailbox: 6 | Oldart.no. | - | | 6 4 1 1 5 0 1 6 0 0 3 3 2 |



- · Premium axe blade cover for safe storage & carrying.
- · Made of recyled leather 100% natural materials. • Snap closure ensures that blade cover stays in place.
- · High quality leather with reinforced edge for sheath durability.
- · Water resistant for axe protection against rust.
- · Suitable axe blade cover for Fiskars axe models N7, X5, X7, A5 & A6.

| Premium Axe Blade Cover, S | | | | | Art.no. | 1057532 | Z | 6 4 1 1 5 0 1 6 0 0 3 4 9 |
|----------------------------|-------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 20,5 cm | Length: 3cm | Width: 10 cm | Weight: 0,04 kg | Retailbox: 6 | Oldart.no. | - | | 6 4 1 1 5 0 1 6 0 0 3 4 9 |



- $\bullet \textit{Premium}\, axe\, blade\, cover\, for\, safe\, storage\, \&\, carrying.$
- Made of recyled leather 100% natural materials.
- · Snap closure ensures that blade cover stays in place.
- · High quality leather with reinforced edge for sheath durability.
- · Water resistant for axe protection against rust.
- · Suitable axe blade cover for Fiskars axe models N10, N12, X10, X11, A10 & A11.

Norden knives & sharpener

Norden Wood carving knife 1071897 Art.no. Length: 26,3 cm Weight: 0,10 kg Height: 4,4 cm Width: 9,3cm Retailbox: 4 Oldart.no. -







- ${\color{red} \bullet} \ \text{Beautifully designed to enhance your woodworking, carving and}$
- $\cdot \, \text{Made of natural, highest-quality materials and crafted to last} \\$ generations.
- Stainless steel blade is easy to sharpen & maintain, resists rust. · Natural birch wood handle is comfortable and secure in your hand
- and is waxed for long-lasting durability. FSC $^{\circ}$ certified. · Included recycled leather sheath is lined for reliable safety and blade protection.
- ·Blade length: 78mm; total length: 196mm.

| Norden Outdoor knife | | | | | | 1072090 | EAN | 6 4 1 1 5 0 1 6 0 0 7 5 2 |
|----------------------|-----------------|--------------|----------------|--------------|------------|---------|-----|---------------------------|
| Height: 4,4cm | Length: 26,3 cm | Width: 9,3cm | Weight: 0,11kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 6 0 0 7 5 2 |







- · Beautiful and functional Outdoor knife excels at a range of tasks, from whittling and woodwork to camping, fishing and hunting. · Made of natural, highest-quality materials and crafted to last
- Stainless steel blade is easy to sharpen & maintain, resists rust. $\boldsymbol{\cdot}\, \text{Natural birch wood handle is comfortable and secure in your hand}.$
- · Wood handle is FSC* certified (FSC C108780) and is waxed for long-lasting durability.
- ·Included recycled leather sheath is lined for reliable safety and blade protection.
- · Blade length: 98mm; total length: 215mm

| Norden axe and knife sharpener | | | | | | 1071898 | z | |
|--------------------------------|-----------------|--------------|----------------|--------------|------------|---------|---|-----------------------------|
| Height: 5,0 cm | Length: 20,6 cm | Width: 5,9cm | Weight: 0,13kg | Retailbox: 4 | Oldart.no. | - | | 6" 4 1 1 5 0 1" 6 0 0 7 7 6 |





- · Fiskars Norden Axe and knife sharpener optimises regular maintenance of axes and knives, guaranteeing cutting-edge sharpness.
- · Sharpening slot ensures tool stays in place for safe sharpening.
- · Ceramic grindstone efficiently sharpens in both directions.
- · Ceramic finishing stone for fine-grinding.
- $\cdot \, \text{Authentic, natural birch wood body is FSC}^{\circ} \, \text{certified (FSC)} \\$ C108780) and is comfortable in your hand.

 Recycled leather hanging loop for easy storage.
- · Portable size is easy to take along on outdoor activities.

FISKARS®

The mark of

Norden axes

www.fiskars.com



X-series Axes





axes are designed for ultimate performance; masterfully balanced to optimise swing speed and amplify user power for efficient splitting. With ultra-sharp, forged steel blades engineered to disperse wood more effectively, double hardened for sharp edge retention. Low-friction blade coating enables glide through after impact and offers rust protection. Overmolded axe heads provides an inseparable connection to the shafts. The virtually unbreakable design includes a lightweight, remarkably strong, FiberComp™ handle that absorbs shock and

offers superior overstrike protection.

The handles have an oversized gripzone with strategically textured
SoftGrip and hooked end for user comfort. Designed in Billnäs, Finland, building on more than three-anda-half centuries of the world's best forged tools.

NEW DESIGN

New improved splitting blade design for improved spitting performance Wider cutting edge & wider splitting wedge improves splitting power & make the blades easier to remove from wood.


New ultra light hiking axe, masterfully designed for the outdoors

Light, sized for easy carrying, stowaway and comfortable single-handed use. It's orange handle is durable and easy-to-spot. Includes sheath for safety when driving tent stakes into the ground. With belt loop and reliable locking mechanism.

New ergonomically curved handle on small universal axes

provides a natural, comfortable wrist position during use.







Universal axes

Fiskars next-generation universal axes serve all manners of $woodwork, chopping, carpentry \, and \, pruning. \, The \, range \, delivers \, a$ wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand. The Universal Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.



Splitting axes


Fiskars next-generation splitting axes are a true evolution of craftsmanship -purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.





X-series[™] Chopping Axes









- X-series ``axes, making it an ideal companion for chopping, kindling,general camping and hiking tasks.
- Proprietary double-hardened, forged steel blade with blade-grinding which provides a sharper edge for superior contact
- $\cdot \, \mathsf{Low-friction} \, \mathsf{blade} \, \mathsf{coating} \, \mathsf{glides} \, \mathsf{through} \, \mathsf{wood} \, \mathsf{and} \, \mathsf{protects}$ against rust.
- The FiberComp™ handle is easy-to-spot, durable and light.
- · Blade cover features a belt loop and a reliable locking mechanism for safety while carrying & driving tent stakes with the striking end.

| X14 Chopping axe XS blade | | | | | | 1069102 | Z | 6 4 1 1 5 0 1 2 0 1 6 1 4 |
|---------------------------|---------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 38,7 cm | Length: 3,2cm | Width: 17,3 cm | Weight: 0,79 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 2 0 1 6 1 4 |







- · Ideal for limbing, kindling, general yard maintenance and carpentry.
- · New improved forged steel blade design ensures clean, easy cuts.
- · Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- $\cdot \, \text{Low-friction blade coating for easy glide through} \, \& \, \text{rust protection}.$
- · Ultralight & durable FiberComp shaft construction is virtually $unbreakable\,\&\,offers\,superior\,overstrike\,protection.$
- · Ergonomic handle provides a neutral, comfortable wrist position during use, with textured SoftGrip for a comfortable, secure hold.

| X18 Chopp | de | Art.no. | 1069103 | Z | 6 4 1 1 5 0 1 2 0 1 6 2 1 | | | |
|-----------------|---------------|-----------------------|-----------------|--------------|---------------------------|---|----------|---------------------------|
| Height: 47,5 cm | Length: 3,2cm | Width: 19,2 cm | Weight: 1,12 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 2 0 1 6 2 1 |







- · Ideal for chopping kindling, general yard maintenance and
- · New improved forged steel blade design ensures clean, easy cuts.
- · Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- · Low-friction blade coating for easy glide through & rust protection.
- · Ultralight & durable FiberComp shaft construction is virtually unbreakable & offers superior overstrike protection.
- Ergonomic handle provides a neutral, comfortable wrist position during use, with textured SoftGrip for a comfortable, secure hold.

| X24 Chopp | ing axe M bla | nde | | | Art.no. | 1069104 | Z | |
|----------------|----------------|---------------|-----------------|--------------|------------|---------|----|-----------------|
| Height: 63,5cm | Length: 3,5 cm | Width: 20,7cm | Weight: 1,59 kg | Retailbox: 4 | Oldart.no. | - | EA | 6"411501"201638 |





- · Ideal for felling trees and all-purpose chopping.
- $\cdot \, \text{New improved forged steel blade design ensures clean, easy cuts.} \\$
- $\cdot {\hbox{Proprietary blade-grinding provides a sharp edge, double-hard-}}$ ened to maintain its sharp edge longer.
- · Low-friction blade coating for easy glide through & rust protection.
- · Safest, undetachable axe head and shaft connection.
- · Ultralight & durable FiberComp shaft construction is virtually unbreakable & offers superior overstrike protection.
- · Perfected weight balance for more power at impact.
- Oversized, textured SoftGrip[™] grip zone for comfort and control.

| Xsharp [™] Axe | e and Knife S | harpener | | | Art.no. | 1000601 | Z | |
|-------------------------|---------------|------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 23,5 cm | Length: 4cm | Width: 9cm | Weight: 0,09 kg | Retailbox: 4 | Oldart.no. | 120740 | | 6 4 1 1 5 0 1 2 0 7 4 0 1 |










- $\cdot 2\,sharpeners\,in\,1 for\,regular\,main tenace\,of\,your\,Fiskars\,axes\,and$
- · Ceramic grind stone has clearly indicated cutting grooves for either axes or knives.
- · Easy-to-use, optimised sharpening angle for Fiskars blades.
- · Convenient portability.

X-series[™] Splitting Axes

MADE IN



ened to maintain its sharp edge longer.

· Low-friction blade coating for easy glide through & rust protection.

Ultralight & durable FiberComp" shaft construction is virtually unbreakable & offers superior overstrike protection.
 Perfected weight balance for more power at impact.
 Oversized, textured SoftGrip" grip zone for comfort and control.

Kindling tools

The perfect companions to Fiskars axes & hatchets: dedicated tools for the last phase of wood preparation before burning. Fiskars provides a holistic wood preparation solution with high-quality tools designed for every task at hand.

Kindling makers S & L features & benefits

- Effortless to use
 Sharp & durable hardened carbon steel blades for superior cutting performance.
- Blades designed to enhance splitting performance.

- afe design Unique, innovative hands-free design for enhanced user safety.
- · Includes blade cover for safe storage.

- Easy to assemble & dis-assemble.
- Horizontal mounting option for convenient stationary use or used on-the-go, standing steadily on even ground.
- Split simply by hitting the firewood with a Fiskars IsoCore Club hammer or another log.

- Durable construction and materials.
- Prolong the longevity of the tools with regular maintenance and blade sharpening.
- · Spare-parts also available for the blades & bristles.





Wall mounted kindling maker features & benefits

- Effortless to use

 Superior cutting performance with durable Fiskars brush
- Sharp Carbon steel blade with non friction coating.

Suitable for making kindling from firewood, cutting branches or sticks or brush hook used separately for yard clearing

- omfortable & convinient Mount vertically at suitable height for ergonomic stationary
- Light, comfortable and durable Fiber Comp handle.
- · Safety lock for safe storage.



ewith Fiskars WoodXpert Brush Hooks XA3 (1003609) Wall mount compatible v Sold separately or as a set

NEW! Kindling Tools

Launch date 01.09.2025

Outdoor kindling maker L 1079156 Art.no. Height: 32,03 cm Length: 28,1cm Width: 28,1cm Weight: -Retailbox: -Oldart.no. -



- · Ideal for making kindling out of dry firewood quickly and with low
- · Sharp & durable cutting blade that can be sharpened or replaced.
- · Hands-free design for enhanced user safety.
- $\cdot \, \text{Mount horizontally for convenient stationary use or use on-the-go}$
- $standing\ steadily\ on\ even\ ground.\ Includes\ screws\ for\ mounting.$ $\cdot Includes\ multipurpose\ bag\ for\ transporting,\ storing\ or\ protecting\ the\ kindling\ maker\ or\ carrying\ ready-made\ kindling\ on-the-go.$
- · Blade cover for safe storage.

| Outdoor kindling maker S | | | | | | 1079157 | Z | 6"411501"600967 |
|--------------------------|--------------|-------------|-----------|--------------|------------|---------|---|---------------------------|
| Height: 25,8 cm | Length: 16cm | Width: 16cm | Weight: - | Retailbox: - | Oldart.no. | - | | 6 4 1 1 5 0 1 6 0 0 9 6 7 |



- · Ideal for making kindling out of dry firewood quickly and with low
- $\cdot \, \text{Sharp} \, \& \, \text{durable cutting blade that can be sharpened or replaced}.$
- ${\color{red} \bullet} \, \text{Mount horizontally for convenient stationary use. Includes screws}$ for mounting.
- · Blade cover for safe storage.

| Wall mounted kindling maker set | | | | | Art.no. | 1079159 | EAN | 6 4 1 1 5 0 1 6 0 0 9 8 1 |
|---------------------------------|---------------|--------------|-----------|--------------|------------|---------|-----|---------------------------|
| Height: 11,3 cm | Length: 56 cm | Width: 8,4cm | Weight: - | Retailbox: - | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 6 0 0 9 8 1 |



- $\cdot \mathsf{Ideal} \, \mathsf{for} \, \mathsf{making} \, \mathsf{kindling} \, \mathsf{out} \, \mathsf{of} \, \mathsf{dry} \, \mathsf{firewood} \, \mathsf{or} \, \mathsf{cutting} \, \mathsf{branches} \,$ $\ quickly \ and \ with \ low \ effort.$
- $\cdot \\ \text{Superior cutting performance with sharp \& durable cutting blade}$ that can be sharpened easily.
- Multi-use: make kindling from firewood, cut branches or sticks or use the brush hook on-the-go in clearing tasks.
- · Mount vertically at suitable height for ergonomic stationary use. Includes screws for mounting.

| Kindling wall mount | | | | | Art.no. | 1079158 | Z | 6 4 1 1 5 0 1 6 0 0 9 7 4 |
|---------------------|-----------------|--------------|-----------|--------------|------------|---------|---|---------------------------|
| Height: 11,3 cm | Length: 47,5 cm | Width: 8,4cm | Weight: - | Retailbox: - | Oldart.no. | - | Ä | 6 411501 600974 |



- · Combine with Fiskars WoodXpert™ Brush Hook XA3 (1003609) (not included) to make kindling out of dry firewood or cut branches $\,$ quickly and with low effort.
- · Multi-use: make kindling from firewood, cut branches or sticks or



WoodXpert[™] Felling Levers



| WoodXpert [™] Felling Lever, L | | | | | | 1015439 | 8 4 1 1 5 0 1 2 6 0 5 2 9 |
|---|---------------|-------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 115 cm | Length: 8,6cm | Width: 23cm | Weight: 2,70 kg | Retailbox: 2 | Oldart.no. | 126052 | 6 4 1 1 5 0 1 2 6 0 5 2 9 |





reddot design award winner 2015

- ·For steering large-sized trees when felling.
- · Additionally functions as support for sawing and carrying logs.
- $\cdot \hbox{Forged, hardened steel blade}.$
- Sturdy, yet lightweight, special steel shaft.
 Fast lock interface for log hook and tongs interoperation.

WoodXpert[™] Brush Hooks

Fiskars WoodXpert[™] brush hooks are a great choice for outdoor enthusiasts with a lot of clearing to do. Featuring precision-ground steel blades ith a rust-resistant, low-friction coating, these hooks rip through underbrush and wood with speed and ease.

Features & benefits

- Deep curved blade design is ideal for pull-cuts and lifting branches off the ground
- Ultra-light and durable FiberComp shaft minimises fatigue and makes the shaft virtually unbreakable.
- 3 Hooked handle with SoftGrip[™] for comfortable, non-slip grip
- Made in Finland





FENDRE

















WoodXpert[™] Brush Hooks

| WoodXpe | WoodXpert [™] Brush Hook (XA3) | | | | | 1003609 | z | 6"411501"260048 |
|---------------|---|---------------|----------------|---------------|--------------|---------------------|-------|---------------------------|
| Height: 55 cm | Length: 2,7cm | Width: 14,5cm | Weight: 0,51kg | Retail box: 4 | Oldart.no. | 126004 | 1 | 6 4 1 1 5 0 1 2 6 0 0 4 8 |
| | | | | <i>(2)</i> | •For cutting | smaller branches fr | om tr | ees. |





- For clearing weeds and brush in gardens and forests.
- For stripping bark from logs.

| WoodXpert [™] Brush Hook (XA23) | | | | | Art.no. | 1003621 | A 6 4 1 1 5 0 1 2 6 0 0 5 5 |
|--|---------------|----------------|-----------------|--------------|------------|---------|-----------------------------|
| Height: 94,3 cm | Length: 3,6cm | Width: 14,5 cm | Weight: 1,00 kg | Retailbox: 2 | Oldart.no. | 126005 | 6 4 1 1 5 0 1 2 6 0 0 5 5 |





reddot design award winner 2015


- For cutting larger branches from trees / logs.
 For clearing saplings and brush in gardens and forests.
 For light chopping and splitting of firewood.



- Lightweight boron steel hook with a toothed inlay grips logs with ease
- 2 Ergonomic handle with SoftGrip^{*}. Engages all the fingers of the hand comfortably.
- 3 Wiregate clip for safe storage on a belt loop















WoodXpert[™] **Log Tools**

WoodXpert[™]Log Hook 1003624 Art.no. Height: 31cm Length: 4cm Width: 21cm Weight: 0,41kg Retailbox: 4 Oldart.no. 126021









- $\cdot \text{Ideal for lifting, transporting, handling and arranging logs, as well as} \\$ assisting during tree felling.
- ·Includes plastic sheath for easy transport on a tool belt.

| WoodXpert [™] Log Tongs | | | | | Art.no. | 1003625 | Z | 6'41501'260314 |
|----------------------------------|-------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 38,3 cm | Length: 4cm | Width: 18 cm | Weight: 0,69 kg | Retailbox: 4 | Oldart.no. | 126031 | | 6 4 1 1 5 0 1 2 6 0 3 1 4 |





- $\cdot \mbox{ldeal for lifting, transporting, handling and arranging logs.} \\ \cdot \mbox{lncludes plastic sheath for easy transport on a tool belt.}$

| WoodXpert [™] Tool Belt | | | | | Art.no. | 1003626 | Z | 6 4 1 1 5 0 1 2 6 0 0 9 3 |
|----------------------------------|----------------|------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 57cm | Length: 4,5 cm | Width: 9cm | Weight: 0,24 kg | Retailbox: 4 | Oldart.no. | 126009 | | 6 4 1 1 5 0 1 2 6 0 0 9 3 |



- Tool belt for attaching log hooks and tongs. Ergonomic support for the back.
- ·Firm double tightening.

WoodXper Sappies

Fiskars WoodXpert™ sappies are ideal for ergonomic, backfriendly handling of logs, e.g., lifting, transporting, arranging and turning logs during wood preparation. Developed with

professional lumberjacks in mind, these tools feature an emphasis on lightweight performance, excellent grip and superior tool blade development, making them ideal for working longer with heavier logs.



Features & benefits

- O Hooked steel beak with a toothed inlay ensures solid grip
- ② Ultralight and durable FiberComp[™] shaft minimises fatique and makes the shaft virtually unbreakable
- 3 Hooked handle with SoftGrip for comfortable, non-slip grip











WoodXpert[™] Sappies







| WoodXpert [™] Sappie (XA22) | | | | | Art.no. | 1003623 | EAN | |
|--------------------------------------|----------------|-------------|-----------------|--------------|------------|----------------------|-----|---------------------------|
| Height: 77,5 cm | Length: 3,5 cm | Width: 23cm | Weight: 0,80 kg | Retailbox: 2 | Oldart.no. | 126007 | E/ | 6 4 1 1 5 0 1 2 6 0 0 7 9 |
| ill. | CAPTE VILLED | | VPA | | | and transporting lar | | |





- For handling and arranging wood piles.For turning of large logs.

Yard clearing Tools

Features & benefits

- Blade curve offers pull cutting for removing suckers and clearing vines
- 2 Hardened steel blade holds its sharp edge
- 3 Coarse saw edge cuts fibrous plants or woody branches
- 4 Finger guard for safety during use
- Textured SoftGrip handles fits the natural shape of your hand











Solid[™] Yard Clearing Tools

| Solid [™] Billho | ok Saw | | | | Art.no. 1051233 | 4 11501 702142 |
|---------------------------|-----------------|---------------|-----------------|--------------|------------------------|---------------------------|
| Height: 54cm | Length: 18,8 cm | Width: 4,5 cm | Weight: 0,68 kg | Retailbox: 4 | Oldart.no | 6 4 1 1 5 0 1 7 0 2 1 4 2 |



- ${\boldsymbol{\cdot}} \, \mathsf{Designed} \, \mathsf{for} \, \mathsf{fast}, \mathsf{powerful} \, \mathsf{clearing} \, \mathsf{of} \, \mathsf{thick} \, \mathsf{vegetation}.$
- · Blade is curved for quick pull cuts.
- One-handed use leaves other hand free to grab and pile cuttings.
- Textured SoftGrip™ handle helps prevent blisters.

| Solid [™] Machete | | | | | | 1051235 | ž | |
|----------------------------|----------------|---------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 70 cm | Length: 18,8cm | Width: 4,5 cm | Weight: 0,89 kg | Retailbox: 4 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 7 0 2 1 6 6 |



- · Clear large areas of brush, cut thick branches and power through fibrous stems.
- · Curved blade profile prevents blade from sticking.
- One-handed use leaves other hand free to grab and pile cuttings. Textured SoftGrip" handle helps prevent blisters.

| Solid [™] Mach | | Art.no. 1051236 | Z | | | | |
|-------------------------|-----------------|------------------------|----------------|--------------|-----------|----|-----------------|
| Height: 80,5 cm | Length: 18,8 cm | Width: 4,5 cm | Weight: 1,08kg | Retailbox: 4 | Oldart.no | EA | 6 411501 702173 |



- Clear thick brush, chop roots, cut branches and more.
 Axe-like blade head provides powerful, controlled chopping and splitting.

 • Blade is curved for quick pull cuts.

 • One-handed use leaves other hand free to grab and pile cuttings.

- Textured SoftGrip handle helps prevent blisters.

Saws

To make sawing as easy as possible, you need a reliable saw that is up to the task. We have a variety of saws ranging from saws that cut stems and thicker branches to saws with curved noses for cutting in hard-to-reach or difficult positions.

Xtract[™] Saws

Fiskars Xtract" saws feature a unique, retractable mechanism and include an integrated belt clip for safe and easy transport and storage. Hardened steel blades ensure a long lifetime of sharpness, while a SoftGrip" handle with finger guard ensures a safe grip.



Plus Folding saws

Fiskars Plus" folding saws feature three cutting positions to allow you to approach every cut from the best angle.

Power Tooth" blades have razor-sharp, triple-ground teeth for quick and clean cutting, and a secure locking mechanism also holds the blade closed for safe storage and transport.



Fixed blade saws

Fiskars fixed blade saws feature a highly efficient tooth profile for fast, accurate sawing. Impulse-hardened blades stay sharper longer, while a SoftGrip" ergonomic curved handle with finger guard ensures a safe and comfortable grip.



Bow Saws

Fiskars bow saws are excellent for sawing stems and thicker branches. A curved nose enables cutting in hard-to-reach or difficult positions. Bow saws also cut on both the push and pull stroke for efficient sawing.



Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.

Xtract[™] Saws

| Xtract [™] Ga | Xtract [™] Garden Saw, L (SW75) | | | | | | EAN | |
|------------------------|--|--|-----------------|--------------------|-------------|---------------------------------|-----|--|
| Height: 39 cm | Length: 4cm | Width: 9cm | Weight: 0,23 kg | Retailbox: 4 | Oldart.no. | 6 411501 238801 | | |
| | | Tree contraction of the contract | | eddot design award | ·Blade leng | saws fresh wood. yth 255 mm. | am. | |

| Xtract [™] Gar | den Saw, S (S | 6W73) | | | Art.no. | 1000613 | z | |
|-------------------------|----------------|------------|-----------------|--------------|------------|---------|---|------------------------------|
| Height: 27,5 cm | Length: 3,5 cm | Width: 9cm | Weight: 0,12 kg | Retailbox: 4 | Oldart.no. | 123870 | Ä | 6" 4 1 1 5 0 1" 2 3 8 7 0 2" |
| | | | | d'a | F(0) | | | |





| •Effi | ici | ent | ly | sa | WS | f | rest | ٦W | 00 | d. |
|-------|-----|-----|----|----|----|---|------|----|----|----|
| | | | | | | | | | | |

•Blade length 160 mm. •Cut capacity 120 mm.

| Xtract [™] Buil | der's Saw (S\ | N72) | Art.no. | 1000612 | z | | |
|--------------------------|----------------|------------|-----------------|--------------|------------|--------|-----------------|
| Height: 27,5 cm | Length: 3,5 cm | Width: 9cm | Weight: 0,12 kg | Retailbox: 4 | Oldart.no. | 123860 | 6"411501"238603 |





[·] Fine teeth for dry wood, boards and wood strips.

·Blade length 160 mm.

·Cut capacity 120 mm.

Folding & Fixed Blade Saws

| PlusFolding | g Saw SW69 | | | | Art.no. | 1067553 | z | |
|---------------|---------------|--------------|----------------|--------------|------------|---------|------------|--|
| Height: 33 cm | Length: 2,8cm | Width: 12 cm | Weight: 0,31kg | Retailbox: 4 | Oldart.no. | - | 6 411501 2 | |





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{quick}, \mathsf{clean} \, \mathsf{cuts} \, \mathsf{through} \, \mathsf{thick} \, \mathsf{stems} \, \mathsf{and} \, \mathsf{branches}.$
- $\boldsymbol{\cdot} \textbf{3} \, \text{cutting positions: under cut for clean starting cuts, straight for}$ general cuts and pistol-grip for added leverage.
- •Blade length: 200 mm •Spare part available: 1067555.

| Plus Foldino | gSawSW68 | | | | Art.no. | 1067552 | z | |
|-----------------|---------------|-------------|-----------------|--------------|------------|---------|---|------------------------------|
| Height: 26,9 cm | Length: 2,8cm | Width: 12cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no. | - | É | 6" 4 1 1 5 0 1" 2 0 1 3 3 1" |





- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{quick}, \mathsf{clean} \, \mathsf{cuts} \, \mathsf{through} \, \mathsf{thick} \, \mathsf{stems} \, \mathsf{and} \, \mathsf{branches}.$
- •3 cutting positions: undercut for clean starting cuts, straight for general cuts and pistol-grip for added leverage. ·Blade length: 150 mm
- · Spare part available: 1067554.

| Profession | al Pruning Sa | w (SW-330) | Art.no. | 1020199 | Z | | | |
|---------------|---------------|---------------|-----------------|--------------|------------|--------|----------|---------------------------|
| Height: 59 cm | Length: 4,9cm | Width: 16,4cm | Weight: 0,23 kg | Retailbox: 4 | Oldart.no. | 123330 | | 6 4 1 1 5 0 1 2 3 3 3 0 1 |





- Lightweight 230 g.Professional quality carbon steel blades, SK5.
- ·Blades for every task.
- · Balanced weight distribution.
- · Hollow grinded blade.
- $\cdot \text{Integrated sawdust removal teeth}.$

- Sturdy grip with SoftGrip*.

 Easy maintainability, all parts are replaceable.

 Spare parts available: 1020202, 1020201, 1020193, 10202197, 1020194 and 1020198

| Profession | al Pruning Sa | w (SW-240) | Art.no. | 1020200 | Z | | | |
|---------------|---------------|---------------|-----------------|--------------|------------|--------|----|------------------------------|
| Height: 59 cm | Length: 4,9cm | Width: 16,4cm | Weight: 0,20 kg | Retailbox: 4 | Oldart.no. | 123240 | 73 | 6" 4 1 1 5 0 1" 2 3 2 4 0 3" |





- ·Lightweight 200 g.
- · Professional quality carbon steel blades, SK5.
- · Blades for every task.
- · Balanced weight distribution.
- · Hollow grinded blade.
- Integrated sawdust removal teeth.Sturdy grip with SoftGrip*.
- · Easy maintainability, all parts are replaceable.
- · Spare parts available: 1020202, 1020201, 1020193, 10202197, 1020194 and 1020198

| Fixed Blade | Saw (SW84 | .) | Art.no. | 1001620 | Z | | | |
|---------------|---------------|---------------|-----------------|--------------|------------|--------|--|---------------------------|
| Height: 50 cm | Length: 2,5cm | Width: 9,5 cm | Weight: 0,34 kg | Retailbox: 4 | Oldart.no. | 123840 | | 6 4 1 1 5 0 1 2 3 8 4 0 5 |





- · Ideal for clean cuts of branches and stems.
- ·Blade length 320 mm.
- · Cut capacity 150 mm.

| 21" Bow Sav | w (SW30) | | | | Art.no. | 1001621 | S 702264 141004 |
|-----------------|----------------|----------------|-----------------|--------------|------------|---------|-----------------|
| Height: 62,5 cm | Length: 1,9 cm | Width: 21,5 cm | Weight: 0,47 kg | Retailbox: 4 | Oldart.no. | 124800 | 5 702264 141004 |



- \bullet Excellent for sawing 10-20 cm stems and branches.
- ·Spare part available: 1001706.

| 24" Bow Sa | w (SW31) | | Art.no. | 1000615 | z | | |
|---------------|----------------|----------------|-----------------|--------------|------------|--------|-----------------|
| Height: 70 cm | Length: 1,9 cm | Width: 21,5 cm | Weight: 0,60 kg | Retailbox: 4 | Oldart.no. | 124810 | 5 702264 141011 |



- $\bullet \, \text{Excellent for sawing} \, \text{>} 20 \, \text{cm} \, \text{stems} \, \text{and thicker} \, \text{branches}.$
- ·Spare part available: 1001707.

Splitting Tools, Sledge Hammers & Wedges

| Sledge Han | nmer, L | | Art.no. | 1001619 | Z | | | |
|---------------|---------------|--------------|---------------|--------------|------------|--------|----------|-----------------|
| Height: 90 cm | Length: 5,6cm | Width: 14 cm | Weight: 4,1kg | Retailbox: 2 | Oldart.no. | 120040 | <u> </u> | 6 411501 200402 |





- \bullet Delayed burring and less risk of chipping due to rounded edges on the striking surface.
- · Less jarring from mis-hits due to rubber mis-hit guard.
- \bullet Greater resistance and comfort due to fiberglass core and elastomeric, anti-slip, anti-vibration handle.

| Sledge Har | nmer, XL | | Art.no. | 1001431 | z | | |
|--------------|-------------|--------------|---------------|--------------|------------|--------|-----------------|
| Height: 90cm | Length: 6cm | Width: 15 cm | Weight: 5,1kg | Retailbox: 2 | Oldart.no. | 120030 | 6"411501"200303 |





- \cdot Delayed burring and less risk of chipping due to rounded edges on the striking surface.
- · Less jarring from mis-hits due to rubber mis-hit guard.
- $\cdot \text{Greater resistance and comfort due to fiber glass core and elastomeric, anti-slip, anti-vibration handle.}\\$

| Sledge Har | nmer, XXL | | | | Art.no. | 1001618 | 6 411501 200280 |
|--------------|-------------|----------------|----------------------|---------------|------------|---------|-----------------|
| Height: 90cm | Length: 7cm | Width: 16,5 cm | Weight: 5,8kg | Retail box: 2 | Oldart.no. | 120028 | 6 411501 200280 |





- $\boldsymbol{\cdot}\, \mathsf{Delayed}\, \mathsf{burring}\, \mathsf{and}\, \mathsf{less}\, \mathsf{risk}\, \mathsf{of}\, \mathsf{chipping}\, \mathsf{due}\, \mathsf{to}\, \mathsf{rounded}\, \mathsf{edges}\, \mathsf{on}$ the striking surface.
- Less jarring from mis-hits due to rubber mis-hit guard.
 Greater resistance and comfort due to fiberglass core and elastomeric, anti-slip, anti-vibration handle.

| Helicoidal S | plitting Wed | ge SAFE-T | | | Art.no. | 1001615 | Z | 6 4 1 1 5 0 1 2 0 0 2 1 1 |
|---------------|----------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 26 cm | Length: 6,5 cm | Width: 6,5cm | Weight: 2,15 kg | Retailbox: 4 | Oldart.no. | 120021 | | 6 4 1 1 5 0 1 2 0 0 2 1 1 |





- $\cdot \, \text{Helicoidal shape makes the wood burst more easily, eliminating the} \,$
- need to use several wedges.

 Highly-resistant, polyamide striking surface and metal ring.

 Reduced risk of flying particles also eliminates the need to maintain the striking surface to remove burring.

| Spare Striki | ing Surface | | | | Art.no. | 1001616 | Z | 3 157331 221516 |
|----------------|---------------|--------------|-----------------|--------------|------------|---------|----|-----------------|
| Height: 6,5 cm | Length: 4,5cm | Width: 6,5cm | Weight: 0,30 kg | Retailbox: 1 | Oldart.no. | 122151 | EA | |



 \cdot Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No 1001615).

| Splitting Wedge Drop Forged | | | | | Art.no. | 1001614 | z | 6"411503" 164603 |
|-----------------------------|---------------|------------|----------------|---------------|------------|---------|---|---------------------------|
| Height: 20,5 cm | Length: 5,2cm | Width: 8cm | Weight: 0,71kg | Retail box: 4 | Oldart.no. | 120010 | | 6 4 1 1 5 0 3 1 6 4 6 0 3 |



- · For splitting difficult logs.
- · Forged steel.
- · Lightweight.

| Splitting We | edge Helicoi | dal | | | Art.no. | 1000600 | z |
|--------------|--------------|---------------|-----------------|---------------|------------|---------|------------------|
| Height: 21cm | Length: 6cm | Width: 4,5 cm | Weight: 2,20 kg | Retail box: 4 | Oldart.no. | 120020 | 6"411501"200204" |



- $\cdot \text{Helicoidal shape makes the wood burst more easily, eliminating the} \\$ need to use several wedges.
- Rounded head helps eliminate material fragmentation.
- Anti-return slot.
- · Forged steel.

Knives

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.

| Utility Knife | (K40) | | | | Art.no. | 1001622 | 6"411502"870628" |
|----------------------|----------------|------------|------------------------|--------------|-------------|------------------------|------------------|
| Height: 22,2cm | Length: 3,3 cm | Width: 9cm | Weight: 0,07 kg | Retailbox: 4 | Oldart.no. | | 6 411502 870628 |
| | | | Desi | gn Zentrum | ·General pu | rnose knife with plast | ic sheath |



Nordrhein Westfalen Design-Innovation

- Ergonomically designed plastic handle with finger guard.
 Stainless steel blade, length 100 mm.

| Hooked Grafting Knife (K62) | | | | | | 1001623 | EAN | 8 008220 020473 |
|-----------------------------|---------------|--------------|----------------|--------------|-----------------------|-----------------------|------|----------------------------|
| Height: 17 cm | Length: 1,2cm | Width: 2,3cm | Weight: 0,05kg | Retailbox: 4 | Oldart.no. | 125880 | Ēζ | 8 008220 020473 |
| • FISKARIS | | | | | ·For taking laterals. | cuttings, picking flo | wers | and vegetables and cutting |



- · Handle of recycled plastic attached with a brass rivet.
- ·Stainless steel blade.

| Grafting Pe | n Knife (K60) | | | | Art.no. | 1001625 | z |
|-----------------|----------------|--------------|-----------------|--------------|------------|---------|-----------------|
| Height: 16,8 cm | Length: 1,2 cm | Width: 2,3cm | Weight: 0,05 kg | Retailbox: 4 | Oldart.no. | 125900 | 8 008220 020497 |



- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{grafting} \, \mathsf{and} \, \mathsf{making} \, \mathsf{wooden} \, \mathsf{canes} \, \mathsf{for} \, \mathsf{holding} \, \mathsf{small} \,$ plants and bushes.
- · Handle of recycled plastic attached with a brass rivet.
- ·Stainless steel blade.

| Mineral Wo | ol Knife (K20 |) | | | Art.no. | 1001626 | Z | |
|---------------|---------------|---------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 42 cm | Length: 1,8cm | Width: 3,8 cm | Weight: 0,14 kg | Retailbox: 4 | Oldart.no. | 125870 | | 6 411502 879027 |



- · For cutting mineral wool.
- · Ergonomically designed handle with finger guard.
- ·Stainless steel blade.

Make watering a joy

Waterwheels p.178

Hoses p.182

Sprinklers p.187

Spray Nozzles p.191


Connectors p.202

Accessories p.214









Choose the right product

for your watering needs


See the packaging symbols for garden size suggestions












Waterwheels











reddot award 2019 best of the best

reddot award 2019 best of the best







- ·Ready-to-go set.
- $\cdot \textit{Freestanding placement} \, \text{and} \, 360^{\circ} \, \text{rotation} \, \text{for an extra-wide}$
- watering area. · Automatic reel-in hose.

· Wheels for easy movement.

- · Horizontal design prevents reel from tipping.
- · Can be wall mounted (wall mount sold separately).

Waterwheel Manual XL with wheels, all-in 1062256 Art.no. Height: 60,2 cm Length: 43,1cm Width: 49,3cm Weight: 6,95 kg Retailbox: 2 Oldart.no. -







Universal fit.
Fits with
other brands.



- The Waterwheel XL Manual Reel is ready to use with all parts included and pre-installed.
- •Included 13mm (1/2") outlet hose is 20m, connectors, hose nozzle.
- $\cdot \textit{Free-standing placement} \, \text{and} \, 360^{\circ} \, \text{rotation} \, \text{offer extra-wide}$ watering area, while horizontal in-use design prevents tipping.
 Oscillator evenly allocates hose while reeling in.
- · Durable construction for long-lasting use.
- · Universal fit Fits with other brands.

| Waterwheel Manual XL with wheels, empty | | | | | Art.no. | 1062257 | Z | 6 411501 512376 |
|---|----------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 60,2 cm | Length: 43,1cm | Width: 49,3 cm | Weight: 4,05 kg | Retailbox: 2 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 2 3 7 6 |







Universal fit. Fits with other brands.





- ·The Waterwheel XL Manual Reel comes empty, allowing you to choose the hose and accessories.
- •Reel has maximum hose capacity of 19mm (3/4") 30m, 15mm (5/8") 40 m and 13mm (1/2") 50m. •Free-standing placement and 360° rotation offer extra-wide
- watering area, while horizontal in-use design prevents tipping.
- · Oscillator evenly allocates hose while reeling in.
- · Durable construction for long-lasting use.
- $\cdot \text{Universal fit} \text{Fits with other brands}.$

| Comfort Waterwheel L, with 30 m hose | | | | | Art.no. | 1071670 | z | 6 4 1 1 5 0 1 5 1 2 8 4 0 |
|--------------------------------------|--------------|-----------------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 56,6 cm | Length: 25cm | Width: 39,8 cm | Weight: 6,75 kg | Retailbox: 1 | Oldart.no. | 1025065 | | 6 4 1 1 5 0 1 5 1 2 8 4 0 |











- ${\color{red} \bullet} \, \mathsf{Ready-to-go} \, \mathsf{set} \, \mathsf{with} \, \mathsf{handy} \, \mathsf{accessory} \, \mathsf{storage} \, \mathsf{locker}.$
- $\cdot \textit{Freestanding placement and } 360^{\circ} \textit{rotation for an extra-wide}$ watering area.
- Total reach up to 31,5 m.
- ·Durable 13 mm (1/2") hose.
- · Convenient reel cart for easy movement.
- · Easy to roll-out and recoil the hose.
- $\cdot {\sf Easy} \, to \, operate \, due \, to \, horizontal \, reel \, setting.$

| Comfort Waterwheel M, with 20 m hose | | | | | Art.no. | 1071639 | z | |
|--------------------------------------|--------------|----------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 56,6 cm | Length: 25cm | Width: 39,8 cm | Weight: 5,60 kg | Retailbox: 1 | Oldart.no. | 1025935 | E/ | 6 4 1 1 5 0 1 5 1 2 8 3 3 |











- · Ready-to-go set with handy accessory storage locker.
- Freestanding placement and 360° rotation for an extra-wide watering area.
- · Total reach up to 21,5 m.
- · Durable 13 mm (1/2") hose.
- $\boldsymbol{\cdot} \text{Convenient reel cart for easy movement.}$
- Easy to roll-out and recoil the hose.
- Easy to operate due to horizontal reel setting.

Height: 44,4 cm Length: 16,1cm



Width: 39,0 cm

Weight: 3,02 kg

15

Retailbox: 4

Oldart.no. 1025934

1071660

Art.no.







HONOURABLE MENTION

Universal fit. Fits with other brands. FENNIAPRIZE 17

360°



- · Ready-to-go set with handy accessory storage locker.
- Free horizontal placement and 360° rotation.
- · Total reach up to 15 m.
- Durable 9 mm (3/8") hose.
- $\cdot \text{Lightweight design}.$
- · Easy to roll-out and coil-in the hose.

1057237

- · Easy to operate due to horizontal reel setting.
- · Can be wall mounted (wall mount sold separately).

Solid[™] Waterwheel L, with 30 m hose

Height: 47,8 cm Length: 24,7 cm Width: 47,8cm

Weight: 6,05 kg

Retailbox: 1

Oldart.no. -

Art.no.













- · Value-priced set contains 13 mm (1/2") hose, reel and accessories.
- Free-standing horizontal placement and 360° rotation offer extra-wide watering area.
- \cdot Total reach up to 31,5 m.
- · Compact size for easy movement.

1057238

Solid[™] Waterwheel M, with 20 m hose

Height: 47,8 cm

Length: 24,7 cm

Width: 47,8cm

Weight: 4,95 kg

Retailbox: 1

Oldart.no. -

Art.no.














- \cdot Value-priced set contains 13 mm (1/2") hose, reel and accessories.
- $\cdot \textit{Free-standing}\, \textit{horizontal}\, \textit{placement}\, \textit{and}\, 360^{\circ}\, \textit{rotation}\, \textit{offer}$
- extra-wide watering area.
 Total reach up to 21,5 m.
- · Compact size for easy movement.



Ideal for...

Hands-on watering tasks

Convenient manual watering and washing around the garden or patio








Stationary watering set-ups

Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow







Ideal for hands-on watering tasks



| X-series [™] garden hose 13mm (1/2") 15m | | | | Art.no. | 1076044 | z | 6 4 1 1 5 0 1 7 0 6 9 0 4 | |
|---|--------------|--------------------|--------------|--------------|------------|---------|---------------------------|---------------------------|
| Height: 7,2cm | Length: 34cm | Width: 34cm | Weight: 2 kg | Retailbox: 5 | Oldart.no. | 1027104 | Ä | 6 4 1 1 5 0 1 7 0 6 9 0 4 |











- · Convenient manual watering and washing around the garden or
- · High durability & high tangle resistance.
- $\cdot \text{Reliable \& long-lasting performance.} \\$
- Color-coding for easy matching with connectors. Universal fit fits with other brands.

1076045

Height: 9cm

Length: 38cm

Width: 38 cm

Weight: 3,3 kg

Retailbox: 4

Art.no.

Art.no.

Oldart.no. 1027105













- · Convenient manual watering and washing around the garden or
- · High durability & high tangle resistance.
- Reliable & long-lasting performance.Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

X-series[™] garden hose 13mm (1/2") 50m

Height: 18 cm

Length: 38cm

Width: 38cm

Weight: 6,6 kg

Retailbox: 2

1076046 Oldart.no. 1027106









Reliable







- · Convenient manual watering and washing around the garden or
- · High durability & high tangle resistance.
- · Reliable & long-lasting performance.
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

1076049

Solid[™] garden hose 13mm (1/2") 15m

Height: 7,2 cm

Length: 34cm

Width: 34cm

Weight: 1,8 kg

Retailbox: 5 Oldart.no. 1027102

Art.no.







Ø









- $\boldsymbol{\cdot} \textbf{Convenient manual watering and washing around the garden or } \\$
- ·Reliable performance.
- · Long-lasting no matter seasonal strains
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

1076060

Solid[™] garden hose 13mm (1/2") 25m

Height: 9cm

Length: 37cm

Width: 37cm

Weight: 3kg

Retailbox: 4

Oldart.no. 1027103

Art.no.













- · Convenient manual watering and washing around the garden or
- Reliable performance.
- · Long-lasting no matter seasonal strains
- $\boldsymbol{\cdot} \textbf{Color-coding for easy matching with connectors.}$ Universal fit - fits with other brands.

Ideal for stationary watering set-ups



| X-series [™] garden hose 19mm (3/4") 25m | | | | | Art.no. | 1076047 | 8 4 1 1 5 0 1 7 0 6 9 3 5 |
|---|--------------|--------------|-----------------------|--------------|------------|---------|---------------------------|
| Height: 18cm | Length: 39cm | Width: 39 cm | Weight: 5,7 kg | Retailbox: 2 | Oldart.no. | 1027110 | 6 4 1 1 5 0 1 7 0 6 9 3 5 |











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · High durability & high tangle resistance.
- · Reliable & long-lasting performance.
- ${\color{red} \boldsymbol{\cdot}} \textbf{ Color-coding for easy matching with connectors.}$
- · Universal fit fits with other brands.

| X-series [™] garden hose 19mm (3/4") 50m | | | | | Art.no. | 1076048 | Z | 6"411501"706942" |
|---|--------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 33cm | Length: 39cm | Width: 39 cm | Weight: 11,4 kg | Retailbox: 2 | Oldart.no. | 1027111 | | 6 4 1 1 5 0 1 7 0 6 9 4 2 |











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · High durability & high tangle resistance.
- · Reliable & long-lasting performance.
- Color-coding for easy matching with connectors.
 Universal fit fits with other brands.

| | | | | | | | _ | |
|--------------------------|---------------|--------------|----------------|--------------|------------|---------|---|---------------------------|
| Solid [™] garde | en hose 19mr | m (3/4") 15m | | | Art.no. | 1076061 | z | 6"411501"706973" |
| Height: 12cm | Length: 38 cm | Width: 38cm | Weight: 3,21kg | Retailbox: 3 | Oldart.no. | 1027109 | 1 | 6 4 1 1 5 0 1 7 0 6 9 7 3 |











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · Reliable performance.
- $\cdot \text{Long-lasting no matter seasonal strains}.$
- Color-coding for easy matching with connectors.
 Universal fit fits with other brands.

| Solid [™] garden hose 19mm (3/4") 25m | | | | | Art.no. | 1076062 | Z | 6"411501"706980" |
|--|--------------|--------------|------------------------|--------------|------------|---------|---|------------------|
| Height: 18 cm | Length: 39cm | Width: 39 cm | Weight: 5,35 kg | Retailbox: 2 | Oldart.no. | 1027100 | | 6 411501 706980 |











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- $\cdot \, \text{Reliable performance}.$
- · Long-lasting no matter seasonal strains.
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

| Solid [™] garden hose 19mm (3/4") 50m | | | | | Art.no. | 1076063 | Z | 6"411501"706997" |
|--|---------------|-------------|----------------|--------------|------------|---------|---|------------------|
| Height: 33cm | Length: 38 cm | Width: 39cm | Weight: 10,7kg | Retailbox: 2 | Oldart.no. | - | | 6 411501 706997 |











- · Maximal efficiency of sprinklers and watering set-ups by sustaining water pressure and flow.
- · Reliable performance.
- · Long-lasting no matter seasonal strains.
- · Color-coding for easy matching with connectors.
- · Universal fit fits with other brands.

Hose sets
















- Durable wall-mounting unit, made of FiberComp[®].
 Fasteners included for wall-mounting.
- · Weather resistant.
- $\boldsymbol{\cdot} \textbf{Colour coded for easy matching between hose and connector.}$

| Hose Set, 13mm (1/2"), 1.8 m | | | | | | 1057621 | z | 6 4 1 1 5 0 1 8 5 1 1 9 5 9 |
|------------------------------|-----------------|--------------|----------------|--------------|------------|---------|---|-----------------------------|
| Height: 29,5 cm | Length: 26,5 cm | Width: 4,2cm | Weight: 0,41kg | Retailbox: 6 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 5 1 1 9 5 9 |














- Quick hose connector, 13mm-15mm (1/2-5/8") STOP.
- Quick hose connector, 13mm-15mm (1/2-5/8") FLOW. Tap connector Multi with Ø21mm (G 1/2"), Ø265 mm (G 3/4") and Ø333mm (G 1") threads.




Sprinklers

Fiskars sprinklers are easy to use and cover garden sizes from small to extra large, with a wide variety of easily adjustable spray areas.















- Intuitive, non-slip controls adjust distance and direction.
- $\cdot \, \text{Infinite flow for full coverage control.}$
- Easy, compact storage thanks to pivoting leg, easy cleaning.
- · Coverage max. 17m 19m (325m²).
- Universal quick connector, works with other brands.

Comfort Oscillating sprinkler S-M Art.no. 1070834 Height: 49,6cm Length: 6,0cm Width: 9,8cm Weight: 0,48kg Retailbox: 6 Oldart.no. -





- $\cdot {\hbox{Provides adjust ability to optimize water coverage}}$
- · Intuitive, non-slip controls adjust distance and direction
- Infinite flow for full coverage control.
 Easy compact storage thanks to pive
- Easy, compact storage thanks to pivoting leg, easy cleaning.
- · Coverage max. 15m 19m (285m²).
- $\cdot \mbox{Universal quick connector, works with other brands.}$

Solid[™] Oscillating sprinkler M

Height: 45,6 cm Length: 5,3cm Width: 8,3cm

Weight: 0,31kg

Retailbox: 6

1070835

Art.no.

Oldart.no. -













- ·Ideal for even watering of M-sized gardens and lawns.
- ·Intuitive controls adjust distance and direction.
- · Easy, compact storage thanks to pivoting leg, easy cleaning.
- ·Coverage max. 15m 19m (285m2).
- · Universal quick connector, works with other brands.

Pulsating Sprinkler, tripod base, On/Off

Height: 23,7cm Length: 9,2cm

Width: 24,5cm

Weight: 0,60 kg

Retailbox: 4

1027050 Art.no.

Oldart.no. -







- · Innovative on/off valve stops water flow, allowing you to stay dry while making adjustments.
- Durable metal head has easy-to-adjust distance control, spray pattern control and rotation control to accurately water any area of your garden.
- · Adjust coverage diameter up to Ø 26 m.
- · Durable tripod base is ideal for hard soil and includes hanging loop for storage.
- · Universal fit Fits with other brands.

1027029

Pulsating Sprinkler, spike base, On/Off

Height: 35,5 cm

Length: 11,2 cm

Width: 18,5 cm

Weight: 0,48 kg

Retailbox: 4

Oldart.no. -

Art.no.







- Innovative on/off valve stops water flow, allowing you to stay dry while making adjustments.
- Durable metal head has easy-to-adjust distance control, spray pattern control and rotation control to accurately water any area of your garden.
- · Adjust watering area up to Ø 26 m.
- · Durable metal spiked base offers added stability.
- Universal fit Fits with other brands.

1023656

Impulse Sprinkler, metal with wheels

Height: 23,5 cm

Length: 8,0 cm

Width: **25,5 cm**

Weight: 0,94kg

Retailbox: 6

Oldart.no. -

Art.no.







- · Durable metal sprinkler has easy-to-adjust distance control, pattern control and rotation control to accurately water any area.
- Pattern adjusts from heavy stream to rain.
- · Adjust spray distance up to Ø 26 m.
- · Metal triangular base adds stability and wheels allow for easy movement around the garden.
- · Universal fit Fits with other brands.

1023658

Impulse Sprinkler, metal

Height: 36,0 cm

Length: 6,6 cm

Width: 19,5 cm

Weight: 0,47kg

Retailbox: 6

Oldart.no. -

Art.no.





- Durable metal sprinkler has easy-to-adjust distance control, pat-
- tern control and rotation control to accurately water any area.
- · Pattern adjusts from heavy stream to rain.
- · Adjust spray distance up to Ø 26 m.
- Metal spike base.
- · Universal fit Fits with other brands.

Whirling Sprinkler, metal with wheels

Length: 8,5 cm Width: 26,5 cm

Weight: 0,84 kg

Retailbox: 6

Art.no.

Oldart.no. -





Height: 24,0 cm



- · Gentle, even, rain-like watering for small and targeted areas.
- · Durable metal head.
- Triangular base adds stability and wheels allow for easy movement around the garden.
- Watering area up to Ø 13 m.
 Universal fit Fits with other brands.

1023663

1023657

Height: 17,5 cm Length: 4,2cm

Width: 11,5 cm

Weight: 0,46 kg

Retailbox: 6

Oldart.no. -

Art.no.







- · Gentle, light, round spray pattern is perfect for small gardens and
- · Round spray pattern with watering area up to 85 meters.
- · Durable metal body. ·Rustresistant.
- ·Universal fit Fits with other brands.

1023664

Stationary Sprinkler, square

Height: 17,5 cm

Length: 4,2cm

Width: **11,5 cm**

Weight: 0,48kg

Retailbox: 6

Oldart.no. -





- $\cdot \text{Gentle, light, square spray pattern is perfect for small gardens and} \\$
- \bullet Square spray pattern with watering area up to 9 x 9 meters.

Art.no.

- · Durable metal body.
- ·Rust resistant. · Universal fit - Fits with other brands.

Soaker Hose, 15 m Art.no. 1025935 Height: 38,0 cm Length: 36,0 cm Width: 6,5 cm Weight: 1,63 kg Retailbox: 2 Oldart.no. -
















- Reduce water usage by up to 70%. \cdot 15 m hose length.
 - · Can be cut to right length using scissors.
 - Flow control valve for adjusting water flow & pressure.
 - · Pack includes 5 metal clamps for effortless mounting.
 - ·UV protected.





FiberComp[™] Spray guns





Height: 20,4cm

Length: 20,8 cm


Width: 3,7cm

Weight: 0,23 kg

Retailbox: 5

1067193 Art.no.

Oldart.no. -















· Features an ergonomic and 2x more durable front-control Fiber-Comp™ handle with integrated metal for enhanced strength

· Removable water filter and universal fit - fits with other brands

- · Offers infinitely adjustable flow and locks for extended use
- · Exchangeable SoftGrip™ nozzle head that provides a jet or rinse
- Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Removable water filter and universal fit fits with other brands



Comfort Spray guns



Retailbox: 5



Length: 5,6 cm

Width: 20,0 cm

Height: 20,0 cm




Weight: 0,19 kg

- $\cdot \text{Features an ergonomic front control handle which offers infinitely adjustable flow and locks for extended use}$
- $\cdot \\ \text{Rotate the exchangeable SoftGrip} \\ ^{\scriptscriptstyle \top} \text{nozzle head to select a jet, mist or shower spray pattern}$
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- · Universal fit fits with other brands

Oldart.no. -

| Spray gun adjustable, Front control | | | | | Art.no. | 1065484 | z | 6 4 1 1 5 0 1 5 1 2 4 0 6 |
|-------------------------------------|---------------|---------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 20,0 cm | Length: 3,7cm | Width: 20,6cm | Weight: 0,17 kg | Retailbox: 5 | Oldart.no. | - | Ē | 6 4 1 1 5 0 1 5 1 2 4 0 6 |






- Features an ergonomic front control handle which offers infinitely adjustable flow and locks for extended use
- Rotate the exchangeable SoftGrip "nozzle head to select a jet or rinse spray pattern
- \cdot Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- · Universal fit fits with other brands




NEW! Comfort Spray guns - Thumb control









- $\cdot \text{Features an ergonomic thumb control handle with infinitely adjustable water flow}$
- Rotate the exchangeable SoftGrip" nozzle head to select a jet or rinse spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- Universal fit fits with other brands

in cold temperatures

· Universal fit - fits with other brands




Watering Wands & Nozzles

Watering wand 3-functional, Front control Height: 88,8 cm Length: 5,6 cm Width: 13,1 cm Weight: 0,47 kg Retailbox: 4 Oldart.no. Features an ergonomic front control handle which offers infinitely adjustable flow and locks for extended use Durable integrated aluminium shaft and 180° pivoting head



- · Rotate the exchangeable SoftGrip nozzle head to select a jet, mist or shower spray pattern
- \cdot Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- · Universal fit fits with other brands



| Hose Nozzle | | | | | | 1027088 | z | |
|-----------------|---------------|--------------|-----------------|--------------|------------|---------|---------------------------|--|
| Height: 15,8 cm | Length: 6,8cm | Width: 3,6cm | Weight: 0,06 kg | Retailbox: 8 | Oldart.no. | - | 6 4 1 1 5 0 1 5 1 1 1 3 3 | |
| | | | | | | | | |






- · Smoothly adjustable spray pattern.
- Rotate the SoftGrip™ nozzle to select jet or rinse spray pattern.
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures.
- · Universal fit Fits with other brands.



Spray guns







Solid[™] Spray guns

Solid Spray gun, multi Art.no. 1070836 Height: 21,0 cm Length: 9,0 cm Width: 19,2 cm Weight: 0,23 kg Retailbox: 4 Oldart.no. Oldart.no.





- · Lightweight handle with front flow control which locks for comfortable extended use.
- Rotate the non-slip nozzle head to select a shower, flat or jet spray pattern.
- \bullet Frost resistant when drained and handle stays warmer than metal handles in cold temperatures.
- · Universal fit fits with other brands.

| Solid [™] Spray | gun, showe | r | Art.no. 1070837 | 8 6 4 1 1 5 0 1 5 1 2 7 8 9 | | |
|--------------------------|---------------|-----------------------|------------------------|-----------------------------|-----------|-----------------|
| Height: 20,0 cm | Length: 5,6cm | Width: 20,0 cm | Weight: 0,18 kg | Retailbox: 5 | Oldart.no | 6 411501 512789 |





- Lightweight handle with front flow control which locks for comfortable extended use.
- Gentle shower pattern is ideal for rain-like watering.
 Frost resistant when drained and handle stays warmer than metal handles in cold temperatures.
- · Universal fit fits with other brands.


| Solid [™] Spray | y gun, adjusta | able | | | Art.no. | 1070838 | 4 1 1 5 0 1 5 1 2 7 9 6 |
|--------------------------|----------------|---------------|-----------------|--------------|------------|---------|-------------------------|
| Height: 20,0 cm | Length: 3,7cm | Width: 20,6cm | Weight: 0,18 kg | Retailbox: 5 | Oldart.no. | - | 6"411501"512796 |






- · Lightweight handle with front flow control which locks for comfortable extended use.
- Rotate the non-slip nozzle head to adjust from jet-shower to rinse spray pattern.
- Frost resistant when drained and handle stays warmer than metal handles in cold temperatures.
- $\cdot \, \text{Universal fit--fits with other brands}.$

Nozzle Sets



·On/off/flow control valve on spike sprinkler stand provides addi-





Mix & Match - Handles

FiberComp™ Nozzle handle, Front control Art.no. 1067196 Height: 22,8cm Length: 10,0cm Width: 3,7cm Weight: 0,18kg Retailbox: 4 Oldart.no. Coldart.no. Colda











- Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488.
- $\cdot \text{Ergonomic and } 2x \, \text{more durable front-control FiberComp} ^{\text{\tiny T}} \, \text{handle with integrated metal for enhanced strength}$
- Offers infinitely adjustable flow and locks for extended use
 Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Removable water filter and universal fit fits with other brands

| Nozzle/wand handle, Front control | | | | | | 1065490 | z | |
|-----------------------------------|---------------|--------------|----------------|--------------|------------|---------|---|------------------|
| Height: 22,0 cm | Length: 3,7cm | Width: 10 cm | Weight: 0,12kg | Retailbox: 4 | Oldart.no. | - | | 6"411501"512468" |









- Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488.
- Ergonomic front-control handle which offers infinitely adjustable flow and locks for extended use
- Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Universal fit fits with other brands

| Nozzle/wand handle, Thumb control | | | | | Art.no. | 1065491 | z | |
|-----------------------------------|----------------|--------------|-----------------|--------------|------------|---------|----------|------------------------------|
| Height: 23,0 cm | Length: 7,0 cm | Width: 4,0cm | Weight: 0,10 kg | Retailbox: 6 | Oldart.no. | - | <u> </u> | 6" 4 1 1 5 0 1" 5 1 2 4 7 5" |










- Fits with Fiskars nozzle items 1067193, 1067194, 1067195, 1059236, 1059237, 1059238, 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489 and 1065488.
- $\cdot \text{Ergonomic thumb control handle with infinitely adjustable water flow}$
- Resists damage due to frost and stays warmer than metal handles in cold temperatures
- · Universal fit fits with other brands

Mix & Match - Spray gun heads

Width: 7cm





Height: 10,8cm

Spray gun head, 3-functional

Length: 7,8cm



Retailbox: 6

Weight: 0,08 kg

• 3-function SoftGrip" nozzle head with jet, shower or mist pattern.
• Fits with Fiskars nozzles and wands 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489, 1065488, 1065490, 1065491, 1067193, 1067194, 1067195, 1067196.

1059237

Art.no.


Oldart.no. -









Adjustable SoftGrip nozzle head with jet or rinse spray pattern.
Fits with Fiskars nozzles and wands 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489, 1065488, 1065490, 1065491, 1067193, 1067194, 1067195, 1067196.







All you need from tap to plant



0

Spray guns, sprinklers, etc.

Universal fit

Already own watering products from other brands? No problem. Our watering products are designed to fit with other brands.



Connectors & adapters

Comfort Twin tap connector, On/Off Art.no. 1070577 Height: 20,5cm Length: 5,1cm Width: 15,7cm Weight: 0,22kg Retailbox: 4 Oldart.no. 6"411501" 512680"



- Splits one water source into two connections with independent flow control valves.
- \bullet The quick connector ends can be screwed off for $3\!4\!"$ connection possibility (e.g. timers).
- Fits 3 tap thread sizes: Ø 21 mm (G 1/2"), Ø 26.5 mm (G 3/4"), Ø 33.3 mm (G 1").
- · Universal fit fits with other brands.

| Comfort 3-way tap connector, On/Off | | | | | | 1070578 | z | 6 4 1 1 5 0 1 5 1 2 6 9 7 |
|-------------------------------------|---------------|---------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 20,5 cm | Length: 5,1cm | Width: 22,2cm | Weight: 0,31kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 2 6 9 7 |




- Splits one water source into three connections with independent
- The quick connector ends can be screwed off for ¾" connection possibility (e.g. timers).
- Fits 3 tap thread sizes: Ø 21 mm (G 1/2"), Ø 26.5 mm (G 3/4"), Ø 33.3 mm (G 1").
- · Universal fit fits with other brands.

| Twin tap Co | nnector, mu | lti | | | Art.no. | 1027061 | 6411501 510860 |
|----------------|-----------------|--------------|-----------------|---------------|------------|---------|---------------------------|
| Height: 15,8cm | Length: 11,8 cm | Width: 4,5cm | Weight: 0,09 kg | Retail box: 8 | Oldart.no. | - | 6 4 1 1 5 0 1 5 1 0 8 6 0 |





- Tap connector provides secure seal from two hoses to water
- \cdot Individual flow control valves allow you turn water pressure on or off independently.
- Includes three thread sizes to fit most common faucets, \emptyset 21 mm (G 1/2"), \emptyset 265 mm (G 3/4") and \emptyset 333 mm (G1").
- · Easy-to-twist design.
- ·Universal fit Fits with other brands.



Tap connectors













- ·FiberComp™is 2x more durable than standard plastic connectors. · Includes three thread sizes to fit most common faucets, \emptyset 21mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").
- · Easy-to-handle, ergonomic design.
- · Universal fit Fits with other brands.

| Tap Connec | ctor, multi | | | | Art.no. | 1027051 | Z | 6 4 1 1 5 0 1 8 5 1 0 7 6 1 |
|-----------------|---------------|--------------|----------------|--------------|------------|---------|---|-----------------------------|
| Height: 11,6 cm | Length: 6,8cm | Width: 4,2cm | Weight: 0,02kg | Retailbox: 8 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 5 1 0 7 6 1 |








- · Tap connector provides secure seal from hose to water source.
- ·Includes three thread sizes to fit most common faucets, Ø 21mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").
- ·Easy-to-twist design.
- ·Universal fit Fits with other brands

| FiberCom | p [™] Tap Conne | ector G1/2" (2 | :1mm) | | Art.no. 1027053 | <u>z</u> |
|----------------|--------------------------|----------------|--|---|-----------------|-----------------|
| Height: 11,6cm | Length: 6,8cm | Width: 3,0cm | Weight: 0,01kg | Retailbox: 12 | Oldart.no | 6 411501 510785 |
| Francisco | | red win | dot award 2019 ner MARRANTY STATES MARRANTY MARRANTY | Universal fit. Fits with other brands. 2 X | hose. | design. |







- Tap connector provides water-tight seal from water source to
- ·Fits Ø 265 mm (G 3/4") faucets.
- · Easy-to-handle, ergonomic design.
- · Universal fit Fits with other brands.

| FiberComp [™] Tap Connector G1" (33.3mm) | | | | | | 1027055 | z | |
|---|---------------|--------------|----------------|--------------|------------|---------|---|-----------------|
| Height: 11,6cm | Length: 6,8cm | Width: 4,2cm | Weight: 0,01kg | Retailbox: 8 | Oldart.no. | - | Ä | 6 411501 510808 |
















- ·Fits Ø 333 mm (G 1") faucets.
- · Easy-to-handle, ergonomic design.
- · Universal fit Fits with other brands.

Tap connectors

Comfort Precision Watering adapter set

Height: 13,2cm Length: 4,2cm Width: 6,8cm

Weight: 0,05 kg

Retailbox: 8

1070579







- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{precise} \, \mathsf{watering} \, \mathsf{of} \, \mathsf{flower} \, \mathsf{beds}, \mathsf{grass} \, \mathsf{patches}, \mathsf{saplings} \,$ and any other task that requires very targeted watering
- $\, \boldsymbol{\cdot} \, \text{2-piece set connects watering tools to sprinkler stands, creating} \,$ precise stationary sprinklers.
- ·Includes universal quick connector adapter with 1/2" thread that connects to spray guns and most standard sprinkler stands, including spike and sled models.
- · Also includes Fiskars special adapter to attach to Fiskars nozzles, wands or pivot connectors.

Tap Connector, indoor M22x1/M24x1

Height: 13,6 cm Length: 6,8cm

Width: 4,0 cm

Weight: 0,05 kg

Retailbox: 8

1027062

Oldart.no. -











- $\cdot \, \mathsf{Durable} \, \mathsf{locking} \, \mathsf{system} \, \mathsf{provides} \, \mathsf{a} \, \mathsf{secure} \, \mathsf{connection} \, \mathsf{from} \, \mathsf{hose} \,$ to indoor faucet.
- Quick release allows you disconnect the hose by pressing two buttons.
- · Includes M22 female and M24 male thread metal adaptors.

Art.no.

Art.no.

Oldart.no. -

· Universal fit - Fits with other brands.

| Tap Connector, male thread G1/2" (2 | 21mm) |
|-------------------------------------|-------|
|-------------------------------------|-------|

Height: 11,6 cm

Length: 6,8cm

Width: 2,1cm

Weight: 0,01kg

Retailbox: 10

1027060

Oldart.no. -

Art.no.







- $\cdot \, \text{Durable for everyday use to connect any} \, \varnothing \, 21 \, \text{mm} \, (G \, 1/2") \, \text{female}$ thread.
- · Suited for the garden or indoors.
- · Universal fit Fits with other brands.

| Extension Connector | | | | | | 1027068 | Z | |
|---------------------|---------------|--------------|----------------|---------------|------------|---------|---|---------------------------|
| Height: 11,6 cm | Length: 6,8cm | Width: 3,2cm | Weight: 0,02kg | Retailbox: 10 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 0 9 3 8 |





- · For connecting hoses of differing diameters.
- · Works with all types and sizes of Quick Hose Connectors.
- · Universal fit Fits with other brands.

| 3-way Conr | nector | | | | Art.no. | 1027070 | Z | |
|-----------------|---------------|---------------|----------------|---------------|------------|---------|---|-----------------|
| Height: 11,6 cm | Length: 6,8cm | Width: 2,0 cm | Weight: 0,02kg | Retailbox: 12 | Oldart.no. | - | | 6 411501 510952 |





- · Directs one watering supply to 2 separate hoses.
- · Works with all types and sizes of Quick Hose Connectors.
- · Universal fit Fits with other brands.

Hose connectors - Flow


FiberComp[™] Quick Connector, 13-15mm (1/2-5/8") FLOW Art.no. 1054786 Width: 3,9cm Length: 6,8cm Weight: 0,03 kg Height: 11,6 cm Retailbox: 8 Oldart.no. -











- · Frost resistant for all-weather durability.
- $\boldsymbol{\cdot} \textbf{Comfortable grip, even in cold weather, compared to metal}$
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Quick Connector, 13-15mm (1/2-5/8") FLOW | | | | | | 1027072 | z | 6 4 1 1 5 0 1 5 1 0 9 7 6 |
|--|----------------|---------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 11,6cm | Length: 6,8 cm | Width: 3,9 cm | Weight: 0,03 kg | Retailbox: 8 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 0 9 7 6 |









reddot award 2019 winner

· Quick exchange of watering nozzles, wands, sprinklers and other

- $\textbf{\cdot} SoftGrip \texttt{''} touch points ensure secure handling, even when wet.$ ${\color{red} \boldsymbol{\cdot}} \, \text{Comfortable grip, even in cold weather, compared to metal} \,$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.


| | | | | | ı | | _ | |
|-----------------|-------------------------|---------------|-----------------|--------------|------------|---------|---|-----------------|
| FiberComp | [™] Quick Conr | nector, 19mm | (3/4") FLOW | / | Art.no. | 1054787 | Z | 6"411501"511744 |
| Height: 11,6 cm | Length: 6,8cm | Width: 4,6 cm | Weight: 0,04 kg | Retailbox: 8 | Oldart.no. | - | Ä | 6 411501 511744 |











- Frost resistant for all-weather durability.
- $\boldsymbol{\cdot} \text{Comfortable grip, even in cold weather, compared to metal} \\$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Quick Con | nector, 19mr | m (3/4") FLO | W | | Art.no. | 1027074 | z | |
|-----------------|----------------|--------------|----------------|--|--------------------------|--------------------|--------|--------------------------------|
| Height: 11,6 cm | Length: 6,8 cm | Width: 4,6cm | Weight: 0,04kg | Retailbox: 8 | Oldart.no. | - | EAN | 6 411501 510990 |
| | | | 19mm (3/4") | Universal fit. Fits with other brands. | hose ends. ∙SoftGrip™ | touchpoints ensure | e secu | s, wands, sprinklers and other |







- watering parts. · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Quick Conr | nector, 9mm | (3/8") FLOW | | | Art.no. | 1027071 | Z | |
|-----------------|----------------|---------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 11,6 cm | Length: 6,8 cm | Width: 3,9 cm | Weight: 0,03 kg | Retailbox: 8 | Oldart.no. | - | | 6 411501 510969 |









reddot award 2019

- · Quick exchange of watering nozzles, wands, sprinklers and other hose ends.
- · SoftGrip" touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose connectors - Stop













- ·Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- · Lightweight FiberComp™ construction, featuring 2x more durable material.
- · Frost resistant for all-weather durability.
- ${\color{red} \boldsymbol{\cdot}} \, \text{Comfortable grip, even in cold weather, compared to metal} \,$ watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Quick Conn | ector, 13-15r | nm (1/2-5/8") | STOP | | Art.no. | 1027079 | Z | 6 4 1 1 5 0 1 5 1 1 0 4 1 |
|-----------------|---------------|---------------|----------------|--------------|------------|---------|----------|---------------------------|
| Height: 11,6 cm | Length: 6,8cm | Width: 3,9cm | Weight: 0,03kg | Retailbox: 8 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 1 0 4 1 |













- ${\color{red} \bullet} \textbf{Comfortable grip, even in cold weather, compared to metal}$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.

· Universal fit - Fits with other brands

reddot award 2019

| - | | ctoi, ioiiiiii | (3/4") STOP | | Art.no. | 1054790 | z | |
|-------------------------|--------|---------------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 11,6 cm Length: | 6,8 cm | Width: 4,6cm | Weight: 0,04 kg | Retailbox: 8 | Oldart.no. | - | 7 | 6 411501 511768 |













- $\cdot \text{Internal stop mechanism stops water flow for exchange of water} \\$ nozzles, wands, sprinklers and other hose ends.
- $\textbf{\cdot} Light weight \, Fiber Comp \^{}^{\texttt{w}} \, construction, featuring \, 2x \, more \, durable$ material.
- · Frost resistant for all-weather durability.
- · Comfortable grip, even in cold weather, compared to metal watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.







· Universal fit - Fits with other brands.

| Quick Conr | ector, 9mm | (3/8") STOP | | | Art.no. | 1027078 | z | |
|-----------------|---------------|--------------|-----------------|---------------|------------|---------|---|-----------------|
| Height: 11,6 cm | Length: 6,8cm | Width: 3,9cm | Weight: 0,03 kg | Retail box: 8 | Oldart.no. | - | | 6"411501"511034 |











reddot award 2019

- ·Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- · SoftGrip" touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather, compared to metal
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose connectors - On/Off











- Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Hose Conne | ector, On/Off | f 19mm (3/4") | | | Art.no. | 1027087 | z | 6"411501" 511126 |
|-----------------|---------------|---------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 15,8 cm | Length: 6,8cm | Width: 4,6 cm | Weight: 0,08 kg | Retailbox: 8 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 5 1 1 1 2 6 |











- · ON/OFF valve cuts water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- $\cdot SoftGrip \lq` touch points \, ensure \, secure \, handling, even \, when \, wet. \\$ $\boldsymbol{\cdot} \text{Comfortable grip, even in cold weather, compared to metal}$ watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Height: 15,8cm Length: 6,8cm Width: 4,4cm Weight: 0,06kg Retailbox: 8 Oldart.no | Hose Conn | ector, On/Of | 9mm (3/8") | | | Art.no. | 1027085 | |
|--|-----------------|---------------|---------------|----------------|--------------|------------|---------|---------------------------|
| | Height: 15,8 cm | Length: 6,8cm | Width: 4,4 cm | Weight: 0,06kg | Retailbox: 8 | Oldart.no. | | 6 4 1 1 5 0 1 5 1 1 1 0 2 |









reddot award 2019 winner

- ·On/off valve cuts water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- ·SoftGrip touchpoints ensure secure handling, even when wet.
- · Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Hose repairers














- · Lightweight FiberComp™ construction, featuring 2x more durable
- · Frost resistant for all-weather durability.
- ${\color{red} \bullet } \textit{Comfortable grip, even in cold weather, compared to metal}$ watering parts.
- ·Colour coded for easy connecting to Fiskars hoses.
- ·Universal fit Fits with other brands.

| Hose Repai | irer, 13-15mm | n (1/2-5/8") | | | Art.no. | 1027064 | Z | 6 4 1 1 5 0 1 5 1 0 8 9 1 |
|----------------|----------------|---------------------|----------------|---------------|------------|---------|---|---------------------------|
| Height: 11,6cm | Length: 6,8 cm | Width: 3,6cm | Weight: 0,02kg | Retailbox: 10 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 0 8 9 1 |









- · SoftGrip™ touchpoints ensure secure handling, even when wet.
- $\boldsymbol{\cdot} \textbf{Comfortable grip, even in cold weather compared to metal}$ watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.
















- · Comfortable grip, even in cold weather, compared to metal watering parts. Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Hose Repai | rer, 19mm (3 | /4") | | | Art.no. | 1027066 | 6 4 1 1 5 0 1 5 1 0 9 1 4 |
|-----------------|---------------|---------------|----------------|--------------|------------|------------------------|------------------------------|
| Height: 11,6 cm | Length: 6,8cm | Width: 4,5 cm | Weight: 0,03kg | Retailbox: 8 | Oldart.no. | - | 6 411501 510914 |
| | | | Ø | f | •SoftGrip™ | touchpoints ensure sec | ure handling, even when wet. |









- · Comfortable grip, even in cold weather compared to metal watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

| Hose Repai | rer, 9mm (3/ | 8") | | | Art.no. | 1027063 | EAN | |
|-----------------|---------------|--------------|----------------|----------------|------------|---------|-----|---------------------------|
| Height: 11,6 cm | Length: 6,8cm | Width: 2,9cm | Weight: 0,02kg | Retail box: 12 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 0 8 8 4 |











- ·SoftGrip™touchpoints ensure secure handling, even when wet.
- Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

Connectors in shelf ready boxes

Quick Connector, 13-15mm (1/2-5/8") LB (min 30) Art.no. 1027073 Length: 3,9 cm Width: 3,9cm Weight: 0,03 kg Height: 6,4cm Retailbox: 30 Oldart.no. -











· Comes in loose box of 1027072 Quick hose connector, 13-15mm (1/2-5/8") FLOW 30 pc without product card, but with EAN sticker. · Universal fit - Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

| Quick Connector, 13-15mm (1/2-5/8") LB (min 30) |
|---|
|---|

Height: 6,4cm

Length: 3,9 cm

Width: 3,9cm

Weight: 0,03 kg

Retailbox: 30

Art.no.

Art.no.

Oldart.no. -

Oldart.no.











- ·Quick exchange of watering nozzles, wands, sprinklers and other
- For hoses with Ø 13-15 mm (1/2-5/8").

1027076

- · Comes in loose box of 30 pc without product card, but with EAN sticker.
- · Universal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Quick Connector, 19mm (3/4") LB (min 30)

Height: 6,8cm

Length: 4,6 cm

Width: 4,6 cm

Weight: 0,04kg

Retailbox: 30

1027075











reddot award 2019

· Comes in loose box of 1027074 Quick hose connector, 19mm (3/4") FLOW 30 pc without product card, but with EAN sticker.

Universal fit – Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Quick Connector, 19mm (3/4") LB (min 30)

Height: 6,8cm

Length: 4,6 cm

Width: 4,6 cm

Weight: 0,04kg

Retailbox: 30

Oldart.no. -

Art.no.











- · Quick exchange of watering nozzles, wands, sprinklers and other hose ends.
- · For hoses with Ø 19 mm (3/4").

1027077

- · Comes in loose box of 30 pc without product card, but with EAN
- · Universal fit Fits with other brands.

1027080

Please note! The black retail box must be ordered separately. shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Quick Connector, 13-15mm (1/2-5/8") STOP LB (min 30)

Height: 6,4cm

Length: 4,6cm

Width: 3.9 cm

Weight: 0,03kg

Retailbox: 30

Oldart.no. -

Art.no











· Comes in loose box of 1027079 Quick hose connector, 13-15mm (1/2-5/8") STOP 30 pc without product card, but with EAN sticker.

Universal fit – Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386

Quick Connector, 13-15mm (1/2-5/8") STOP LB (min 30) 1027083 Art.no. Width: 3,9cm Weight: 0,03kg Height: 6,4 cm Length: 3,9 cm Retailbox: 30 Oldart.no. -· Internal stop mechanism stops water flow for exchange of water Universal fit. Fits with other brands. nozzles, wands, sprinklers and other hose ends. • For hoses with Ø 13-15 mm (1/2-5/8"). \bullet Comes in loose box of 30 pc without product card, but with EAN

Quick Connector, 19mm (3/4") STOP LB (min 30) 1027082 Art.no. Height: 6,8 cm Length: 4,6cm Width: 4,6cm Weight: 0,04 kg Retailbox: 30 Oldart.no. -









reddot award 2019 winner



sticker.

code: 6411501511386.

· Universal fit - Fits with other brands.



Comes in loose box of 1027081 Quick hose connector, 19mm (3/4") STOP 30 pc without product card, but with EAN sticker. · Universal fit - Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN

Please note! The black retail box must be ordered separately shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

| Quick Connector, 19mm (3/4") STOP LB (min 30) | | | | | Art.no. | 1027084 | z | 6 4 1 1 5 0 1 8 5 1 1 0 9 6 |
|---|----------------|--------------|-----------------|---------------|------------|---------|------------|-----------------------------|
| Height: 6,8cm | Length: 4,6 cm | Width: 4,6cm | Weight: 0,04 kg | Retailbox: 30 | Oldart.no. | - | / <u>H</u> | 6 4 1 1 5 0 1 5 1 1 0 9 6 |










- $\cdot \, \text{Internal stop mechanism stops water flow for exchange of water} \,$ nozzles, wands, sprinklers and other hose ends.
- ·For hoses with Ø 19 mm (3/4").
- · Comes in loose box of 30 pc without product card, but with EAN
- · Universal fit Fits with other brands. Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Tap connectors in shelf ready boxes









product card, but with EAN sticker.


· Universal fit - Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flat packed), Product code: 1027677, EAN $\,$ code: 6411501511386.

| Tap Connector G1/2" (21mm) LB (min 30) | | | | | Art.no. | 1027057 | z | |
|--|----------------|---------------|----------------|---------------|------------|---------|---|-----------------|
| Height: 4,0 cm | Length: 3,0 cm | Width: 3,0 cm | Weight: 0,01kg | Retailbox: 30 | Oldart.no. | - | 1 | 6 411501 510822 |







- · Tap connector provides water-tight seal from water source to
- ·Fits Ø 21 mm (G 1/2") faucets.
- $\cdot \text{Easy-to-twist design}.$ ·Comes in loose box of 30 pc without product card, but with EAN
- · Universal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

| Tap Connector G3/4" (26.5mm) LB (min 30) | | | | | | 1027058 | z | |
|--|----------------|--------------|----------------|---------------|------------|---------|---|------------------|
| Height: 4,0 cm | Length: 3,5 cm | Width: 3,5cm | Weight: 0,01kg | Retailbox: 30 | Oldart.no. | - | 7 | 6"411501" 510839 |








- Tap connector provides water-tight seal from water source to
- Fits Ø 265 mm (G 3/4") faucets.
- · Easy-to-twist design.
- · Comes in loose box of 30 pc without product card, but with EAN
- · Universal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

| Tap Connector G1" (33.3mm) LB (min 30) | | | | | Art.no. | 1027059 | Z | |
|--|---------------|--------------|----------------|---------------|------------|---------|---|-----------------|
| Height: 4,0 cm | Length: 4,2cm | Width: 4,2cm | Weight: 0,01kg | Retailbox: 30 | Oldart.no. | - | Ä | 6 411501 510846 |







- Tap connector provides water-tight seal from water source to
- ·Fits Ø 333 mm (G 1") faucets.
- · Easy-to-twist design.
- · Comes in loose box of 30 pc without product card, but with EAN
- · I Iniversal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

| Extension Connector LB (min 30) | | | | | | 1027069 | |
|---------------------------------|---------------|--------------|-----------------|---------------|------------|---------|-----------------|
| Height: 5,2cm | Length: 3,2cm | Width: 3,2cm | Weight: 0,02 kg | Retailbox: 30 | Oldart.no. | - | 6"411501"510945 |







- · Comes in loose box of 1027068 Extension connector 30 pc without product card, but with EAN sticker.
- Universal fit Fits with other brands.

Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Accessories

Complement your watering set with our easy-to-use accessories for added convenience in storing and spraying.

| Timer, dual outlet | | | | | | 1054792 | Z | 6 4 1 1 5 0 1 5 1 1 7 8 2 |
|--------------------|---------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 22,2 cm | Length: 8,3cm | Width: 15,0 cm | Weight: 0,58 kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 5 1 1 7 8 2 |







- · Program the timer to run two hoses independently or simultane-
- · Watering duration from 1 360 minutes.
- ·Rain delay up to 7 days. · Easy-to-program watering start and stop times, frequency and
- · Tap connector includes three threads to fit most common faucet sizes.
- · Operates with 2xAA batteries (not included), stops watering in case of low battery - low-battery safeguard.

| Timer, single outlet | | | | | | 1054791 | Z | 6 4 1 1 5 0 1 5 1 1 7 7 5 |
|----------------------|---------------|----------------|-----------------|---------------|------------|---------|---|---------------------------|
| Height: 20,0 cm | Length: 8,3cm | Width: 15,0 cm | Weight: 0,38 kg | Retail box: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 1 7 7 5 |







- · Easy-to-program watering start and stop times, frequency and
- ·Watering duration from 1-360 minutes.
- Rain delay up to 7 days.
- · Multi tap connector includes three threads to fit most common faucet sizes.
- Stops watering in case of low battery low-battery safeguard.
- ·Operates with 2xAA batteries (not included).
- Universal fit Fits with other brands.

| Pressure Sprayer, 5 L | | | | | | 1025934 | Z | 6"411501"510624 |
|-----------------------|-----------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 49,5 cm | Length: 18,5 cm | Width: 18,5 cm | Weight: 1,30 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 0 6 2 4 |



- · Light pressure sprayer is ideal for water-based plant treatments and gentle watering of new seedlings.
- Adjustable spray pattern from jet to soft mist.
- Shoulder strap for convenient carrying.5 L net capacity (58 L maximum capacity).
- $\bullet \, \mathsf{Not} \, \mathsf{suited} \, \mathsf{for} \, \mathsf{spray} \, \mathsf{solvents}, \mathsf{aggressive} \, \mathsf{chemicals}, \mathsf{petroleum}$ by-products or food products.

| Pressure Sprayer, 1.8 L | | | | | Art.no. | 1027379 | Z, | 6 411501 511379 |
|--|--|--|--|--|------------|---------|----|---------------------------|
| Height: 31,0 cm Length: 12,5 cm Width: 22,0 cm Weight: 0,30 kg Retail box: 9 | | | | | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 1 3 7 9 |



- $\cdot \, \text{Light pressure sprayer is ideal for water-based plant treatments} \\$ and gentle watering of new seedlings.
- · Adjustable spray pattern from jet to soft mist.
- $\cdot \, \mathsf{Easy-to-use} \, \mathsf{features} \, \mathsf{include} \, \mathsf{thumb} \, \mathsf{control} \, \mathsf{with} \, \mathsf{lock}, \mathsf{safety} \, \mathsf{valve}$ for pressure stability, and graduated scale on container.
- ·18 L net capacity (2 L maximum capacity).
- · Not suited for spray solvents, aggressive chemicals, petroleum by-products or food products.

| Wallmount for X-series [™] Waterwheel XL | | | | | Art.no. | 1027095 | Z | 6 4 1 1 5 0 1 5 1 1 2 0 1 |
|---|-----------------|----------------|-----------------|--------------|--------------|---------|---|---------------------------|
| Height: 27,5 cm | Length: 13,0 cm | Width: 19,5 cm | Weight: 1,45 kg | Retailbox: 4 | Old art. no. | - | Ē | 6 4 1 1 5 0 1 5 1 1 2 0 1 |



- · Optional wall mount for the Waterwheel XL (1067548 & 1067549).
- Durable FiberComp" body and metal construction.
 Includes wall-mounting fasteners and easy-to-follow instructions.

| Wallmount for Comfort Waterwheel S | | | | | | 1020448 | z | 6 4 1 1 5 0 1 8 5 1 0 1 2 9 |
|------------------------------------|----------------|---------------|-----------------|--------------|------------|---------|---|-----------------------------|
| Height: 25,0 cm | Length: 9,5 cm | Width: 3,0 cm | Weight: 0,60 kg | Retailbox: 4 | Oldart.no. | - | | 6 411501 510129 |



- · Optional wall mount for the Comfort Waterwheel S (1071660).
- · Durable metal construction.
- $\cdot \ \, \text{Includes wall-mounting fasteners and easy-to-follow instructions}.$

| Wallmount for Solid [™] Waterwheel | | | | | | 1059235 | Z | 6 4 1 1 5 0 1 5 1 1 9 8 0 |
|---|----------------|--------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 53,4 cm | Length: 5,0 cm | Width: 7,3cm | Weight: 0,34 kg | Retailbox: 3 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 5 1 1 9 8 0 |



- $\cdot \, \text{Optional wall mount for Solid Waterwheel M (1057238)} \, \text{and} \, L$ (1057237).
- Durable construction.
 Includes wall-mounting fasteners and easy-to-follow instructions.

| Sprinkler Adapter | | | | | Art.no. 1027089 | | Z | 6 4 1 1 5 0 1 5 1 1 1 4 0 | |
|-------------------|---------------|--------------|----------------|--------------|------------------------|---|---|---------------------------|--|
| Height: 11,4cm | Length: 3,8cm | Width: 7,4cm | Weight: 0,02kg | Retailbox: 6 | Oldart.no. | - | | 6 411501 511140 | |



- Replacement part for:
 Stationary sprinkler square (1023664)
 Stationary sprinkler round (1023663)
 Whirling sprinkler metal, with wheels (1023657)
- Impulse sprinkler metal, with wheels (1023656)
- Impulse sprinkler metal (1023658)
- $\cdot \text{Hose connection universal fit} \text{Fits with other brands}.$

| O-rings for sprinklers, 4 pcs | | | | | Art.no. | 1024091 | z | 6 4 1 1 5 0 1 5 1 0 4 7 1 |
|-------------------------------|---------------|--------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 11,4 cm | Length: 1,6cm | Width: 7,4cm | Weight: 0,01kg | Retailbox: 6 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 1 0 4 7 1 |



- ·Includes 4 O-rings.
- ·Replacement part for:
- Stationary sprinkler square (1023664)
- Stationary sprinkler round (1023663)
- Whirling sprinkler metal, with wheels (1023657) Impulse sprinkler metal, with wheels (1023656) Impulse sprinkler metal (1023658)

| O-rings for connectors, 4 pcs | | | | | Art.no. | 1024093 | z | 6 4 1 1 5 0 1 5 1 0 4 9 5 |
|-------------------------------|----------------|---------------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 11,6cm | Length: 1,6 cm | Width: 7,4cm | Weight: 0,01kg | Retailbox: 6 | Oldart.no. | - | 7 | 6 411501 510495 |



- ·Includes 4 O-rings.
- Replacement part for all Fiskars watering products with universal fit: sprinklers, spray guns, connectors, timers etc.

| Filter for sprinklers, 2 pcs | | | | | Art.no. | 1024092 | Z | 6"411501"510488 |
|------------------------------|----------------|---------------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 11,5 cm | Length: 1,6 cm | Width: 7,4cm | Weight: 0,02kg | Retailbox: 6 | Oldart.no. | - | 7 | 6 4 1 1 5 0 1 5 1 0 4 8 8 |



- ·Includes 2 filters.
- $\boldsymbol{\cdot} \, \mathsf{Replacement} \, \mathsf{part} \, \mathsf{for} \colon$
- Stationary sprinkler square (1023664) Stationary sprinkler round (1023663)
- Whirling sprinkler metal, with wheels (1023657) - Impulse sprinkler metal, with wheels (1023656)
- Impulse sprinkler metal (1023658)
- Solid oscillating sprinkler M (1070835)

| Oscillating Sprinkler maintenance kit | | | | | Art.no. | 1072123 | Z | |
|---------------------------------------|---------------|---------------|----------------|--------------|------------|---------|---|-----------------|
| Height: 14,0 cm | Length: 2,4cm | Width: 10,8cm | Weight: 0,01kg | Retailbox: 4 | Oldart.no. | - | | 6 411501 512970 |



- $\cdot \text{Includes a nozzle cleaning tool and a tube filter}.$
- For use with the following Fiskars oscillating sprinklers: X-Series L (1070831) X-Series M (1070832), Comfort L (1070833), Comfort M (1070834).
- · Nozzle cleaning tool removes dirt, scale and debris from clogged nozzles, stores in end cap of sprinkler tube.
- $\cdot \textbf{Rust-resistant filter prevents dirt from entering sprinkler tube from}$ hose



Car Snow Tools

Effortless and innovative snow and ice clearing

High-quality materials and robust constructions ensure long-lasting efficiency across the full offering.

Fiskars X-series[™] and Plus tools innovatively prolong the product lifetime by providing replaceable wearing parts.



Brush (in all items)

Optimised dual zone bristles providing efficient snow clearing while being gentle to the vehicle's surface. Ideally tilted brush head providing even snow clearing

2 Corono

Duo scraper including hard edge for scraping ice and the soft silicone edge for wiping of water, slush and mist

Wiper (only X-series rotating head)

Wiper ideal for water and slush or pushing of snow

NEW! Car Snow Tools

Launch date 01.09.2025

X-series[™] Rotating Brush & Scraper Telescopic 1078492 Art.no. Height: 98,8cm Length: 9,9 cm Width: 13,6 cm Weight: -Retailbox: 4 Oldart.no. -Effortless snow and ice clearing with extendable reach and replaceable wearing parts • Telescopic aluminum shaft with rotating head for both brushing and pushing motions. • Optimised dual zone brush bristles for efficient and gentle snow clearing. · Wiper ideal for water and slush or pushing of snow. · Duo scraper including hard edge for ice scraping and soft edge for wiping of water, slush and mist. · Replaceable wearing parts. X-series[™] Brush & Scraper Telescopic Art.no. 1078493 Height: 88,2 cm Length: 9,9 cm Width: 8,6cm Weight: -Retailbox: 4 Oldart.no. -



 $\label{thm:entropy} \mbox{Effortless snow and ice clearing with extendable reach and researched and researche$ placeable wearing parts.

- · Telescopic aluminum shaft.
- · Optimised dual zone brush bristles for efficient and gentle snow
- · Duo scraper including hard edge for ice scraping and soft edge for
- wiping of water, slush and mist. · Replaceable wearing parts.

| Plus Brush & Scraper long | | | | | | 1078494 | z |
|---|--|-----|--|--|---|-----------------------|---|
| Height: 80 cm Length: 9,9 cm Width: 8,3 cm Weight: - Retailbox: 4 | | | | | | - | 6 411501 410542 |
| Men | | 100 | | | Optimised clearing. Duo scrap wiping of w Durable a | d dual zone brush bri | g with replaceable wearing parts. istles for efficient and gentle snow dge for ice scraping and soft edge for |

| Plus Brush & Scraper short | | | | | | 1078495 | |
|----------------------------|----------------|--------------|------------|---|--|----------------------------|---|
| Height: 66,1cm | Length: 9,9 cm | Width: 8,3cm | Oldart.no. | - | 6 4 1 1 5 0 1 4 1 0 5 5 9 | | |
| New | | > | | | Optimised clearing. Duo scrap wiping of w Durable al | d dual zone brush bristle: | th replaceable wearing parts. s for efficient and gentle snow or ice scraping and soft edge for |

| Solid [™] Brush | n & Scraper | | | | Art.no. | 1078496 | z | |
|--------------------------|----------------------|--------------|-----------|---------------|------------|---------|----|-----------------|
| Height: 53,1cm | Length: 7,1cm | Width: 9,9cm | Weight: - | Retail box: 6 | Oldart.no. | - | EA | 6"411501"410566 |



Comfortable snow and ice clearing.

- · Optimised dual zone brush bristles for efficient and gentle snow
- $\hbox{-} {\tt Duo\,scraper\,including\,hard\,edge\,for\,ice\,scraping\,and\,soft\,edge\,for\,ice\,scraping\,and$ wiping of water, slush and mist.
 Replaceable duo scraper.

Launch date 01.09.2025

| Solid [™] Scrap | oer | | | | Art.no. | 1078497 | Z | 6 4 1 1 5 0 1 4 1 0 5 7 3 |
|--------------------------|----------------|--------------|-----------|---------------|------------|---------|---|---------------------------|
| Height: 32,9 cm | Length: 6,3 cm | Width: 9,9cm | Weight: - | Retail box: 8 | Oldart.no. | - | | 6 4 1 1 5 0 1 4 1 0 5 7 3 |



Comfortable ice clearing.

- · Duo scraper including hard edge for ice scraping and soft edge for wiping of water, slush and mist.
- · Replaceable duo scraper.

| X-series [®] /Plus Car Brush Spare head | | | | | | 1078498 | 6 4 1 1 5 0 1 4 1 0 5 8 0 |
|--|---------------|--------------|-----------|--------------|------------|---------|---------------------------|
| Height: 28,6 cm | Length: 2,5cm | Width: 6,6cm | Weight: - | Retailbox: 6 | Oldart.no. | - | 6 4 1 1 5 0 1 4 1 0 5 8 0 |



Replacement part for X-series & Plus car snow brushes.

- $\bullet \, \mathsf{Optimised} \, \mathsf{dual} \, \mathsf{zone} \, \mathsf{brush} \, \mathsf{bristles} \, \mathsf{for} \, \mathsf{efficient} \, \& \, \mathsf{gentle} \, \mathsf{snow}$
- Compatible with 1078492, 1078493, 1078494 and 1078495.

| X-series [®] /Plus Car Sweep Spare head | | | | | | 1078499 | Z | 6 4 1 1 5 0 1 4 1 0 5 9 7 |
|--|----------------|--------------|-----------|--------------|------------|---------|------------|---------------------------|
| Height: 28,6 cm | Length: 2,5 cm | Width: 6,3cm | Weight: - | Retailbox: 6 | Oldart.no. | - | / <u>a</u> | 6 4 1 1 5 0 1 4 1 0 5 9 7 |



 $Replacement\,part\,for\,X\text{-}series\,\&\,Plus\,car\,snow\,brushes.$

- Ideal for clearing of water and slush or pushing of snow.
 Compatible with 1078492, 1078493, 1078494 and 1078495.





- Replacement part for all Fiskars car snow brushes.

 Duo scraper including hard edge for ice scraping and soft edge for wiping of water, slush and mist.
- Compatible with 1078492, 1078493, 1078494, 1078495, 1078496 and 1078497.
- ${\boldsymbol{\cdot}}\, {\sf Also\, suitable\, for\, individual\, use.}$

Car & Camping Tools

| Solid [™] Car S | hovel | | | | Art.no. | 1019353 | Z | 6'411501'430731 |
|--------------------------|----------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 63cm | Length: 10,5cm | Width: 22 cm | Weight: 0,50 kg | Retailbox: 6 | Oldart.no. | 143073 | Ĭ | 6 4 1 1 5 0 1 4 3 0 7 3 1 |



- · Functional tool for removing snow around the car.
- · Compact enough to fit inside any car.
- · Durable structure.

| SnowXpert | [™] Car Shovel | | | | Art.no. | 1019347 | Z | 6 4 1 1 5 0 1 4 3 0 7 2 4 |
|---------------------|-------------------------|--------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 63cm | Length: 10,5 cm | Width: 22 cm | Weight: 0,52kg | Retailbox: 6 | Oldart.no. | 143072 | | 6 4 1 1 5 0 1 4 3 0 7 2 4 |



- · Stainless steel blade for increased durability.
- Durable composite structure.
- $\cdot \, \text{Lightweight and handy size}.$

| Foldable Sp | ade | | | | Art.no. | 1000621 | Z | 6"411503" 275019 |
|----------------|----------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 24,5cm | Length: 6,5 cm | Width: 16,5 cm | Weight: 1,04 kg | Retailbox: 4 | Oldart.no. | 131320 | | 6 4 1 1 5 0 3 2 7 5 0 1 9 |





- $\cdot \text{Easily foldable spade} \, \text{and hoe, ideal for camping, sports, etc.} \,$
- $\boldsymbol{\cdot} \textbf{Canvas sheath for safe storage and protection}.$
- Hardened boron steel, aluminium and plastic spade.
 Unfolded the spade is 590 mm in length.

| Snow Light | Car Shovel | | | | Art.no. | 1000740 | Z | 7"317794"310004 |
|---------------------|--------------|-------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 71cm | Length: 12cm | Width: 25cm | Weight: 0,63kg | Retailbox: 3 | Oldart.no. | 141020 | | 7 3 1 7 7 9 4 3 1 0 0 0 4 |



- $\cdot {\sf Aluminium\, shaft\, with\, ergonomic\, plastic\, coating.}$
- · Ergonomically designed handle. · Hardened aluminium blade.

| Safety Camping & Car Spade | | | | | Art.no. | 1001574 | 6 411503 270007 |
|----------------------------|--------------|----------------|-----------------|--------------|------------|---------|-----------------|
| Height: 70 cm | Length: 13cm | Width: 20,4 cm | Weight: 0,48 kg | Retailbox: 6 | Oldart.no. | 131520 | 6 411503 270007 |





- $\cdot \, \text{Lightweight spade which floats in water for camping and garden-}$
- · Plastic (PP) handle resists low temperatures.
- Durable aluminium scoop for rigidity and high tensile strength.
- · Hexagonal shaft for extra grip.

Snow Tools





X-series Telescopic & Curved Snow Tools

Features & benefits

Durable

- Reinforced blade edge lasts 3x longer and cuts easily into hard-packed snow
- 2 Durable, long wearing materials that withstand temperatures up to -30°C. Made in Finland.

Liaht

- 3 Light-weight aluminium shafts & polymer scoops
- Adjustable handle lengths for less back strain

Easy-to-use

- S Advanced new scoop design made with a low-friction material that allows snow to glide off
- © Textured, non-slip grips for better control and insulation against cold.
- Large handles sized for use with winter gloves. Keeps wrist in comfortable position





X-series[™] Snow Tools

Exceptional performance.

Our top-of-the-line range of snow tool products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception - and experience - of the activity itself.

| X-serie | es Sn | iow s | novei |
|---------|-------|-------|-------|
| | | | |

Height: 132cm Length: 19,5 cm

Width: 36,2cm

Weight: 1,40 kg

Retailbox: 3

1057177

Oldart.no. -

Art.no.







- · Deep scoop for easy shovelling of large amounts of snow.
- · Reinforced blade edge lasts 3x longer.
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- $\cdot \text{Textured non-slip grip for better control and insulation against}$
- · Low-friction scoop helps snow glide off.
- ·Withstands up to -30°C.

| X-series [™] Sr | Art.no. | 1057178 | | | | |
|--------------------------|---------------|-------------|-----------------|--------------|------------|---|
| Height: 153,5 cm | Length: 19 cm | Width: 53cm | Weight: 1,58 kg | Retailbox: 3 | Oldart.no. | - |
| | | | | | | |







- · Wide head for easy pushing of large amounts of snow.
- · Reinforced blade edge lasts 3x longer.
- · Lightweight tool with an aluminium shaft.
- Large D-handle with non-slip SoftGrip™ is sized for use with winter
- gloves. $\bullet \text{Textured non-slip grip for better control and insulation against}$
- · Low-friction scoop helps snow glide off.
- ·Withstands up to -30°C.

| X-series [™] Snow roller | | | | | Art.no. | 1057179 | z | |
|-----------------------------------|-----------------|-------------|----------------|--------------|------------|---------|---|------------------|
| Height: 173 cm | Length: 11,5 cm | Width: 53cm | Weight: 1,52kg | Retailbox: 3 | Oldart.no. | - | 7 | 6"411501"410283" |







- · Scoop designed for clearing lighter layers of show by pushing forward in a rolling wave.
- · Reinforced blade edge lasts 3x longer.
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- Textured non-slip grip for better control and insulation against
- · Low-friction scoop helps snow glide off.
- ·Withstands up to -30°C.

| X-series [™] Car snow shovel | | | | | Art.no. | 1057393 | Z | |
|---------------------------------------|---------------|-------------|-------------|--------------|------------|---------|----------|-----------------|
| Height: 98,5 cm | Length: 10 cm | Width: 29cm | Weight: 1kg | Retailbox: 4 | Oldart.no. | - | A | 6 411501 410399 |







- For efficient clearing of snow around the car.
 Deep scoop moves large quantities of snow fast & efficiently.
- · Reinforced blade edge lasts 3x longer.
- · Compact size for easy storage.
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- ·Withstands up to -30°C.

| X-series [™] Snow Pusher, Curved | | | | | Art.no. | 1057186 | Z | 6 4 1 1 5 0 1 4 1 0 3 5 1 |
|---|-----------------|---------------|----------------|--------------|------------|---------|--------|---------------------------|
| Height: 153 cm | Length: 11,5 cm | Width: 53,2cm | Weight: 1,57kg | Retailbox: 3 | Oldart.no. | - | M M | 6 411501 410351 |





- · Wide head for easy pushing of large amounts of snow.
- · Reinforced blade edge lasts 3x longer.
- · Curved shaft helps the user keep the back straight.
- · Lightweight tool with an aluminium shaft.
- $\hbox{-} Large\,D\hbox{--handle with non-slip SoftGrip} \hbox{''} is sized for use with winter$ gloves.
- Textured non-slip grip for better control and insulation against cold.
- · Withstands up to -30°C.

| X-series [™] Car Snow Shovel, Telescopic | | | | | Art.no. | 1057187 | z |
|---|-----------------|-------------|-----------------|--------------|------------|---------|-----------------|
| Height: 79,5cm | Length: 15,4 cm | Width: 29cm | Weight: 1,14 kg | Retailbox: 4 | Oldart.no. | - | 6 411501 410368 |





- · For efficient clearing of snow around the car.
- Deep scoop moves large quantities of snow fast & efficiently.
- $\cdot \, \text{Reinforced blade edge lasts} \, 3x \, \text{longer}.$
- Telescopic handle adjustable to a compact size for easy storage.
 Lightweight tool with an aluminium shaft.
 Large handle, sized for use with winter gloves.

- · Withstands up to -30°C.

| X-series [™] Snow Shovel, Telescopic | | | | | Art.no. | 1057188 | z |
|---|----------------|---------------|-----------------|--------------|------------|---------|-----------------|
| Height: 120 cm | Length: 19,4cm | Width: 36,2cm | Weight: 1,59 kg | Retailbox: 3 | Oldart.no. | - | 6"411501"410375 |





- $\cdot \, \mathsf{Deep}\, \mathsf{scoop}\, \mathsf{for}\, \mathsf{easy}\, \mathsf{shovelling}\, \mathsf{of}\, \mathsf{large}\, \mathsf{amounts}\, \mathsf{of}\, \mathsf{snow}.$
- · Reinforced blade edge lasts 3x longer.
- $\cdot \, \text{Adjustable telescopic handle guarantees optimal user ergonom-}$
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- Textured non-slip grip for better control and insulation against
- $\cdot \, \text{With stands up to -30°C}.$

| X-series [™] Snow Pusher, Telescopic | | | | | Art.no. | 1057189 | z | |
|---|-------------|---------------|-----------------|---------------|------------|---------|---|-----------------|
| Height: 143,4 cm | Length: 9cm | Width: 53,2cm | Weight: 1,79 kg | Retail box: 3 | Oldart.no. | - | | 6 411501 410382 |





- $\cdot \, \text{The reinforced blade with a stainless steel core makes the tool up} \\$ to 3x more durable.
 • Telescopic shaft with adjustment between 143-163 cm.
- · Lightweight tool with an aluminium shaft.
- · Non-slip grip on both handle and shaft.
- · Resistant up to -30° C.

Other Snow Tools

| SnowXpert [™] Sledge | | | | | | 1003470 | A 4 1 1 5 0 1 4 3 0 2 1 2 |
|-------------------------------|-----------------|---------------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 149 cm | Length: 27,5 cm | Width: 75 cm | Weight: 4,30 kg | Retailbox: 1 | Oldart.no. | 143021 | 6 411501 430212 |



- · Lightweight snow sledge for larger snow clearance, e.g. yard and parking area.

 Long, sturdy, tubular steel handle for easy use.
- Injection moulded scoop for high stability and lightness.
 Orange reflector for visibility in the dark.

| Professional Snow Sledge | | | | | | 1001631 | z | |
|--------------------------|--------------|-------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 149 cm | Length: 33cm | Width: 83cm | Weight: 7,20 kg | Retailbox: 6 | Oldart.no. | 143040 | | 6 411503 237956 |





- · Tubular steel handle.
- · Tough zinc-coated steel edge.
- · Safety reflectors on handles.
- Orange reflector for visibility in the dark.

| lce Iron | | | | | Art.no. | 1001639 | z |
|-------------------------|-------------|----------------|-----------------|--------------|------------|---------|-----------------|
| Height: 147,5 cm | Length: 4cm | Width: 17,5 cm | Weight: 1,40 kg | Retailbox: 4 | Oldart.no. | 140000 | 6 411503 239905 |





- ${\boldsymbol{\cdot}} \, {\sf Designed} \, {\sf for} \, {\sf breaking}, {\sf chipping} \, {\sf and} \, {\sf clearing} \, {\sf ice}.$
- ·Solid, painted blade made of hardened boron steel.
- ·Wooden shaft.
 ·FSC® certified wood.

| Snow and C | Grain Shovel | | | | Art.no. | 1001637 | Z | |
|----------------|---------------|-------------|-----------------|--------------|------------|---------|-----|--------------|
| Height: 127 cm | Length: 20 cm | Width: 31cm | Weight: 1,40 kg | Retailbox: 4 | Oldart.no. | 142000 | 6 4 | 11503 235280 |





- $\bullet \text{Birchwood shaft}.$
- Polypropylene grip.High-quality aluminium blade.FSC° certified wood.

| Snow Light Snow Pusher - Aluminium | | | | | Art.no. | 1001636 | Z | |
|------------------------------------|----------------|---------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 162,2cm | Length: 12,5cm | Width: 53,2cm | Weight: 1,60 kg | Retailbox: 4 | Oldart.no. | 143060 | | 5 905568 800435 |






- Aluminium shaft with plastic coating.
 Ergonomically designed handle.
 Hardened aluminium blade.



Accessories

| Axe and To | ool Gloves Siz | e8 | Art.no. 1071129 | | |
|---------------|----------------|----------------------|-----------------|--|-------------------------------------|
| Height: 33cm | Length: 2,5cm | Width: 10,5cm | Weight: 0,07 kg | Retail box: 10 | Oldart.no 6 4 1 1 5 0 1 6 0 0 4 2 4 |
| | | | | Fiskars® Tool and Wood Gloves provide comfort and protection from injuries that can occur, especially when working with axes and using garden tools or hand actuating tools. Ideal for handling axes, garden power tools and hand actuated cutters while performing wood preparation, general maintenance and repair, and home improvement projects. Gloves are made of artificial leather with backhand mesh for breathability and all-day comfort. Additional reinforcement between thumb and index finger, and palm area for enhanced durability. | |
| Axe and To | ool Gloves Siz | e10 | | | Art.no. 1071150 |
| Height: 34 cm | Length: 2,5cm | Width: 11,5cm | Weight: 0,08 kg | Retailbox: 10 | Oldart.no 6 4 1 1 5 0 1 6 0 0 4 3 1 |





- · Ideal for handling axes, garden power tools and hand actuated cutters while performing wood preparation, general maintenance and repair, and home improvement projects.
- Gloves are made of artificial leather with backhand mesh for breathability and all-day comfort.
- Additional reinforcement between thumb and index finger, and palm area for enhanced durability.

| Axe and To | ol Gloves Siz | e 12 | | | Art.no. | 1071151 | z |
|---------------------|---------------|----------------|-----------------|---------------|------------|---------|------------------|
| Height: 36cm | Length: 2,5cm | Width: 12,5 cm | Weight: 0,09 kg | Retailbox: 10 | Oldart.no. | - | 6"411501"600448" |



- $\cdot \text{Fiskars}^* \, \text{Tool} \, \text{and} \, \text{Wood} \, \text{Gloves} \, \text{provide} \, \text{comfort} \, \text{and} \, \text{protection} \, \\ \text{from injuries that can occur, especially when working with axes and} \, \\ \text{using garden tools or hand actuating tools}.$
- · Ideal for handling axes, garden power tools and hand actuated cutters while performing wood preparation, general maintenance and repair, and home improvement projects.
- Gloves are made of artificial leather with backhand mesh for breathability and all-day comfort.
- \cdot Additional reinforcement between thumb and index finger, and palm area for enhanced durability.

| Shrub Care | 8 | Art.no. | 1071152 | Z | | | | |
|--------------|---------------|-----------------------|-----------------|---------------|------------|---|----------|-----------------|
| Height: 39cm | Length: 2,5cm | Width: 10,5 cm | Weight: 0,08 kg | Retailbox: 10 | Oldart.no. | - | <u> </u> | 6 411501 600455 |



- $\cdot \text{Fiskars}^{\circ} \, \text{Shrub Care gloves provide the needed hand and wrist coverage to prevent injury or damage, especially while working with holly or berry bushes.}$
- ·Ideal for handling garden tools and hand actuated cutters while working with prickly shrubs.
- Gloves are made of artificial leather with added reinforcement between thumb and index finger, and palm area for enhanced durability.


| Shrub Care | Shrub Care Gloves Size 10 | | | | | | ž | |
|-----------------|---------------------------|----------------|-----------------|---------------|------------|---|----|---------------------------|
| Height: 39,5 cm | Length: 2,5cm | Width: 11,5 cm | Weight: 0,10 kg | Retailbox: 10 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 6 0 0 4 6 2 |



- Fiskars® Shrub Care gloves provide the needed hand and wrist coverage to prevent injury or damage, especially while working with holly or berry bushes.
- · Ideal for handling garden tools and hand actuated cutters while working with prickly shrubs.
- Gloves are made of artificial leather with added reinforcement between thumb and index finger, and palm area for enhanced durability.

| Garden Work Gloves Size 10 | | | | | Art.no. | 1003477 | 6 4 1 1 5 0 1 6 0 0 0 4 2 |
|----------------------------|----------------|--------------|-----------------|---------------|------------|---------|---------------------------|
| Height: 25 cm | Length: 1,5 cm | Width: 12 cm | Weight: 0,07 kg | Retailbox: 10 | Oldart.no. | 160004 | 6 411501 600042 |





| Reinforced for rough manual work |
|--|
|--|

| Garden Wo | rk Gloves Siz | e8 | | | Art.no. | 1003478 | 6 4 1 1 5 0 1 6 0 0 0 5 9 |
|---------------|----------------|----------------|-----------------|---------------|------------|---------|---------------------------|
| Height: 24 cm | Length: 1,5 cm | Width: 11,5 cm | Weight: 0,06 kg | Retailbox: 10 | Oldart.no. | 160005 | 6 4 1 1 5 0 1 6 0 0 0 5 9 |



Non-slip grip with axes and stick tools.
 Reinforced for rough manual work.



Fiskars Pro Hardware Tools

Hardware saws p.240

CarbonMax[™] knives p.248

Hardware knives p.254

PowerGear[™] Aviation Snips p.258

PowerArc[™] Scissors p.262

PowerGear[™] Bolt Cutters p.266

IsoCore[™] Tools p.268


Striking Tools p.270

Hammers p.273

Demolition Tools p.275

Iron bars p.276







Hardware tools intro

















Content

237 Hardware Tools

240 Hardware Saws

Handsaws Other saws Replacement blades

248 CarbonMax[™] Knives

Introducing blades that stay sharp 24x longer than the competition Utility Knives

Snap-off utility knives
Replacement blades

254 Hardware Knives

258 PowerGear™ Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

262 PowerArc[™] Scissors

Make cutting easier, especially at the end of the cut where more force is required

Amplify[™] Scissors Classic Hardware Scissors

266 PowerGear[™] Bolt Cutters

Make cutting hardened rods up to 30 % easier, especially in the beginning of the cut where more force is required

268 IsoCore[™] Tools

Shock control system absorbs strike shock and vibration to reduce the punishment your body takes, transferring up to 70 % less shock and vibration than wood handles

270 Striking Tools

273 Hammers

275 Demolition Tools

276 Iron bars

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.



Hardware tools

CarbonMax[™] Knives

Introducing blades that stay sharp 24x longer than the competition.

PowerGear[™] Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

PowerGear[™] Bolt Cutters

Make cutting hardened rod up to 30 % easier, especially at the beginning of the cut where more force is required.

PowerArc[™] Heavy Duty Scissors

Make cutting easier, especially at the end of the cut where more force is required.

IsoCore[™] Demolition Tools

Take on extreme projects with the industry's best shock control system.

PowerTooth[™]Saws

Cut faster, straighter, closer & safer.



Pro tool technologies













POS materials

The Fiskars® Pro assortment is supported by a wide range of POS materials, from category-specific top signs and posters, to popups and wobblers, to informative shelfdividers with detailed information about technologies and products.

We also offer a modular display which is easily stacked with our shelf-ready retail packaging.


















FISKARS PRO

























Wobblers (110 x 200 mm)

Wobblers (110 x 110 mm)










Universal displays (790 x 298 mm)







Retail boxes

Utility knives, claw hammers, aviation snips & heavy duty scissors come in shelf-ready retail packaging.

PowerTooth Universal handsaws

Sharper.

Razor-sharp PowerTooth™ blade cuts faster & stays sharp longer.

Tougher.

Full-body metal construction, tested to withstand drops and impacts.

More Comfortable.

Ergonomic design supports multiple grips for whatever the job demands.

and provides a slip-free hold.



Saws

Blade tensioning mechanism that clicks into place for optimal tensioning every time. A secondary grip feature for two-handed power, precision and control. Blade secures in out-front position for cutting in small spaces.



Folding pull saws

Folding mechanism to protect fine delicate teeth and protect user from abrasions with a quick, accessible lock that clicks to communicate a securely locked blade. Hex bolt for intuitive and secure blade replacement.



Compactfoldingsaw

Accepts standard reciprocating saw blades and opens with the flick of the wrist. Intuitive, fast front-loading blade change that fits standard reciprocating saw blades. Ergonomic control positioning for comfort in tight situations.













Jab saw with sheath

Ultra-sharp, sturdy fixed blade with rugged sheath for ultimate safety. PowerTooth™ technology offering precise triple-grinding for razor-sharp teeth and a rasp for smoothing out rough cuts. The reinforced metal pommel end provides reliable resistance against pounding and drops.















Hardware Saws | Handsaws

PowerTooth™ Handsaw, 380mm 9tpi Art.no. 1062930 Height: 49,85cm Length: 4,06cm Width: 17,78cm Weight: 0,51kg Retailbox: 3 Oldart.no.





- Triple-ground saw blade for fast, powerful cuts.
- RapidStart* blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- $\hbox{-Middle and heel of blade feature 9 TPI for forceful, smooth cuts through all types of wood, laminate, PVC and more. } \\$
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip" handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

| PowerTooth [™] Handsaw, 500mm 9tpi | | | | | | 1062919 | Z | 6 4 1 1 5 0 1 2 0 1 1 2 6 |
|---|----------------|------------------------|----------------|--------------|------------|---------|----------|---------------------------|
| Height: 62,55 cm | Length: 4,06cm | Width: 17,78 cm | Weight: 0,57kg | Retailbox: 3 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 2 0 1 1 2 6 |





- · Triple-ground saw blade for fast, powerful cuts.
- RapidStart* blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- $\cdot \mbox{Middle and heel of blade feature 9 TPI for forceful, smooth cuts through all types of wood, laminate, PVC and more.}$
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip* handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

| PowerTooth | 550mm 7tpi | Art.no. | 1062916 | z | | | | |
|-----------------|----------------|-----------------------|----------------|--------------|------------|---|---|-----------------|
| Height: 67,31cm | Length: 4,06cm | Width: 17,78cm | Weight: 0,58kg | Retailbox: 3 | Oldart.no. | - | Ä | 6"411501"201096 |





- Triple-ground saw blade for fast, powerful cuts.
- RapidStart™ blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- Middle and heel of blade features 7 TPI for forceful cuts through all types of wood, laminate, PVC and more.
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip" handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

| PowerTooth [™] Handsaw, 550mm 9tpi | | | | | | 1062917 | z | |
|---|-----------------|------------------------|----------------|--------------|------------|---------|----------|---------------------------|
| Height: 67,31cm | Length: 4,06 cm | Width: 17,78 cm | Weight: 0,58kg | Retailbox: 3 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 2 0 1 1 0 2 |





- · Triple-ground saw blade for fast, powerful cuts.
- RapidStart* blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- $\hbox{-Middle and heel of blade feature 9 TPI for forceful, smooth cuts through all types of wood, laminate, PVC and more. } \\$
- Oversized handle fits gloved hands, and innovative texturing on SoftGrip" handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

| PowerTooth [™] Handsaw, 550mm 11tpi | | | | | | 1062918 | Z | |
|--|----------------|------------------------|----------------|--------------|------------|---------|---|-----------------|
| Height: 67,31cm | Length: 4,06cm | Width: 17,78 cm | Weight: 0,58kg | Retailbox: 3 | Oldart.no. | | | 6 411501 201119 |





- · Triple-ground saw blade for fast, powerful cuts.
- RapidStart" blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- \cdot Middle and heel of blade feature 11 TPI for smooth, clean cuts through softer wood.
- Over sized handle fits gloved hands, and innovative texturing on SoftGrip $\ddot{}$ handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

Other Saws

TrueTension[™] Hacksaw, 300mm 24tpi 1062931 Art.no. Height: 41,27cm Length: 1,52 cm Width: 18,42cm Weight: 0,83 kg Retailbox: 3 Oldart.no. -· Intuitive tensioning mechanism 'clicks' when optimal tensioning is achieved. • TrueTension "provides confidence in tensioning for frustration-free blade tightening.



- · Quick, clean cuts on metal, plastic, PVC, conduit, copper pipe, bolts, nails and more.
- · Blade changes are faster and easier with no loose parts and visible, easily accessible on-tool blade storage
- ·Innovative texturing on SoftGrip™handle provides a slip-free hold. · Includes one long-lasting, bimetal blade (24 TPI). Replacement blades available (item #1062941).

| PowerTooth [™] Detail Pull saw, 150mm 19tpi | | | | | | 1062932 | Z | 6 4 1 1 5 0 1 2 0 1 1 5 7 |
|--|-----------------|---------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 40,96cm | Length: 2,79 cm | Width: 12,7cm | Weight: 0,20 kg | Retailbox: 6 | Oldart.no. | - | | 6 411501 201157 |





- · Secure folding and locking mechanism protects exposed teeth and prevents accidental deployment.
- · Fine-finish, 19 TPI blade offers excellent accuracy and control for detailed, clean cuts.
- ·Flexible for quick, easy and clean flush cuts.
- · Compact size allows for easy access and is ideal for precise cuts.
- · Ideal for use on softer woods.
- ·SoftGrip[™] touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold.
- · Replacement blades available (item #1062942).

| PowerTooth [™] Folding Pull saw, 250mm 13tpi | | | | | Art.no. | 1062933 | Z | 6 4 1 1 5 0 1 2 0 1 1 6 4 |
|---|----------------|-----------------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 60,96cm | Length: 2,79cm | Width: 15,24cm | Weight: 0,32kg | Retailbox: 3 | Oldart.no. | - | | 6 4 1 1 5 0 1 2 0 1 1 6 4 |





- · Secure folding and locking mechanism protects exposed teeth and prevents accidental deployment.
- · Optimised 13 TPI blade offers excellent precision and control on softer woods, while allowing for general cuts on 2x4s, PVC and more.
- · Flexible for easy, clean flush cuts.
- · Hooked end provides a secure hold for pulling motion.
- · SoftGrip "touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold.
- $\boldsymbol{\cdot} \text{Replacement blades available (item \#1062943)}.$

| Compact Fe | olding Toolbo | ox Saw, 2 bla | des | | Art.no. 1062934 | Z | |
|------------------|----------------|---------------|-----------------|--------------|----------------------------------|---|-----------------|
| Height: 33,65 cm | Length: 2,79cm | Width: 12,7cm | Weight: 0,19 kg | Retailbox: 6 | Oldart.no | 4 | 6"411501"201171 |
| | | | | | • Fasily stores in your toolhelt | | |





- · One-handed, flip-open design allows for fast blade deployment with just the flick of a wrist.
- · Quick, easy, front-loading blade changes.
- · Optimal for most 15 cm reciprocating saw blades.
- · SoftGrip "touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold. · Includes two saw blades with induction-hardened teeth: One
- 13 TPI Power Tooth blade for wood and plastic and one 24 TPI bi-metal blade for metal

| PowerTooth [™] Jab Saw with Sheath 8tpi | | | | | Art.no. | 1062935 | Z | |
|--|----------------|------------------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 38,74cm | Length: 3,81cm | Width: 15,24 cm | Weight: 0,18 kg | Retailbox: 6 | Oldart.no. | - | Ä | 6 411501 201188 |





- · Jab saw snaps into sheath for a secure fit. Sheath features a belt clip and hang hole for storage.
- · Triple-ground blade cuts with speed and efficiency with ultra-sharp tip for piercing quick starts through plasterboards.
- ·Rasp on non-sawing side of blade smooths out rough cuts.
- $\cdot \text{Handle} \, \text{is sized} \, \text{and shaped for optimised comfort and control with} \\$ textured SoftGrip for a slip-free hold.
- $\boldsymbol{\cdot} \, \mathsf{Reinforced} \, \mathsf{metal} \, \mathsf{end} \, \mathsf{protects} \, \mathsf{against} \, \mathsf{pounding} \, \mathsf{and} \, \mathsf{drops}.$
- · Low-friction blade coating resists rust and dust buildup

Other Saws | Replacement blades

| Builder's Saw, 233mm | | | | | Art.no. | 1000612 | 6 4 1 1 5 0 1 2 3 8 6 0 3 |
|----------------------|---------------|--------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 3,4 cm | Length: 40 cm | Width: 8,5cm | Weight: 0,13 kg | Retailbox: 4 | Oldart.no. | - | 6 4 1 1 5 0 1 2 3 8 6 0 3 |





- · Fine toothing for cutting dry wood.
- · Cuts on the pull stroke.
- · Blade can be safely stored inside the handle when not in use.
- · Features a handy belt clip for easy carrying.
- $\boldsymbol{\cdot} \textbf{SoftGrip}^{\scriptscriptstyle{\mathsf{T}}} \textbf{handle ensures a safe grip during operations}.$
- $\cdot \textit{Finger guard protects fingers from sliding to the blade part}. \\$

| Replacement Blade Hacksaw 300mm 24tpi | | | | | Art.no. | 1062941 | 6 4 1 1 5 0 1 2 0 1 2 4 9 |
|---------------------------------------|-----------------|-----------------------|-----------------|---------------|------------|---------|---------------------------|
| Height: 0,64cm | Length: 5,08 cm | Width: 36,83cm | Weight: 0,05 kg | Retailbox: 12 | Oldart.no. | - | 6 411501 201249 |



- · Bi-metal constructed for long-lasting sharpness.
- · Ideal for clean cuts through metal, plastic, PVC and more.
- Fits Fiskars® Pro TrueTension® hacksaw (item #1062931) with ontool blade storage.

| Replaceme | nt Blade Pull | Saw 150mm | 19tpi | | Art.no. | 1062942 | EAN | 6" 4 1 1 5 0 1" 2 0 1 2 5 6 |
|----------------|----------------|---------------|-----------------|----------------|--|---------------------|---|--|
| Height: 0,64cm | Length: 12,7cm | Width: 25,4cm | Weight: 0,09 kg | Retail box: 12 | Oldart.no. | - | | 6 4 1 1 5 0 1 2 0 1 2 5 6 |
| | | | | | · Ideal for a · Thin kerf a · Induction · Low-fricti · Fits Fiskar | on coating prolongs | cuts o uick, o vide l blade pull sa | n softer woods. clean flush cuts. ong-lasting sharpness. el life and resists rust. aw (item #1062932), which has |

| Replaceme | ent Blade Pull | Saw 250mn | n 13tpi | | Art.no. 1062943 | z |
|----------------|----------------|-----------------------|-----------------|---------------|------------------------|--|
| Height: 0,64cm | Length: 12,7cm | Width: 35,56cm | Weight: 0,14 kg | Retailbox: 12 | Oldart.no | 6 411501 201263 |
| | recorder GDR | | | | 2x4s, PVC and more. | ith 13 TPI for a fine finish. on softer woods as well as general cuts on cy for quick, clean flush cuts. |

- · Induction-hardened teeth provide long-lasting sharpness.
- · Low-friction coating prolongs blade life and resists rust.
- · Fits Fiskars® Pro Folding pull saw (item #1062933), which has an intuitive hex-bolt blade replacement mechanism.

Cut faster, straighter, closer & safer.






CarbonMax



Utility Knives



CarbonMax[™] Knives

CarbonMax[™] Compact Folding Utility Knife Art.no. 1062939 Height: 18,42 cm Length: 2,13 cm Width: 10,8cm Weight: 0,84 kg Retailbox: 3 Old art. no. -





- · Smaller than other folding utility knives for ultimate storage in pockets & toolbelts.
- ·One-handed, flip-open design for fast blade deployment.
- · Quick, easy front-loading blade change.
- $\bullet \, \text{Reinforced} \, \text{metal end for sturdy, reliable resistance against pound-}$ ing and drops.

| CarbonMax [™] Safety Utility Knife | | | | | Art.no. | 1062938 | z | 6 4 1 1 5 0 1 2 0 1 2 1 8 |
|---|-----------------|-----------------------|-----------------|--------------|--------------|---------|------------|---------------------------|
| Height: 26,04 cm | Length: 2,95 cm | Width: 11,13cm | Weight: 0,23 kg | Retailbox: 3 | Old art. no. | - | / <u>a</u> | 6 4 1 1 5 0 1 2 0 1 2 1 8 |





- · Auto-retracting blade for safety.
- · Intuitive, one-handed blade deployment.
- · Safety lock prevent accidental blade release.
- $\cdot \, \text{Knife} \, \text{easily hinges open} \, \text{for tool-free blade changes}.$
- $\bullet \, \text{Reinforced} \, \text{metal} \, \text{end} \, \text{for sturdy, reliable} \, \text{resistance} \, \text{against} \, \text{pound-}$ ing and drops.

| CarbonMa | x [™] Fixed Utili | ity Knife | | | Art. no. | 1027222 | z |
|-----------------|----------------------------|-----------------------|-----------------|--------------|---|--------------------------------------|--|
| Height: 25,9 cm | Length: 3cm | Width: 10,9 cm | Weight: 0,20 kg | Retailbox: 6 | Oldart.no. | - | 6"411501"701404 |
| T | - | 1 | | Retail pack | ient, easy p • Reinforce ing and dro • Knife hing | rotection. d metal end pro ps. | loys with the push of a button for conven- ovides reliable resistance against pound- sy blade change with no loose parts. x* utility blade. |









- · Accommodates five standard-sized utility blades.

| | | | | Geprüße Sicherheit | | | |
|-----------------|--------------------------|-------------------|-----------------|-----------------------|--|---|--|
| CarbonMa | x [™] Retractab | ole Utility Knife | Art.no. | 1027223 | 3 | | |
| Height: 25,9 cm | Length: 3cm | Width: 10,9 cm | Weight: 0,17 kg | Retail box: 6 | Oldart.no. | - | 6 411501 701411 |
| +1 | PORTER STATE | | | Retail pack | when you'r • Knife easi blade chan • Reinforce pounding a • Includes o | e in the middle of ly hinges open v lge. d metal end pro- and drops. one CarbonMax | with no loose parts to keep track of during ovides sturdy, reliable resistance against |
| CarbonMa | x [™] Folding U | tility Knife | | | Art.no. | 1027224 | z |

| CarbonMax [™] Folding Utility Knife | | | | | Art.no. | 1027224 | Z | |
|--|-------------|---------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 18,5 cm | Length: 3cm | Width: 10,9cm | Weight: 0,17 kg | Retailbox: 6 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 1 4 2 8 |









- $\hbox{-} \mbox{Dual-locking system prevents accidental blade release without sacrificing blade-change speed.} \\$
- · Easy, one-handed, flip-open design means knife opens with the
- $\hbox{\bf \cdot} Ergonomic \, design, including \, deep \, grooves \, and \, contouring \, allows \,$
- Reinforced metal end provides sturdy, reliable resistance against pounding and drops.



CarbonMax[™] Painters Utility Knife 1027225 Art.no. Height: 26 cm Length: 3,3cm Width: 10,9 cm Weight: 0,24kg Retailbox: 6 Oldart.no. -· Paint bucket opener allows you to easily open stubborn 18 L paint Retail · Includes #1 size flathead screwdriver bit, perfect for outlet covers and opening paint cans.









- ${\color{red} \boldsymbol{\cdot}} \, \text{Reinforced metal end provides sturdy, reliable resistance against}$ drops and pounding.
 • Knife easily flips open for one-handed deployment.
- Push & slide blade change with magnet for blade security.
- · Accommodates two standard-sized utility blades.

| CarbonMax [™] Drywaller Utility Knife | | | | | Art.no. | 1027226 | z | 6 4 1 1 5 0 1 7 0 1 4 4 2 |
|--|-------------|----------------------|----------------|--------------|------------|---------|----------|---------------------------|
| Height: 26cm | Length: 3cm | Width: 10,9cm | Weight: 0,21kg | Retailbox: 6 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 1 4 4 2 |









- · 2-in-1 tool with a standard blade + jab saw that punches through drywall for electrical boxes & more.
- $\cdot \, \mathsf{Reinforced} \, \mathsf{metal} \, \mathsf{end} \, \mathsf{to} \, \mathsf{knock} \, \mathsf{out} \, \mathsf{drywall} \, \mathsf{pieces}, \mathsf{and} \, \mathsf{to} \, \mathsf{finish}$ sinking screws and nails.

 Both blades deploy from the same end for ease and safety.
- Push & slide blade change includes magnet that secures blade.
- · Top retraction button avoids accidental retraction.
- Knife hinges open for easy access and cleaning.
- $\cdot {\sf Accommodates} \, two \, {\sf standard\text{-}sized} \, {\sf utility} \, {\sf blades} \,$

Snap-off Knives | Changeable Blades



| CarbonMax [™] Snap-off Knife, 18mm | | | | | | 1027227 | EAN | |
|---|---------------------------|----------------|------------------------|-------------------------|--|---------|-------|-----------------|
| Height: 25,9 cm | Length: 2,6cm | Width: 10,9 cm | Weight: 0,15 kg | Retailbox: 8 | Oldart.no. | - | Ä | 6 411501 701459 |
| | | | | Retail pack | Offers convenient, front-loading blade change with no loose par Integrated segment snapper safely snaps — and automatically captures — used blades. Reinforced metal end provides sturdy, reliable resistance agains pounding and drops. Accommodates 18 mm snap-off utility blades. | | | |
| CarbonMa | x [™] Snap-off k | (nife, 25mm | | Gegrüffe Sicharfteit | Art.no. | 1027228 | z | |
| Height: 25,9 cm | Length: 2,9cm | Width: 10.9 cm | Weight: 0,24kg | Retailbox: 6 | Oldart.no. | _ | EAN N | |







- Offers convenient, front-loading blade change with no loose parts. Integrated segment snapper safely snaps and automatically
- integrated segment snapper safety snaps and automatically captures used blades.
- \cdot Reinforced metal end provides sturdy, reliable resistance against pounding and drops.
- · Accommodates 25 mm snap-off utility blades.

CarbonMax[™] Utility Knife Blades, 5 pack Width: 7,6 cm


1027229 Art.no.



Weight: 0,02kg

Retailbox: 6

Oldart.no. -



- · Blade features Fiskars' proprietary, edge-retention coating.
- · Stays sharp up to 24x longer than standard utility blades.
- · Laboratory tested and verified.
- $\cdot \, \mathsf{Blades} \, \mathsf{fit} \, \mathsf{non}\text{-}\mathsf{Fiskars} \, \mathsf{knives} \, \mathsf{as} \, \mathsf{well}.$
- · Pack includes 5 blades.





| CarbonMax [™] Snap-off Blades, 18mm, 5 pack | | | | | | 1027232 | 8 6 4 1 1 5 0 1 |
|--|---------------|--------------|----------------|--------------|------------|---------|-----------------|
| Height: 17,8 cm | Length: 0,5cm | Width: 4,8cm | Weight: 0,02kg | Retailbox: 6 | Oldart.no. | _ | 6 411501 |







- Replacement blades for CarbonMax[™] 18 mm snap-off utility knives.
- ·Blade features Fiskars' proprietary, edge-retention coating.
- $\cdot \, \text{Stays sharp up to 24x longer than standard utility blades}.$
- $\cdot \text{Laboratory tested and verified}.$
- Blade snaps off cleanly for a new sharp tip.
 Pack includes 5 x 18 mm blades.

| CarbonMax | Art.no. | 1027233 | 3 | | | | |
|-----------------|----------------|---------------|-----------------|--------------|-----------|--|-------|
| Height: 21,6 cm | Length: 1,6 cm | Width: 7,6 cm | Weight: 0,09 kg | Retailbox: 6 | Oldart.no | | E A P |





- Replacement blades for CarbonMax[™] 25 mm snap-off utility
- $\bullet \textit{Blade features Fiskars' proprietary, edge-retention coating}.$
- Stays sharp up to 24x longer than standard utility blades.
 Laboratory tested and verified.
 Blade snaps off cleanly for a new sharp tip.

- · Pack includes 5 x 25 mm blades.



Hardware Knives

For effective cuts, it's important to keep your knife as sharp as possible. That's why we've integrated a high-quality sharpener into every sheath. This sheath is available for all knives within this range so you'll always have it with you.

The handle has great ergonomics, while innovation in the sheath allows for both left- and right-handed use. The range consists of 5 different colour-coded knives for all your building tasks.



Hardware Knives | Fixed Blades

Builder's Knife with Sharpener (black) 1023617 Art.no. Height: 22,7cm Length: 3,6 cm Width: 4,2cm Weight: 0,09 kg Retailbox: 12 Oldart.no. -



- · High quality blade that lasts longer.
- ·Built-in, easy-to-use sharpener.
- · Sheath reversable for right- or left-handed use.

| Universal Knife with Sharpener (orange) | | | | | Art.no. | 1023618 | Z | 6 4 1 1 5 0 1 5 6 0 1 7 9 |
|---|----------------|------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 28cm | Length: 3,6 cm | Width: 8cm | Weight: 0,13kg | Retailbox: 8 | Oldart.no. | - | | 6 4 1 1 5 0 1 5 6 0 1 7 9 |



- · High quality blade for general use.
- Built-in, easy-to-use sharpener.
 Sheath reversable for right- or left-handed use.
 3-component ergonomic handle (patented).
- · Stainless steel.

| Heavy duty Knife with Sharpener (green) | | | | | Art.no. | 1023619 | Z | 6"411501"560186 |
|---|----------------|------------|-----------------|--------------|------------|---------|----------|-----------------|
| Height: 28cm | Length: 3,6 cm | Width: 8cm | Weight: 0,15 kg | Retailbox: 8 | Oldart.no. | - | | 6 411501 560186 |



- $\cdot \, \text{Stronger} \, \text{and thicker} \, \text{blade for heavy} \, \text{use}.$
- · Works also as deburring file.
- Built-in, easy-to-use sharpener.Sheath reversable for right- or left-handed use.
- · 3-component ergonomic handle (patented).

| Craftsman' | Craftsman's Knife with Sharpener (red) Height: 28cm | | | | | | z | 6 4 1 1 5 0 1 5 6 0 1 9 3 |
|--------------|--|------------|----------------|--------------|-------------|------------------------|----------|---------------------------|
| Height: 28cm | Length: 3,6cm | Width: 8cm | Weight: 0,12kg | Retailbox: 8 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 5 6 0 1 9 3 |
| | | | | | ·Shorter bl | ade for more precision | on. | |



- ·Built-in, easy-to-use sharpener.
- · Sheath reversable for right- or left-handed use.
- · 3-component ergonomic handle (patented).

| Carpenter's Knife with Sharpener (yellow) | | | | | Art.no. | 1023621 | Z | 6"411501"560209 |
|---|---------------|------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 28cm | Length: 3,6cm | Width: 8cm | Weight: 0,15 kg | Retailbox: 8 | Oldart.no. | - | | 6 411501 560209 |



- · High quality chisel blade.
- · Built-in, easy-to-use sharpener.
- · Sheath reversable for right- or left-handed use.
- · 3-component ergonomic handle (patented).

Other Knives | Fixed Blades

| Mineral Wo | Mineral Wool Knife (K20) | | | | | 1001626 | 6"411502"879027" |
|--------------|--------------------------|--------------|-----------------|--------------|---------------|--------------------------|------------------------------|
| Height: 42cm | Length: 1,8 cm | Width: 3,8cm | Weight: 0,14 kg | Retailbox: 4 | Oldart.no. | | 6 411502 879027 |
| | | | | | •ldeal for cu | ıtting insulating materi | ials such as mineral wool or |




 Ideal for cutting insulating materials such as mineral wool or polystyrene.






A tool for every task



Offset aviation snips allow you to keep your hand on top of the sheet for cuts through the center of the sheet. These tools cut at a sharper angle, distancing your hands from sharp, jagged work surfaces.



Ideal for cutting a range of heavy-duty materials.



Shorter cut length increases cutting capacity.



40% MORE POWER

Aviation Snips

Fiskars Pro PowerGear™ aviation snips are ideal for cutting a range of heavy-duty materials, including sheet metal, ductwork, drywall corners, metal studs, siding, soffit, fascia, drip edge, gutters and more.

Equipped with PowerGear patented technology, these tools feature leverage -enhancing gears that give you over 40 % more power, especially during the toughest part of the cut.

PowerGear Aviation Snips (straight cut)

Length: 2,5 cm Width: 10,2 cm

Weight: 0,43 kg

Retailbox: 8

1027207

Art.no.

Oldart.no. -









- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
 • EasyAction handle with optimised span truly fits your grip, for
- more power without sacrificing cut length.
- · Ergonomic, spring-assisted, SoftGrip™ handle reduces hand fatigue and enhances dexterity.
- · Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm

PowerGear[™] Aviation Snips (right cut)

Height: 29 cm

Height: 29,5 cm

Length: 2,5 cm

Width: 10.2 cm

Weight: 0,44 kg

Retailbox: 8

Art.no.

Art.no.

Oldart.no. -

1027208 Oldart.no. -







- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
- EasyAction handle with optimised span truly fits your grip, for more power without sacrificing cut length.
- $\hbox{-} Ergonomic, spring-assisted, SoftGrip \hbox{$^{\circ}$} handle \, reduces \, hand \,$ fatigue and enhances dexterity.
- Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm.

PowerGear[™] Aviation Snips (left cut)

Height: 29cm

Length: 2,3cm

Width: 10,5 cm

Weight: 0,45 kg

Retailbox: 8

1027209









- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
- · EasyAction handle with optimised span truly fits your grip, for more power without sacrificing cut length.
- $\hbox{-} Ergonomic, spring-assisted, SoftGrip $^{\tt w}$ handle reduces hand$ fatigue and enhances dexterity
- · Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm.

PowerGear[™] Aviation Snips (offset right cut)

Height: 29,5 cm

Length: 3,5 cm

Width: 10,5 cm

Weight: 0,49 kg

Retailbox: 6

Oldart.no. -

Art.no

1027210








- · Forged, heat-treated steel blades and handle are 40% stronger for long life and durability.
- · EasyAction handle with optimised span truly fits your grip, for more power without sacrificing cut length.
- $\hbox{-} Ergonomic, spring-assisted, SoftGrip $^{\circ}$ handle reduces hand$ fatigue and enhances dexterity.
- · Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm.

PowerGear[™] Aviation Snips (offset left cut) 1027211 Art.no. Height: 29,5 cm Length: 3,5 cm Width: 10,5 cm Weight: 0,48 kg Retailbox: 6 Oldart.no. -









- · EasyAction handle with optimised span truly fits your grip, for $more\,power\,without\,sacrificing\,cut\,length.$
- $\textbf{\cdot} \, \mathsf{Ergonomic}, \mathsf{spring}\text{-}\mathsf{assisted}, \mathsf{SoftGrip}^{\scriptscriptstyle{\mathsf{T}}}\mathsf{handle}\, \mathsf{reduces}\, \mathsf{hand}$ fatigue and enhances dexterity.
- Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1 mm.

| PowerGear | PowerGear [™] Aviation Snips (bulldog) | | | | | 1027212 | Z | 6 4 1 1 5 0 1 7 0 1 3 0 5 |
|-----------------|---|---------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 29,3 cm | Length: 2,5 cm | Width: 10,2cm | Weight: 0,43kg | Retailbox: 8 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 1 3 0 5 |







- · Forged, heat-treated steel blades and handle are 40% stronger, while a shorter cut length increases cutting capacity.
- EasyAction[™] handle with optimised span truly fits your grip, for
- more power without sacrificing cut length.

 Ergonomic, spring-assisted, SoftGrip* handle reduces hand
- fatigue and enhances dexterity.
- · Cut capacity: 16-gauge cold-rolled steel, 18-gauge stainless steel; cut length: 25.4 mm.







Heavy-duty Scissors

Fiskars Pro heavy-duty scissors feature power-enhanging technologies, such as PowerArc™ for up to 30% more power, and Amplify™ that cuts up to 2x thicker materials. This makes them ideal for cutting a variety of materials including insulation, duct tape, cardboard, cork, board rope, tar paper, Tyvek, hoses and more. Heavyduty stainless steel blades power through thick materials without separation, while durable construction and high-quality materials guarantee long life.

PowerArc Heavy-duty Scissors, 21cm

Height: 26 cm Length: 10 cm Width: 22cm

Weight: 0,20 kg

Retailbox: 6

1027204

Art.no.

Art.no.

Art.no.

Oldart.no. -

Oldart.no. -

Oldart.no. -









- · Heavy-duty coined stainless steel blades power through thick materials without separation and won't rust.
- · Serrated blade and extended blade tang improve strength and
- $\bullet \textit{Ergonomic handle with SoftGrip} \texttt{``and strategic texturing enhances}$ comfort.

PowerArc[™] Heavy-duty Scissors, 26 cm

Height: 29,5 cm

Length: 10 cm

Width: 26cm

Weight: 0,26 kg

Retailbox: 6

1027205









- · Heavy-duty coined stainless steel blades power through thick materials without separation and won't rust.
- · Serrated blade and extended blade tang improve strength and
- Ergonomic handle with SoftGrip" and strategic texturing enhances comfort.

PowerArc[™] Heavy-duty Utility Snip

Height: 26,4cm

Length: 12 cm

Width: 26cm

Weight: 0,21kg

Retailbox: 6

1027206







- Offset Easy Action™ handle opens automatically, cuts from above or below and keeps your hand away from the materials you're cutting.
- · Heavy-duty stainless steel blades power through thick materials without separation and won't rust.
- · Serrated edge grips slippery materials for better control.
- $\cdot \text{Handle features SoftGrip} \\ \text{`for enhanced dexterity and comfort.}$
- · Easy-open lock protects the blades during transport and storage.

| Amplify [™] Sc | Amplify [™] Scissors, 21 cm | | | | | 1020224 | 4 1 1 5 0 8 8 9 1 5 8 0 |
|-------------------------|--------------------------------------|------------|----------------|--------------|------------|---------|-------------------------|
| Height: 22cm | Length: 2cm | Width: 8cm | Weight: 0,11kg | Retailbox: 5 | Oldart.no. | - | 6 411508 891580 |



- · Ideal for cuts through thick, heavy materials like leather, burlap, carpet, canvas, upholstery and more.
- · Amplify "technology senses blade separation when cutting thick materials, forcing them back together for crisp, clean cuts every
- · Floating blade tang transfers energy to the torsion bar, which adjusts the blade to its optimal angle.
- · Soft-grip handle for comfort and control.
- · High quality stainless steel blades hold their sharp edge longer
- ·For right-handed.

Amplify[™] Scissors 24 cm

| Ampiny oc |), LT 0 | 111 | | | Art.110. 1020223 | z |
|---------------|-------------|------------|-----------------|---------------|--|---|
| Height: 25 cm | Length: 2cm | Width: 9cm | Weight: 0,17 kg | Retail box: 5 | Oldart.no | 6 411 |
| 9 | | | | | · Ideal for cuts through th carpet, canvas, upholste · Premium-grade, stainle edge stay sharp and cut · Thumb and finger loops | ry and much more. ess steel blades with a cleanly, all the way to t |



- like leather, burlap,
- a precisely-honed o the tip.
- ulpting for exceptional comfort and control.
- ·Soft-grip handle for comfort and control.

1020223

- · High quality stainless steel blades hold their sharp edge longer.
- ·For right-handed.

| Hardware Scissors, 25 cm | | | | | Art.no. | 1020478 | 3 3 5 9 9 0 0 6 9 9 6 3 8 |
|--------------------------|-------------|------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 32cm | Length: 2cm | Width: 9cm | Weight: 0,13 kg | Retailbox: 6 | Oldart.no. | - | 3 359900 699638 |




MADE IN FINLAND

- · Long high-quality stainless steel blades with wire cutting notch.
- · Large ergonomic handle.
- · Ergonomic and durable design.
- · Made in Finland.
- ·For right-handed.



Classic Hardware Scissors





Universal scissors 21 cm LH



Retailbox: 5


Weight: 0,12 kg











- · Superior ergonomics ensuring good grip.
- Premium craftmanship: finished and tested by hand.
- $\cdot \, \text{True left-handed scissors thanks to the inverted blades}.$
- Ideal for a wide variety of cutting needs..
 Durable stainless steel blades for long-lasting sharpness.
- Faceted grind ensures precise cutting all the way to the tip.
- · Impact resistant handle material.

| | | | | | • For left-ha | anded users. | |
|-----------------|----------------|-------------|-----------------|--------------|---|-------------------------------------|--|
| Large unive | ersal scissors | 25 cm | | | Art.no. | 1075050 | E 6 424002 019565 |
| Height: 32,4 cm | Length: 3cm | Width: 11cm | Weight: 0,18 kg | Retailbox: 5 | Oldart.no. | 1024882 | 6"424002" 019565 |
| | | | | GUARANTEE 25 | Optimal cLarge har | utting edge and Idles with super | extended guarantee. d lifelong performance. rior ergonomics ensuring good grip. inished and tested by hand. |







- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{a} \, \mathsf{wide} \, \mathsf{variety} \, \mathsf{of} \, \mathsf{cutting} \, \mathsf{needs}.$
- · Long, durable ground stainless steel blades for long-lasting sharpness
- · Faceted grind on the blades ensures precise cutting all the way to
- · Impact resistant handle material.
- · For right-handed users.

| Small universal scissors 16 cm | | | | | Art.no. | 1075055 | z | 6"424002"019619 |
|--------------------------------|----------------|--------------|-----------------|---------------|------------|---------|-----|---------------------------|
| Height: 21,3cm | Length: 1,6 cm | Width: 8,6cm | Weight: 0,06 kg | Retailbox: 10 | Oldart.no. | 1024881 | (A) | 6 4 2 4 0 0 2 0 1 9 6 1 9 |







- · Scissors for life: 25-year extended guarantee.
- $\cdot \text{Optimal cutting edge and lifelong performance}. \\$
- Superior ergonomics ensuring good grip.
 Premium craftmanship: finished and tested by hand.
- · Ideal for a wide variety of cutting needs.
- · Durable stainless steel blades for long-lasting sharpness.
- Faceted grind on the blades for precise cutting all the way to the tip.
- · Impact resistant handle material.
- $\cdot \text{For right- and left-handed users.}$

PowerGear[™] Bolt Cutters

Cut a range of heavy-duty materials including padlocks, chains, rebar, metal rods, threaded rods and more.



Bolt Cutters

Ideal for cutting a range of heavy-duty materials including paddle locks, chains, rebar, metal rod, threaded rod and more, Fiskars Pro Bolt cutters feature PowerGear patented technology - leverage-enhancing gears that give you over 40% more power, especially during the toughest part of the cut. Adjustable eccentric bolts allow you to optimize jaw alignment for optimal cut performance over time.

| PowerGear [™] Bolt Cutter, 91 cm | | | | | Art.no. | 1027216 | 6"411501"70134 | |
|---|---------------|-------------|----------------|--------------|------------|---------|----------------|---|
| Height: 92cm | Length: 5,5cm | Width: 32cm | Weight: 5,5 kg | Retailbox: 1 | Oldart.no. | - | 6 411501 70134 | 3 |





- Cutting capacity: Cuts soft materials up to 12,7 mm (1/2") (<19 HRC) and hard materials up to 9,5 mm (3/8") (<40 HRC).
- ·Length: 91cm

| PowerGear [™] Bolt Cutter, 76 cm | | | | | Art.no. | 1027215 | 4 1 1 5 0 1 7 0 1 3 3 6 |
|---|-------------|-------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 75 cm | Length: 5cm | Width: 29cm | Weight: 4,45 kg | Retailbox: 1 | Oldart.no. | - | 6 4 1 1 5 0 1 7 0 1 3 3 6 |





 \cdot Cutting capacity: Cuts soft materials up to 11,1 mm (7/16") (<19 HRC) and hard materials up to 7,9 mm (5/16") (<40 HRC). \cdot Length: 76 cm

| PowerGear | [™] Bolt Cutter, | 61cm | | | Art.no. | 1027214 | Z | |
|-----------------|---------------------------|-------------|-----------------|--------------|------------|---------|---|------------------|
| Height: 61,5 cm | Length: 4,5cm | Width: 21cm | Weight: 3,06 kg | Retailbox: 2 | Oldart.no. | - | | 6"411501"701329" |





- \cdot Cutting capacity: Cuts soft materials up to 9,5 mm (3/8") (<19 HRC) and hard materials up to 6,35 mm (1/4") (<40 HRC).
- ·Length: 61cm

| PowerGear | [™] Bolt Cutter, | 36 cm | | | Art.no. 1027213 | z |
|-----------------|---------------------------|----------------|-----------------|--------------|------------------------|------------------|
| Height: 35,5 cm | Length: 4cm | Width: 14,5 cm | Weight: 1,08 kg | Retailbox: 2 | Oldart.no | 6"411501" 701312 |





- Cutting capacity: Cuts soft materials up to 7,9 mm (5/16") (<19 HRC) and hard materials up to 4,76mm (3/16") (<40 HRC).
- Length: 36 cm



Reduce punishment on your body Patented technology reduces strike shock and vibration up to 70 %, reducing muscle fatigue and joint pain.

Built to last longer

Forged, heat-treated steel head, finished with a rust-resistant coating.

Maximum strike control

Ergonomically contoured grip and perfectly balanced shaft to give the ultimate strike feel.

IsoCore[™]

UP TO SHOCK




Sledge Hammers

Patented IsoCore™ Shock Control System transfers 2x less shock and vibration than wood handles, reducing the punishment your body takes

5x more destructive Induction-hardened, wedge-shaped demolition head concentrates force for maximum destruction, directing debris to the sides and away from the user


Inseparable riveted head

Stainless steel riveted head with steel-reinforced core gives our product unmatched head retention and durability



IsoCore[®] SHOCK

Striking Tools





Height: 28,6 cm

IsoCore[™] M Club Hammer

IsoCore[™] L Club Hammer

Length: 5,7cm

Width: 12,1cm



Weight: 1,63 kg

reddot award 2016

Retailbox: 2





 Wedged demolition face concentrates force for up to 5x more destructive power.

· Sculpted SoftGrip" handle for enhanced comfort and control.

- Extra-large diameter driving face improves strike accuracy.
- · Forged, heat-treated steel with rust-resistant coating. · Sculpted SoftGrip" handle for enhanced comfort and control.
- · Handle flare keeps tool firmly in hand when swinging.
- $\cdot \, \text{Strategic handle texturing for maximum grip helps prevent blisters}.$
- Insulation sleeve captures initial strike shock.

1020218

1020217

Art.no.

Art.no.

Oldart.no. -

Oldart.no. -

· Dual-layer handle features insulating materials to dampen lingering vibration.





reddot award 2016

Retailbox: 2





- Extra-large diameter driving face improves strike accuracy.
- · Forged, heat-treated steel with rust-resistant coating.
- · Sculpted SoftGrip handle for enhanced comfort and control.
- Handle flare keeps tool firmly in hand when swinging • Strategic handle texturing for maximum grip helps prevent blisters.
- · Insulation sleeve captures initial strike shock.
- Dual-layer handle features insulating materials to dampen lingering

| IsoCore [™] XX | (LBuilder's A | xe | | | Art.no. | 1020220 | EAN | |
|-------------------------|---------------|---------------|----------------|--------------|------------|---------|-----|-----------------|
| Height: 92,1cm | Length: 7,6cm | Width: 20,3cm | Weight: 4,23kg | Retailbox: 2 | Oldart.no. | - | | 6"411501"560087 |





reddot award 2016



- · Optimised blade geometry blasts tough logs apart while the driving face can be struck with another tool to force the wedge · Inseparable riveted head will not slide down or snap off.
- Forged, heat-treated steel with rust-resistant coating.
- · Driving face can be struck with another tool during splitting to help force the wedge.
- · Handle flare keeps tool firmly in hand when swinging.
- · Strategic handle texturing for maximum grip helps prevent blisters
- · Insulation sleeve captures initial strike shock.



Striking Tools

| IsoCore [™] LF | Pick | | | | Art.no. 1020166 | 6 4 1 1 5 0 1 5 6 0 0 9 4 |
|-------------------------|-------------|-----------------------|----------------|---------------|------------------------|---------------------------|
| Height: 91,36 cm | Length: 9cm | Width: 46,89cm | Weight: 3,4 kg | Retail box: 2 | Oldart.no | 6 4 1 1 5 0 1 5 6 0 0 9 4 |





- $\cdot \, \text{Head features} \, \text{a pick end for driving through hard surfaces and} \,$ $mattock\,end\,for\,use\,as\,a\,hoe\,in\,tough\,soil.$
- $\cdot \ \text{Inseparable riveted head will not slide down or snap off.}$
- Forged, heat-treated steel with rust-resistant coating.
 Sculpted SoftGrip handle for enhanced comfort and control.
- · Patent-pending, strategic handle texturing features large finger dimples for maximum grip and small dimples where the palm rests to prevent blisters.
- · Insulation sleeve captures initial strike shock.

| IsoCore [™] SF | Pick | | | | Art.no. | 1062937 | z | 6 4 1 1 5 0 1 2 0 1 2 0 1 |
|-------------------------|---------------|---------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 36,3 cm | Length: 6,3cm | Width: 14,6cm | Weight: 1,2 kg | Retailbox: 2 | Oldart.no. | - | Ä | 6 4 1 1 5 0 1 2 0 1 2 0 1 |





- $\cdot \, \text{Head features} \, a \, \text{pick end for driving through hard surfaces} \, \text{and} \, a$ mattock end for use as a hoe in tough soil.

 Inseparable riveted head will not slide down or snap off.
- · Forged, heat-treated steel with rust-resistant coating.
- Sculpted SoftGrip* tandle for enhanced comfort and control.
- $\cdot \mbox{Handle texturing improves grip and prevents blisters}.$

| IsoCore [™] SN | /laul | | | | Art.no. | 1062936 | Z | 6 4 1 1 5 0 1 2 0 1 1 9 5 |
|-------------------------|----------------|------------------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 35,89 cm | Length: 5,08cm | Width: 14,30 cm | Weight: 1,36kg | Retailbox: 2 | Oldart.no. | - | | 6 4 1 1 5 0 1 2 0 1 1 9 5 |







- Ideal for splitting small logs and kindling.Transfers less shock and vibration than wood-handled mauls, reducing punsishment on your body.
- · Inseparable riveted head will not slide down or snap off, even when swinging with maximum force.
- $\cdot \textit{Forged}, \textit{heat-treated steel with rust-resistant coating}.$

Hammers







- while improving comfort and control.
- · Rip claw pulls nails quickly and easily ·Insulation sleeve captures initial strike shock.





| IsoCore [™] MI | Finishing Har | mmer, Curve | d Claw | | Art.no. | 1027202 | z | 6"411501"701206 |
|-------------------------|---------------|----------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 34cm | Length: 2,8cm | Width: 13,6 cm | Weight: 0,88 kg | Retailbox: 6 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 1 2 0 6 |







reddot award 2016



- · Ideal for driving small nails into visible surfaces without damaging the surrounding area.
- Sculpted SoftGrip™handle with texturing helps prevent blisters
- while improving comfort and control. · Curved claw optimised to make removing nails faster and easier
- · Insulation sleeve captures initial strike shock.



IsoCore[™] L General Use Hammer, Curved Claw

IsoCore[™] L General Use Hammer



Weight: 0,91kg



reddot award 2016 winner

Retailbox: 4



- · Ideal for driving small nails into visible surfaces without damaging the surrounding area.
- ·Sculpted SoftGrip™ handle with texturing helps prevent blisters while improving comfort and control.
- · Magnetic nail-starter groove allows you to start nails with one hand in hard places.
- · Rip claw pulls nails quickly and easily.

1027203

1020214

Art.no.

Art.no.

Oldart.no. -

Oldart.no. -

· Insulation sleeve captures initial strike shock.





Retail

pack

Weight: 0,78 kg



reddot award 2016

Retailbox: 6



- $\cdot \mbox{Ideal for driving nails during a wide variety of common tasks on the} \\$
- job site or around the house.
 Sculpted Soft Grip" handle with texturing helps prevent blisters while improving comfort and control.
- · Curved claw optimised to make removing nails faster and easier
- · Insulation sleeve captures initial strike shock.

| | | | | Geprüfte Sicherheit | | | | |
|-------------------------|---------------|----------------|-----------------|------------------------|------------|---------|-----|-----------------------|
| IsoCore [™] XL | .General Use | Hammer | | | Art.no. | 1020215 | EAN | |
| Height: 39,4 cm | Length: 3,8cm | Width: 14,6 cm | Weight: 0,86 kg | Retailbox: 4 | Oldart.no. | - | Ш | 6 4 1 1 5 0 1 5 6 0 0 |






reddot award 2016



- · Ideal for driving small nails into visible surfaces without damaging the surrounding area.
- ·Sculpted SoftGrip™handle with texturing helps prevent blisters while improving comfort and control.
- · Magnetic nail-starter groove allows you to start nails with one hand in hard places.
- · Rip claw pulls nails quickly and easily.
- $\cdot Insulation\, sleeve\, captures\, initial\, strike\, shock.$



• Extended grip lets you choke up for added control when making

· Insulation sleeve captures initial strike shock.

precision strikes.



Demolition Tools

Fiskars Pro demolition tools are great for a variety of demolishing tasks and feature patented IsoCore™ shock control technology to reduce shock and vibration by up to 70%.

| IsoCore [™] LE | Demolition To | ool | | | Art.no. | 1027221 | Z | 6 4 1 1 5 0 1 7 0 1 3 9 8 |
|-------------------------|----------------|-------------|-----------------|--------------|------------|---------|----|---------------------------|
| Height: 75 cm | Length: 3,5 cm | Width: 15cm | Weight: 2,60 kg | Retailbox: 2 | Oldart.no. | - | 12 | 6 4 1 1 5 0 1 7 0 1 3 9 8 |




- $\cdot lsoCore^{\times} shock control \, system \, transfers \, 30\% \, less \, vibration \, than \, wood \, handles.$
- $\bullet \, \mathsf{Board} \, \mathsf{bender} \, \& \, \mathsf{straightener} \, \mathsf{to} \, \mathsf{reuse} \, \mathsf{and} \, \mathsf{straighten} \, \mathsf{boards}.$
- SoftGrip™ handle with texturing for improved grip.
- Chisel & pry to easily remove tile, striking face for pounding.
- $\cdot \text{Demo edge maximizes striking force}.$
- Striking & struck face lets you position and strike to target tight spaces.
- ·Claw for easily pulling nails.

| IsoCore [™] M Demolition Tool | | | | | | 1027220 | z | 6 4 1 1 5 0 1 7 0 1 3 8 1 |
|--|-------------|-----------------------|-----------------|--------------|------------|---------|----------|---------------------------|
| Height: 46,2 cm | Length: 3cm | Width: 14,2 cm | Weight: 1,38 kg | Retailbox: 4 | Oldart.no. | - | <u> </u> | 6 4 1 1 5 0 1 7 0 1 3 8 1 |





- ·IsoCore" shock control system transfers 30% less vibration than wood handles.
- $\bullet Board\,bender\,\&\,straightener\,to\,reuse\,and\,straighten\,boards.$
- •SoftGrip™ handle with texturing for improved grip.
- · Chisel & pry to easily remove tile.
- · Demo edge maximizes striking force.
- · Claw for easily pulling nails.
- · Handle flare keeps the tool firmly in hand when swinging.



Iron bars

| Iron Bar, 5 k | g | | | | Art.no. | 1027234 | E A N |
|----------------|---------------|---------------|----------------|--------------|------------|---------|---------------------------|
| Height: 120 cm | Length: 2,9cm | Width: 2,9 cm | Weight: 4,97kg | Retailbox: 1 | Oldart.no. | - | 6 4 1 1 5 0 1 7 0 1 5 2 7 |

- For levering, moving loads, dislodging stones & digging.
 Octagonal cross-section for better grip.
 Made of high quality & durable carbon steel.

- Hardened ends to ensure user safety when using the bar to strike.

| Iron Bar, 6 kg | | | | | | 1027235 | Z | 6'41501'701534 |
|----------------|-------------|------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 135cm | Length: 3cm | Width: 3cm | Weight: 5,97kg | Retailbox: 1 | Oldart.no. | - | A | 6 4 1 1 5 0 1 7 0 1 5 3 4 |

- · For levering, moving loads, dislodging stones & digging.
- ·Octagonal cross-section for better grip.
- · Made of high quality & durable carbon steel.
- $\cdot \text{Hardened ends to ensure user safety when using the bar to strike.}$

| Iron Bar, 7 kg | g | | | | Art.no. | 1027236 | A 6 4 1 1 5 0 1 7 0 1 5 4 1 |
|----------------|---------------|--------------|----------------|--------------|------------|---------|-----------------------------|
| Height: 150 cm | Length: 3,1cm | Width: 3,1cm | Weight: 7,01kg | Retailbox: 1 | Oldart.no. | - | 6"411501"701541" |

- For levering, moving loads, dislodging stones & digging.
 Octagonal cross-section for better grip.
 Made of high quality & durable carbon steel.
 Hardened ends to ensure user safety when using the bar to strike.



Maintenance | Spare Parts

| Maintenance Kit | | | | | Art.no. | 1001640 | 6 4 1 1 5 0 1 9 6 9 9 0 3 |
|-----------------|----------------|---------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 19,7 cm | Length: 3,3 cm | Width: 10,5cm | Weight: 0,15 kg | Retailbox: 4 | Oldart.no. | 110990 | 6 411501 969903 |





·Includes a maintenance guidebook, diamond file and oil.

• Detailed instructions using pictures and symbols for sharpening, oiling, washing, storage and more.

| Spare Blade For Folding Saw SW68 | | | | | | 1067554 | z | 6 4 1 1 5 0 1 2 0 1 3 5 5 |
|----------------------------------|---------------|------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 23,4cm | Length: 0,4cm | Width: 8cm | Weight: 0,06 kg | Retailbox: 4 | Oldart.no. | - | 7 | 6 4 1 1 5 0 1 2 0 1 3 5 5 |



- ·SW-68 (1067552)
- · For quick, clean cuts on thick stems and branches.
- $\boldsymbol{\cdot} 7\,\text{TPI}\,\text{blade for fast cutting}.$
- ·Blade lenght: 15 cm

| Spare Blade For Folding Saw SW69 | | | | | Art.no. | 1067555 | A 6 4 1 1 5 0 1 2 0 1 3 6 2 |
|----------------------------------|---------------|------------|-----------------|--------------|------------|---------|-----------------------------|
| Height: 29,4cm | Length: 0,4cm | Width: 8cm | Weight: 0,08 kg | Retailbox: 4 | Oldart.no. | - | 6 4 1 1 5 0 1 2 0 1 3 6 2 |



- ·SW-69 (1067553)
- For quick, clean cuts on thick stems and branches.
 7 TPI blade for fast cutting.
 Blade lenght: 20 cm

| Handle Kit for Pruning Saw (SW240 & SW330) | | | | | Art.no. | 1020202 | z | 6 4 1 1 5 0 1 2 3 3 3 2 5 |
|--|---------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 22cm | Length: 2,2cm | Width: 11cm | Weight: 0,16 kg | Retailbox: 4 | Oldart.no. | 123332 | | 6 4 1 1 5 0 1 2 3 3 3 2 5 |



| Handle kit for use with: |
|-------------------------------|
| ·SW-330 (article No 1020199). |
| •SW-240 (article No 1020200). |

·Sturdy grip with SoftGrip".

·Screw and nut.

| Scabbard Kit for Pruning Saw (SW240 & SW330) | | | | | Art.no. | 1020201 | z |
|---|--|--|--|--|------------|---------|------------------|
| Height: 42cm Length: 5,5cm Width: 9cm Weight: 0,18kg Retailbox: 4 | | | | | Oldart.no. | 123331 | 6"411501" 233318 |



Scabbard kit for use with:

- •SW-330 (article No 1020199).
- ·SW-240 (article No 1020200).
- ·Scabbard with left- and right-side mounting.
- ·Usable with WoodXpert "tool belt (Article No 1003626).

Curved Replacement Blade (CC33)

Height: 43,4cm Length: 0,3cm Width: 7,1cm


Weight: 0,10 kg

Retailbox: 4

Art.no. 1020193

Oldart.no. 123336





- SW-330 (article No 1020199).
- ·SW-240 (article No 1020200).
- · General cutting, fast pruning with fewer strokes.
- · Pitch of teeth 4 mm.

Straight Replacement Blade (SF33)

Height: 43,4 cm Length: 0,3cm

......

Width: 7,1cm

Weight: 0,09 kg

Retailbox: 4

1020197

Oldart.no. 123338

Art.no.



Replacement blade for use with:

- ·SW-330 (article No 1020199).
- · SW-240 (article No 1020200).
- · Fruit trees and trees with loose bark.
- · Pitch of teeth 2,5 mm.

Curved Replacement Blade (CC24)

Height: 34cm

Length: 0,3cm

Width: 5,3cm

Weight: 0,06 kg

Retailbox: 4

1020194

Oldart.no. 123246



- · SW-330 (article No 1020199).
- · SW-240 (article No 1020200).
- · General cutting

Art.no.

·Pitch of teeth 4 mm.

Straight Replacement Blade (SF24)

Height: 34cm

Length: 0,3cm

Width: 5,3 cm

Weight: 0,07 kg

Retailbox: 4

Art.no. Oldart.no. 123248



Replacement blade for use with:

- ·SW-330 (article No 1020199).
- ·SW-240 (article No 1020200).
- · Fruit trees and trees with loose bark.

1020198

· Pitch of teeth 2,5 mm.

| Spare Blade for Bow Saw (SW30 | Spare B | re Bla | de for | Bow S | Saw (| SW30 |) |
|-------------------------------|---------|--------|--------|-------|-------|------|---|
|-------------------------------|---------|--------|--------|-------|-------|------|---|

Height: 63cm Length: 0,1cm

Width: 4cm

Weight: 0,05 kg

Retailbox: 5

1001706 Art.no

Oldart.no. 124807





Replacement blade for use with: · 21" Bow Saw SW30 (article No 1001621).

| Spare Blade for Bow Saw (SW31) | | | | | Art.no. | 1001707 | 0 0 4 6 5 6 1 1 0 0 6 8 1 |
|--------------------------------|---------------|------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 67,1cm | Length: 0,1cm | Width: 4cm | Weight: 0,05 kg | Retailbox: 5 | Oldart.no. | 124817 | 0 0 4 6 5 6 1 1 0 0 6 8 1 |



Replacement blade for use with: • 24" Bow Saw SW31 (article No 1000615).

| Blade, spring, screw, lock (P961) | | | | | | 1064258 | Z | 6 4 1 1 5 0 1 7 0 4 3 8 2 |
|-----------------------------------|----------------|-------------|----------------|--------------|------------|---------|---|---------------------------|
| Height: 27cm | Length: 3,5 cm | Width: 17cm | Weight: 0,07kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 7 0 4 3 8 2 |



Blade, spring, screw and lock for use with:
• X-series ** Pruner bypass L P961 (article No 1057175).

| Blade, spring, screw, lock (P941) | | | | | | 1064259 | Z | 6411501704399 |
|-----------------------------------|----------------|-------------|----------------|--------------|------------|---------|----|---------------------------|
| Height: 27cm | Length: 3,5 cm | Width: 17cm | Weight: 0,06kg | Retailbox: 4 | Oldart.no. | - | E/ | 6 4 1 1 5 0 1 7 0 4 3 9 9 |



Blade, spring, screw and lock for use with:

·X-series" Pruner anvil L P941 (article No 1057174).

·PowerGear" X Pruner anvil PX93 (1023629).

| Blade, spring, screw, lock (P921) | | | | | | Art.no. | 1064260 | z | 6411501704405 |
|--|--|--|--|--|--|------------|---------|---|---------------------------|
| Height: 27cm Length: 3,5cm Width: 17cm Weight: 0,06kg Retailbox: 4 | | | | | | Oldart.no. | _ | 7 | 6 4 1 1 5 0 1 7 0 4 4 0 5 |



Blade, spring, screw and lock for use with:

·X-series" Pruner bypass M P921 (article No 1057173).

·PowerGear" X Pruner bypass L PX94 (1023628).

| Blade, Spring, Bolt, Screw (P90) | | | | | | 1026278 | Z | |
|----------------------------------|----------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 27cm | Length: 3,5 cm | Width: 17cm | Weight: 0,10 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 2 4 0 0 2 0 0 8 5 2 1 |



Blade, spring, bolt, screw for use with: • Pro Pruner P90 (article No 1001530).

| Blade, Lock | /1&L(PB8) | Art.no. 1026280 | Z | 6 4 2 4 0 0 2 0 0 8 5 4 5 | | | |
|---------------|-------------|------------------------|-----------------|---------------------------|-----------|---|---------------------------|
| Height: 27 cm | Length: 2cm | Width: 17 cm | Weight: 0,12 kg | Retail box: 4 | Oldart.no | E | 6 4 2 4 0 0 2 0 0 8 5 4 5 |



Blade, lock, screw kit for use with:

- Pro Tools Pruner PB8 M (article No 1020204).

 Pro Tools Pruner PB8 L (article No 1020203).

| Handle Kit, M (PB8) | | | | | | 1026282 | Z | 6 4 2 4 0 0 2 0 0 8 5 6 9 |
|---------------------|---------------|--------------|----------------|--------------|------------|---------|----------|---------------------------|
| Height: 27 cm | Length: 2,2cm | Width: 17 cm | Weight: 0,08kg | Retailbox: 4 | Oldart.no. | - | <u> </u> | 6 4 2 4 0 0 2 0 0 8 5 6 9 |



Handle kit for use with:

· Pro Tools Pruner PB8 M (article No 1020204).

| Handle Kit, L (PB8) | | | | | | 1026283 | Z | 6 4 2 4 0 0 2 0 0 8 5 7 6 |
|---------------------|----------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 27 cm | Length: 2,5 cm | Width: 17cm | Weight: 0,09 kg | Retailbox: 4 | Oldart.no. | - | | 6 424002 008576 |



Handle kit for use with:

· Pro Tools Pruner PB8 L (article No 1020203).

| Blade, Screws (L102, L72, L76) | | | | | | 1026284 | z | 6 4 2 4 0 0 2 0 0 8 5 8 3 |
|--------------------------------|-------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 27cm | Length: 2cm | Width: 17cm | Weight: 0,14 kg | Retailbox: 4 | Oldart.no. | - | Ш | 6 4 2 4 0 0 2 0 0 8 5 8 3 |



Blade, screws for use with:

Quantum Lopper bypass Scissor SL102 (article No 1001436).

PowerGear Lopper bypass Scissor SL72 (article No 1001555).

PowerGear Lopper bypass Scissor ML76 (article No 1001553).

| Blade, Screws (L104, L108, LX94, LX98, L78, L94, L98) | | | | | | 1026285 | Z | 6 4 2 4 0 0 2 0 0 8 5 9 0 |
|--|--|--|--|--|--|---------|---|---------------------------|
| Height: 27cm Length: 2,6cm Width: 17cm Weight: 0,29kg Retailbox: 4 | | | | | | - | | 6 424002 008590 |



Blade, screws for use with:

• Quantum Lopper bypass ML104 (article No 1001438) and bypass LL108 (article No 1001435).

• PowerGear™ X Lopper bypass M L X94 (article No 1020187) and bypass LLX98 (article No 1020188).

PowerGear Lopper bypass Hook LL78 (article No 1000584).
 PowerGear Steel Lopper bypass ML94 (article No 1001549) and bypass LL98 (article No 1001548).

| Blades Anvil, Screw (L109, LX99, L93, L99) | | | | | Art.no. | 1026286 | Z | 6424002 008606 |
|--|---------------|-------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 27cm | Length: 2,2cm | Width: 17cm | Weight: 0,25 kg | Retailbox: 4 | Oldart.no. | - | Ä | 6 424002 008606 |



Blades anvil, screw for use with:

- ·Quantum Lopper anvil L L109 (article No 1001437).
- ·PowerGear™X Lopper anvil L LX99 (article No 1020189). PowerGear Steel Lopper Anvil M L93 (article No 1001550).
 PowerGear Steel Lopper Anvil L L99 (article No 1001547).

| Blade, Screw (L70, L74, L90, L92, LX92) | | | | | Art.no. | 1026288 | z | 6"424002"008620 |
|---|-------------|-------------|-----------------|--------------|------------|---------|----------|-----------------|
| Height: 27cm | Length: 2cm | Width: 17cm | Weight: 0,14 kg | Retailbox: 4 | Oldart.no. | - | | 6 424002 008620 |



Blade, screw for use with:

- Power Gear "Lopper bypass Hook Head SL70 (article No 1002104).
- $\cdot \text{PowerGear} \text{``Lopper bypass Hook ML74 (article No 1000582)}.$
- · PowerGear™ Steel Steel Lopper bypass XS L90 (article No 1001552).
- •PowerGear™ Steel Lopper bypass S L92 (article No 1001551).
- ·PowerGear™X Lopper bypass S LX92 (article No 1020186).

| Blades, Anvil, Screw (L71) | | | | | Art.no. | 1026290 | z | 6 4 2 4 0 0 2 0 0 8 6 4 4 |
|----------------------------|---------------|--------------|-----------------|--------------|------------|---------|-----|---------------------------|
| Height: 27cm | Length: 2,5cm | Width: 17 cm | Weight: 0,18 kg | Retailbox: 4 | Oldart.no. | - | EAI | 6 424002 008644 |



Blades, anvil, screw for use with:

 ${\boldsymbol{\cdot}} \operatorname{PowerGear} {}^{\scriptscriptstyle{\mathsf{M}}} \operatorname{Lopper} \operatorname{anvil} \operatorname{SL71} (\operatorname{article} \operatorname{No} 1001556).$

| Blades, Anvil, Screw (L77) | | | | | | 1026292 | 6 4 2 4 0 0 2 0 0 8 6 6 8 |
|----------------------------|---------------|-------------|----------------|--------------|------------|---------|---------------------------|
| Height: 27cm | Length: 3,1cm | Width: 17cm | Weight: 0,37kg | Retailbox: 4 | Oldart.no. | - | 6 424002 008668 |



Blades, anvil, screw for use with:

 ${\color{red} \bullet} \mathsf{PowerGear}^{^{\bowtie}} \mathsf{Lopper} \, \mathsf{anvil} \, \mathsf{LL77} \, (\mathsf{article} \, \mathsf{No} \, \mathsf{1000583}).$

| Blade, Spring, Chain link for Tree pruners | | | | | | 1026293 | Z | 6"424002"008675 | | |
|--|---------------|-------------|----------------|---------------|------------|---------|-------------|-----------------|--|--|
| Height: 27cm | Length: 2,2cm | Width: 17cm | Weight: 0,07kg | Retail box: 4 | Oldart.no. | - | 6 424002 00 | | | |



- Blade, spring, chain link for use with:

 PowerGear Tree pruners UP82 (article No 1001558) / UP84 (article No 1001557) / UP86 (article No 1000598/1073084).
- ·PowerGear™X Tree pruners UPX82 (article No 1023625) / UPX86 (article No 1023624).
- Fiskars Telescopic tree pruner UPN86 (1073084).

| Spare Cutting Head (UPX82, UPX86) | | | | | Art.no. | 1026295 | z | 6"424002"008699 |
|-----------------------------------|---------------|--------------|-----------------|--------------|------------|---------|---|-----------------|
| Height: 24 cm | Length: 8,2cm | Width: 10 cm | Weight: 0,44 kg | Retailbox: 4 | Oldart.no. | - | 1 | 6 424002 008699 |





- Spare cutting head for use with:

 PowerGear" X Tree pruner UPX82 (article No 1023625).

 PowerGear" X Telescopic Tree pruner UPX86 (article No 1023624).

| Internal Rope & Roll Cord (UP86) | | | | | Art.no. | 1027526 | z | 6 4 1 1 5 0 1 1 5 0 3 5 6 |
|----------------------------------|---------------|-------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 27cm | Length: 2,6cm | Width: 17cm | Weight: 0,12 kg | Retailbox: 4 | Oldart.no. | - | | 6 4 1 1 5 0 1 1 5 0 3 5 6 |



For use with Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No 1000598/1073084).

| Internal Rope & Roll Cord (UP82) | | | | | Art.no. | 1027525 | 6'411501' 150349 |
|----------------------------------|---------------|-------------|-----------------|--------------|------------|---------|---------------------------|
| Height: 27cm | Length: 2,6cm | Width: 17cm | Weight: 0,09 kg | Retailbox: 4 | Oldart.no. | - | 6 4 1 1 5 0 1 1 5 0 3 4 9 |



For use with Universal Cutters Tree Pruner Bypass UP82 (article No 1001558).

| Handle and Rope Set (UPX86) | | | | | Art.no. | 1026296 | Z | |
|-----------------------------|---------------|--------------|-----------------|--------------|------------|---------|----|-----------------|
| Height: 24cm | Length: 8,2cm | Width: 10 cm | Weight: 0,19 kg | Retailbox: 4 | Oldart.no. | - | EA | 6 424002 008705 |



• PowerGear™ X Telescopic tree pruner UPX86 (article No 1023624).

| Handle and Rope Set (UPX82) | | | | | Art.no. | 1026297 | Z | 6 4 2 4 0 0 2 0 0 8 7 1 2 |
|-----------------------------|---------------|--------------|-----------------|--------------|------------|---------|---|---------------------------|
| Height: 24cm | Length: 8,2cm | Width: 10 cm | Weight: 0,16 kg | Retailbox: 4 | Oldart.no. | - | | 6 424002 008712 |



Handle and rope set for use with:
• PowerGear" X Tree pruner UPX82 (article No 1023625).

| QuikDrill [™] Plus [™] Part,S | | | | | Art.no. | 1000637 | z | 905568"347176 |
|---|-------------|--------------|-----------------|--------------|------------|---------|---|---------------|
| Height: 14,5 cm | Length: 2cm | Width: 10 cm | Weight: 0,14 kg | Retailbox: 2 | Oldart.no. | 134717 | 5 | 905568 347176 |



- Spare blades for use with:
 QuikDrill" Garden Drill S (article No 1000636).
 Working diameter 100 mm.

| QuikDrill [™] Plus [™] Part, L | | | | | Art.no. | 1000641 | S 905568 347374 |
|--|-------------|--------------|----------------|--------------|------------|---------|-----------------|
| Height: 22cm | Length: 2cm | Width: 15 cm | Weight: 0,55kg | Retailbox: 2 | Oldart.no. | 134737 | 5 905568 347374 |



- Spare blades for use with:
 QuikDrill" Garden Drill L (article No 1000640).
 Working diameter 200 mm.

| Classic Du | tch Hoe blade | e, 230 mm | | | Art.no. | 1014821 | EAN |
|---------------|---------------|--------------|-----------------|--------------|------------|------------------------|-----------------------------|
| Height: 0,5cm | Length: 30cm | Width: 10 cm | Weight: 0,094kg | Retailbox: 1 | Oldart.no. | | 6" 4 1 1 5 0 1" 3 6 8 1 6 4 |
| Ω | | a . | | | Spare blad | e for Classic Dutch ho | e |




| Classic Hoe blade, 185 mm | | | | | Art.no. | 1023110 | Z | |
|---------------------------|---------------|--------------|------------------|----------------|------------|---------|---|-----------------|
| Height: 0,2 cm | Length: 30 cm | Width: 10 cm | Weight: 0,065 kg | Retail box: 10 | Oldart.no. | - | | 5 702261 012109 |



Spare blade for Classic hoe

The right tool for each task



Gardening - general



Madein Finland



Weather proof



Frost resistant



Frost resistant up to -30°C



From S-M sized hands



From S-L sized hands



From M-L sized hands



Left-& righthanded use



Righthanded use only



Pocket



Locking system



Double locking system



Cutting diameter



Product

Gardening - general materials & technologies



SoftGrip[™]



TruGrip[™]



Non-slip grip



Lightweight



SmartFit™



Steel (New icon)



Steel



Stainless steel



Boron steel



Steel parts





Fiber Comp[®] (2x more durable)



Aluminium



Dura frame®



Cotton fabric



EaseCut"



Power Step[™]



POWER



Power Gear





Power Lever

Gardening - plant care maintenance



Maintenance: Wash with water & brush



Maintenance: Wipe with cloth



Spare parts

Spare parts symbol



Oil



Maintenance: Oiling connections



Maintenance: Sharpening direction & Fiskars sharpening tool

Plant Care



Bypass blades-**Promotes** growth



Bypass blades function



Anvil blades-Stunts growth



Anvil blades function



Optimised cutting power



Optimised cutting power



Optimised powertip



Non-Stick blade coating



FingerLoop



CrMov blade material



Ultrablade® coating



TruEdge[™] blade



PTFE coating



Coated blade, general



lower blade



Blade toothing & Sawing direction




Hollow grind blade (branch saw)



Universal snip



For flowers



Telescopic length



Telescopic max.reach




PowerReel mechanism

Yard Care



Power Clean"





Car & Snow Tools



Reflectors (sledge)



Double bladed (ice scraper)



Floating (camping & car spade)



Stainless steel (carshovel)



Zinc coated steeledge (sledge)



Non-sticky scoop (sledge)



Telescopic/ extendable length





Lawn Care



180° angle (grass shears)



360° cutting angle (Grass shears)



Anti-jamming (grass shears)



Weed puller usage:
Press into ground



Weed puller usage: Tilt



Weed puller usage: Release



Telescopic length



Pop-up bags sizes



Tearresistant (Pop-up bags)



Waterresistant (Pop-up bags)

Soil Care



Hardness 52 HRC (hay fork)



Hardness 52 HRC (manure fork)



QuikDrillS, usage1



QuikDrillS, usage2



QuikDrill M, usage 1



QuikDrillM, usage2



QuikDrill L, usage 1



QuikDrill L, usage 2_



Aerator rake spike



Flexible prongs (rakes)



Shovel profile



Spade profile



Boron steel (shovels)



Boron steel (pointed

spades)



Boron steel (rounded spades)



Step board (spades)




Drop shape shaft (spades)



Construction spade



Double hand usage



Aeration (rakes)

QuikFit[®]



QuikFit



Universal adapter, connection diameter



Universal adapter, universal connection



Telescopic reach



Spiker (Sharp blade)

Wood Preparation



Sharp blade (axes)



Chopping axe



Chopping axefor branches



Felling axe



Splitting



Splitting log size (axes)



Balanced



Ceramic (axe & knife sharpener)



Push&pull (axe & knife sharpener)



Sharp steel blade (knives)



Blade length



Product length



Sharp blade (brush hooks)



Reinforced (Wood Xpert)



Belt clip (knives)





Finger guard (knives)







Grafting (knives)



Grafting pen (knives)



Universal usage



Woodcarving (knives)



Sappie XA22



Felling lever usage



Log size (log splitter)



Log tongs usage (LT6)



Sappie XA2



Finger guard (bow saws)



Finger guard, D-handle (saws)



Finger guard (saws)



Belt clip (saws)



Pullblade,



Pull blade (saws)



Maintenance saws: Oiling



Maintenance saws: Wipe with cloth



Push& pull blade (bowsaw)

Special rub-

ber (sledge

hammers)



Drop forged (splitting wedge)

usage (saws)



Helicoidal (splitting wedge)



Sliding blade (saws)



Safety gear



Safety glasses



Safety gloves



Safety instructions (wood prep)



Safe area wedge

Safety

(axes)

warning



Watering – general



Hose connection diameter 9 mm



Hose connection diameter 13-15 mm



Hose connection diameter 19 mm



Garden size recommendation



Frost resistant when drained



Universal fit. Fits with other brands.



Pressure resistancy



Rust resistancy



Rotation capability

Waterwheels



Easy wallmounting



Easy wallmounting



Auto On/Off function



Automatic reel-in function

Hoses



Product length



UV resistant



Pressure resistance



Long lasting



High durability



Time saving



70%less water



Can be cut



Flow control

Connectors



Tap connector connection size in inch & mm



Twin tap, hose On/Off



Watering stop

Spray Guns & Nozzles



Easy to use / connect



Ergonomic grip pattern




Water flow



Water flow



Water flow, Solid



Spray pattern, Adjustable, hard to wide



Front control flow



Thumb control flow



Spray pattern, 3-function, hard jet



Spray pattern, 3-function, mist



Spray pattern, 3-function, shower



Spray pattern, Multi, mist



Spray pattern, Multi, shower



Spray pattern, Multi, bubble spray



Spray pattern, Multi, flat spray



Spray pattern, Multi, hardjet



Spray pattern, 4-function



Spray pattern, Spray gun



Spray pattern, 3-function

Sprinklers



Watering areaS, round



Watering area S, square



Watering area M



Watering



Watering area XL



On/Off



Adjustable distance and rotation



Adjustable width



Adjustable



Adjustable length

Pressure Sprayers & Timers



Up to 5L capacity



Safety valve



Timing duration capability



Auto Off function



Instant watering



Watering frequency



Dual outlet



Single outlet















Fiskars has championed the ageless principles of high quality and intuitive design since 1649. We empower every enthusiast to follow their passions and create the life they want. We believe that making our daily activities enjoyable and inspiring builds happiness and wellbeing that extends beyond our homes – to our families, our friends and our communities.

COOKING | GARDENING | CRAFTING

