

GARDEN EXPORT CATALOGUE 2011



FISKARS®

NEW PRODUCTS

NEW INNOVATIONS

NEXT GENERATION AXES
X25 122480

NEW
See more
p.71



PRUNERS
SingleStep™ Bypass 111260

NEW
See more
p.10



NURSERY TOOLS
Transplanter 137210

NEW
See more
p.43



ERGOPLUS
Garden Fork 133401

NEW
See more
p.49




REEL MOWER
Momentum™
113880

NEW
See more
p.30



QUIKFIT RANGE
Leaf Rake - 135013
Graphite Shaft - 136001

NEW
See more
p.35 / 40





FISKARS®

A QUALITY STORY FROM 1649



In 1649 Peter Thorwöste was granted permission to manufacture cast iron and forged products in a small Finnish village called Fiskars. His company soon became famous for high quality steel and steel products.



In 1967 Fiskars launched its iconic orange-handled scissors, pioneering a revolutionary manufacturing process, ergonomic handles and innovative blades that offered precision, comfort and durability far superior to its peers. Nowadays a must-have in households worldwide, the orange scissors are symbolic to Fiskars commitment to exclusive quality and innovative design.



Today one of the Western world's oldest companies, Fiskars has grown into a multinational Corporation, present in more than 40 countries on four continents. The company's roots and soul can still be found in Fiskars village, where, some 10 kilometers away, garden tools are manufactured according to its strict historic quality standards.



Fiskars ergonomic, lightweight, yet powerful garden tools are designed to reduce strain and fatigue, and to ensure its green fingered users the ultimate gardening experience in today's hectic lifestyle: less effort required means more time to enjoy!

This has resulted in a steady increase in market shares and positioned Fiskars as a top-selling brand with a global presence; number one in hand operated garden tools in North America, Australia and much of Europe.

INDEX



CUTTING TOOLS

• Pruners	P.6
• Scissors	P.11
• Loppers	P.16
• Universal Cutters	P.20
• Grass Shears	P.23
• Hedge Shears	P.25
• Weed Pullers	P.27
• Reel Mower	P.30

GARDENING AND STICK TOOLS

• QuikFit™	P.31
• Nursery Tools	P.42
• Rakes	P.45
• ErgoPlus™	P.48
• Telescopic	P.50
• Garden Light	P.52
• Ergonomic	P.55
• Classic	P.59
• Kids	P.61
• Colours	P.64



p.48

WOOD PREPARATION

-
- Axes & Forestry tools P.68
 - Saws & Knives P.74
-



p.68

CONSTRUCTION TOOLS

-
- Sledge Hammers P.79
 - Saws P.80
 - ErgoComfort Construction P.80
 - Other Tools P.81
-



p.83

SNOW TOOLS

-
- Snow Sledges P.84
 - Snow Pushers & Shovels P.85
 - Snow Light Tools P.86
 - Car and Camping Spades P.87
-

PRUNERS

INNOVATION
ERGONOMICS
DESIGN

The PowerStep™ technology allows gardeners to cut branches in 1, 2 or 3 steps

Softouch handle for better grip

PTFE coated upper blade







PRUNERS





Fiskars Pruners are ergonomically designed for comfort and ease of use, and recognized as best in category by many gardeners and industry experts for value and performance. Their ergonomic handles are made of extra durable fiberglass reinforced polyamide and the stainless steel blades are secured by an easily accessible locking mechanism when the pruner is not in use.





The range includes practical Fingerloop multitask pruners with a safer grip, slim PowerLever™ pruners designed especially for women, PowerLever™ Two Hand Pruners with three grip positions for different use/output: precision grip for precise cutting, reach grip for reaching inner branches of a bush or tree crowns and power grip with two hands for power cutting. Unique PowerGear™ pruners with a gear mechanism PowerStep™ technology allows gardeners to cut branches in 1, 2 or 3 steps. The tool autonomously selects the gradual option, to reduce the force needed per stroke. The revolutionary new mechanism makes the workload easier on young and senior gardeners alike, eliminating strain and pain to increase the overall pleasure of gardening. SingleStep™ Pruners are the newest addition to the Fiskars high quality pruner's family.





PowerStep™ PRUNER

Product Name: P83	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerStep™ Anvil Pruner	111670	140 g	180 mm	24 mm	4	
 reddot design award winner 2009	<ul style="list-style-type: none"> < The PowerStep™ technology allows gardeners to cut branches in 1, 2 or 3 steps, the tool autonomously selects the gradual option according to the thickness of the branch to be cut < PTFE coated upper blade < Locking mechanism < Suitable for both left and right handed 					
						





PowerGear™ PRUNERS

Product Name: P94	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ Hand Pruner	111540	272 g	207 mm	26 mm	4	
	<ul style="list-style-type: none"> < Rotating handle movement allows use of all fingers simultaneously < Unique gear mechanism provides maximum cutting power < Adjustable handle width < PTFE-coated special CrMoV steel upper blade < Locking mechanism < Replaceable blade 					
						





Product Name: P92	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ Bypass Pruner S-M	111520	192 g	200 mm	20 mm	4	 
	<ul style="list-style-type: none"> < Rotating handle movement allows use of all fingers simultaneously < Unique gear mechanism provides maximum cutting power < PTFE-coated special CrMoV steel upper blade < Locking mechanism < Replaceable blade, no tools needed 					
						

Product Name: P91	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ Anvil Pruner S-M	111510	192 g	192 mm	20 mm	4	 
	<ul style="list-style-type: none"> < Rotating handle movement allows use of all fingers simultaneously < Unique gear mechanism provides maximum cutting power < PTFE-coated special CrMoV steel upper blade < Locking mechanism < Replaceable blade, no tools needed < Lower blade made of fibreglass reinforced polyamide 					
						









GARDEN PRO PRUNER

Product Name: P90	Article N°	Weight	Length	ø	Retail Box	EAN Code
Garden Pro Pruner	111960	265 g	230 mm	26 mm	4	 
	<ul style="list-style-type: none"> < Bypass blades allow cutting very close to the stem < Exclusive ergonomic handle < Cushioned cutting action < Extra hardening of upper blade < Upper blade replaceable < Wire cutter < Adjustable tightening with nut locking ring < PTFE coated upper steel blade to reduces friction for better cutting 					
						





PowerLever™ PRUNER





Product Name: P54	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerLever™ Bypass Pruner	111340	132 g	173 mm	20 mm	4	 6 411501 963406
	<ul style="list-style-type: none"> < For cutting fresh green wood and branches in the garden < Bypass blades enable cutting close to the stem 					
						




FINGERLOOP PRUNERS

Product Name: P44	Article N°	Weight	Length	ø	Retail Box	EAN Code
Fingerloop Bypass Pruner	111440	154 g	201 mm	20 mm	4	 6 411501 964403
	<ul style="list-style-type: none"> < Bypass cutting action enables cutting very close to the branch base < For cutting fresh wood 					
						
Product Name: SP45	Article N°	Weight	Length		Retail Box	EAN Code
Fingerloop Universal Snip	111450	168 g	218 mm		4	 6 411501 964502
	<ul style="list-style-type: none"> < Strong blades for cutting thin steel plate, plastic, tube, rope and hose etc. < Not recommended for cutting branches 					
						

SingleStep™ PRUNERS

Product Name: P25	Article N°	Weight	Length	ø	Retail Box	EAN Code
SingleStep™ Anvil	111250	196 g	200 mm	22 mm	4	 6 411501 112507
	<ul style="list-style-type: none"> < Suitable for cutting dry and hard wood < Sturdy handles with a comfortable grip < Upper blade PTFE coated for less friction < Ambidextrous < Hole for wrist strap 					
						

Product Name: P26	Article N°	Weight	Length	ø	Retail Box	EAN Code
SingleStep™ Bypass	111260	200 g	208 mm	22 mm	4	
 NEW	<ul style="list-style-type: none"> < Suitable for cutting fresh wood < Sturdy handles with a comfortable grip < Upper blade PTFE coated for less friction < Ambidextrous < Hole for wrist strap 					

Product Name: SP27	Article N°	Weight	Length	Retail Box	EAN Code
SingleStep™ Snip	111270	196 g	206 mm	4	
 NEW	<ul style="list-style-type: none"> < For cutting a variety of materials in the garden; thin metal sheets, plastic, tube, hose etc. < Thin metal blades < Sturdy handles with a comfortable grip < Ambidextrous < Hole for wrist strap < Not recommended for cutting branches 				

SPARE PARTS FOR PRUNERS

	111137 Spring for pruners 111130, 111140 and 111150 		111526 Blade and pivot screw for pruner 111520 
	111447 Spring for pruners 111430, 111440, 111450, 111510 and 111520 		111546 Blade, pivot screw and adjustable screw for pruner 111540 
	111545 Spring for pruner 111540 		111338 Blade, spring and 3 rivets for pruner 111330 
	111966 Spring for old pruner 111960 		111348 Blade, spring and 3 rivets for pruner 111340 
	111516 Blade and pivot screw for pruner 111510 		111967 Blade for old pruner 111960 
	111965 Blade, bolt, sheet, nut, screw and spring for pruner 111960 		

SCISSORS

EXCELLENT CUTTING
& TRIMMING

Ergonomic handles













Serrated blades
for better control
when cutting






















SCISSORS

In addition to using scissors in the kitchen, they can also be utilised in the garden. Scissors provide excellent assistance for all kinds of cutting and trimming in the garden. Small, precise cutting jobs can be done with garden scissors.





HERBS AND FLORAL SCISSORS

Product Name: S94	Article N°	Weight	Length	Retail Box	EAN Code
Universal Garden Scissors, 24 cm	111050	142 g	248 mm	5	
	< For cutting flowers and plants 				
Product Name: S90	Article N°	Weight	Length	Retail Box	EAN Code
Universal Garden Scissors, 21 cm	111040	83 g	212 mm	5	
	< For cutting flowers and plants 				
Product Name: S92	Article N°	Weight	Length	Retail Box	EAN Code
Universal Garden Scissors, 18 cm	111030	73 g	185 mm	5	
	< For cutting flowers and plants < Serrated blades for better control 				





Product Name: S90L	Article N°	Weight	Length	Retail Box	EAN Code
Left Handed Classic Scissors, 21 cm	111051	83 g	210 mm	5	 6 411501 110510
	<ul style="list-style-type: none"> < For cutting flowers and plants 				
Product Name: S92L	Article N°	Weight	Length	Retail Box	EAN Code
Left Handed Classic Scissors, 18 cm	111075	75 g	180 mm	5	 6 411501 110756
	<ul style="list-style-type: none"> < For cutting flowers and plants < Serrated blades for better control 				
Product Name: S60	Article N°	Weight	Length	Retail Box	EAN Code
Universal Garden Scissors	111020	85 g	215 mm	5	 6 411501 110206
	<ul style="list-style-type: none"> < Soft, non-slip handle for safe grip < Strong, sharp blades with serrated lower blade for better control 				
Product Name: S28	Article N°	Weight	Length	Retail Box	EAN Code
Floral Scissors	111010	64 g	192 mm	5	 6 411501 932006
	<ul style="list-style-type: none"> < For cutting flowers and sprouts < Serrated blades for better control 				
Product Name: S23	Article N°	Weight	Length	Retail Box	EAN Code
Herb Scissors	111000	30 g	152 mm	5	 6 411501 931542
	<ul style="list-style-type: none"> < For cutting herbs and flowers 				





Product Name: S10	Article N°	Weight	Length	Retail Box	EAN Code
Cut and Hold Snip	111160	58 g	143 mm	5	
	<ul style="list-style-type: none"> < For cutting flowers, herbs and small sprigs < Cut-and-hold action especially suitable for cutting nettles and plants with thorns 				
					



HERBS AND HOUSE PLANTS SCISSORS

Product Name: S40	Article N°	Weight	Length	Retail Box	EAN Code
Precision Scissors, 11 cm	111001	18 g	110 mm	5	
	<ul style="list-style-type: none"> < For cutting flowers and plants 				
					

BONSAI SCISSORS

Product Name: S36	Article N°	Weight	Length	Retail Box	EAN Code
Bonsai Scissors	111080	70 g	180 mm	5	
	<ul style="list-style-type: none"> < For cutting of small plants for example bonsai plants and herbs, garden flowers and house plants 				
					

Product Name: S34	Article N°	Weight	Length	Retail Box	EAN Code
Bonsai Shear	111070	50 g	153 mm	5	
	<ul style="list-style-type: none"> < For precision cutting of small plants, especially herb and bonsai plants < Softouch™ handles providing comfort of use 				
					

Product Name: S30	Article N°	Weight	Length	Retail Box	EAN Code
Bonsai Leaf Trimmer	111060	25 g	125 mm	5	 




< Sharp tips for precision cutting of herb and bonsai plants



To the Japanese, Bonsai is an art and creative expression, a state of active meditation that links man and nature together. Following the oriental life philosophy, creating and taking care of the tree liberates the mind and body of the Bonsai artist, drawing him closer to harmony with nature. Fiskars Bonsai assortment includes two specialized Bonsai scissors/shears for cutting branches and one dedicated leaf trimmer. Where the innovative blades guarantee the ultimate precision so crucial to Bonsai addicts, the ergonomic handles ensure comfortable use.

UNIVERSAL SNIP

Product Name: SP15	Article N°	Weight	Length	Retail Box	EAN Code
Universal Snip	111150	143 g	200 mm	10	 



< For cutting a variety of materials in the garden; thin metal sheets, plastic, tube, hose etc.
< Not recommended for cutting branches

LOPPERS

UNIQUE POWER MECHANISMS

The PowerStep™ technology allows gardeners to cut branches in one or multiple steps

SoftGrip™ handle for better hold







Anvil cutting action for dry and hard wood







LOPPERS

Fiskars loppers are suitable for any kind of cutting in the garden, with cutting capacity up to \varnothing 50 mm. The unique PowerGear™ mechanism increases cutting power and distributes it evenly throughout the cutting action. The PowerStep™ technology allows gardeners to cut branches in one or multiple steps. It makes the workload easier on young and senior gardeners alike, eliminating strain and pain to increase the overall pleasure of gardening. Fiskars loppers are made of fibreglass reinforced polyamide, which makes them lightweight and strong. The cutting blades are PTFE-coated for less friction. The loppers are available in three different models: anvil and bypass with hook or scissor head. Fiskars anvil loppers are designed for cutting dry and hard wood. Fiskars bypass lopper with hook head is suitable for heavy cutting of fresh wood. Fiskars bypass loppers with scissor head are designed for precision cutting, allowing cutting with the tips of the blades.

PowerStep™ LOPPER



Product Name: L85	Article N°	Weight	Length	\varnothing	Retail Box	EAN Code
PowerStep™ Anvil Lopper	112850	690 g	570 mm	40 mm	4	 
 reddot design award winner 2009	<ul style="list-style-type: none"> < Anvil cutting action for dry and hard wood < The PowerStep™ technology allows gardeners to cut branches in one or multiple steps 					
	1	1-2	1-2-3			

PowerGear™ II LOPPERS

Product Name : L31	Article N°	Weight	Length	\varnothing	Retail Box	EAN Code
PowerGear™ Anvil Lopper (S)	112170	375 g	387 mm	35 mm	4	 
	<ul style="list-style-type: none"> < Unique gear action increases cutting power 2,3 : 1 < Extremely lightweight 					

PowerGear™ II LOPPERS

Product Name : L70	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Bypass Lopper, Hook Head (S) 	112190	490 g	460 mm	38 mm	4	
	<ul style="list-style-type: none"> < Hook Head for heavy cutting of fresh wood < Bypass cutting action to reach branch base 					
Product Name : L72	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Bypass Lopper, Scissor Head (S) 	112200	500 g	460 mm	28 mm	4	
	<ul style="list-style-type: none"> < Scissor Head for precision cutting < Bypass cutting action to reach branch base 					
Product Name : L73	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Anvil Lopper (M) 	112280	550 g	545 mm	38 mm	4	
	<ul style="list-style-type: none"> < Anvil cutting action for dry and hard wood 					
Product Name : L74	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Bypass Lopper, Hook Head (M) 	112290	550 g	545 mm	38 mm	4	
	<ul style="list-style-type: none"> < Hook Head for heavy cutting of fresh wood < Bypass cutting action to reach branch base 					
Product Name : L77	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Anvil Lopper (L) 	112580	1046 g	686 mm	50 mm	4	
	<ul style="list-style-type: none"> < Anvil cutting action for dry and hard wood < Lightweight enables long cutting hours with less muscle strain < Softouch™ handle for better grip 					

Product Name : L78	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ II Bypass Lopper, Hook Head (L)	112590	1060 g	692 mm	50 mm	4	 



- < Hook Head for heavy cutting of fresh wood
- < Bypass cutting action to reach branch base
- < Lightweight enables long cutting hours with less muscle strain
- < Softouch™ handle for better grip



SPARE PARTS FOR LOPPERS



112277

Blade for loppers 112190, 112290, 112250 and 112270



112487

Blade, anvil and screw for loppers 112380, 112480



112307

Blade for loppers 112200 and 112300



112587

Blade and anvil for lopper 112580



112477

Blade for loppers 112590, 112370 and 112470



112488

Handle for hedge shears, weedpuller (only 139910) and loppers (except 112580 and 112590)



112287

Blade and anvil for loppers 112180 and 112280



The non-circular PowerGear™ mechanism helps optimize force distribution, in order to boost the cutting power a little more when it is needed the most, such as:

1. At the beginning of the cut, when the user's arms are the furthest apart (making it physically harder to push the handles together).
2. At the middle of the cut, when having to break through the core of the branch (which is normally a bit tougher to cut through than the rest).
 - At these two points, the 'gear-teeth' are just rolling over the 'gear-hills', which gives your own cutting power an extra boost.
 - In between these two points, the cut is much easier to perform so less help is needed from the gear system (this is when the 'gear-teeth' pass through the 'gear-valleys', which creates no extra boost of the user's own cutting power).

UNIVERSAL CUTTERS

MULTI-USE TOOL

Ergonomically designed SoftGrip™ pull handle



Cutting head can be rotated by up to 230° to obtain exact desired position













Vertical cutting reach of up to 3,5 meters for high hedges and bushes: prevent having to use a ladder or to bend in non-ergonomic positions









UNIVERSAL CUTTERS

Fiskars Universal Garden Cutter is a multi-use tool with excellent accessibility to tree crowns and dense bushes. Trim overhead without a ladder or at ground level without bending or kneeling. Activate the great cutting power with a mere slide of the orange handle or when used at maximum height, pull the orange end knob. When you need to reach higher branches, try the telescopic version. The adjustable head and the light cutting mechanism ensures fast, easy and safe pruning.





UNIVERSAL GARDEN CUTTERS - BYPASS

Product Name: UP86	Article N°	Weight	Length	ø	Retail Box	EAN Code
Universal Telescopic Garden Cutter	115560	1900 g	2416 mm	32 mm	2	 6 411502 965638
	<ul style="list-style-type: none"> < Cutting reach vertically about 6,5 m < Adjustable cutting angle up to 230° < Safe locking mechanism < Shaft adjustable 2400-4100 mm 					
Product Name : UP84	Article N°	Weight	Length	ø	Retail Box	EAN Code
Universal Garden Cutter, long	115390	1200 g	2322 mm	32 mm	2	 6 411502 963901
	<ul style="list-style-type: none"> < Cutting reach vertically about 4 m < Adjustable cutting angle up to 230° < Can be used together with extension pole 110460 					
Product Name : UP82	Article N°	Weight	Length	ø	Retail Box	EAN Code
Universal Garden Cutter	115360	870 g	1580 mm	32 mm	4	 6 411502 963635
	<ul style="list-style-type: none"> < Cutting reach vertically about 3,5 m < Adjustable cutting angle up to 230° < Can be used together with extension pole 110460 					
Product Name	Article N°	Weight	Length		Retail Box	EAN Code
Extension Pole	110460	530 g	1453 mm		4	 6 411502 964631
	<ul style="list-style-type: none"> < Easily adapted to 115360, 115390 and 115400 < Gives a cutting height up to 5 m when adapted 					

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
Branch Saw	110950	203 g	455 mm	100 mm	4	 <ul style="list-style-type: none"> < Extra equipment for 115360, 115390, 115560, 110460, 115410 and 115400 < Adjustable sawing angle and efficient serration for sawing wood < Sawing area 380 mm  

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
Fruit Picker	110970	219 g	290 mm	155 mm	4	 <ul style="list-style-type: none"> < Extra equipment for 115360, 115390, 115560, 110460, 115410 and 115400 < Easily and quickly adapted without extra tools < Bag of durable cotton fabric and frame of polyamide  

UNIVERSAL GARDEN HEDGE SHEAR

Product Name: UP83	Article N°	Weight	Length	Retail Box	EAN Code
Universal Garden Hedge Shear	115400	1020 g	1664 mm	4	 <ul style="list-style-type: none"> < Cutting reach vertically about 3,5 m < Long blades < Adjustable cutting angle up to 230° < Can be used together with Extension Pole 110460   

SPARE PARTS FOR UNIVERSAL CUTTERS



115364

Softtouch™ handle and orange knob for universal cutters 115360 and 115400




115366

1 internal rope and roll cord for 115360 and 115400



115565

Handle and orange knob for universal cutter 115560



115568

2 internal ropes and roll cord for 115560



115367

Blade, spring and chain link connector for Universal cutters 115360, 115390 and 115560



GRASS SHEARS

ERGONOMIC DESIGN

LIGHTWEIGHT



Servo-System™ prevents blades from jamming













Lightweight FiberComp™




GRASS SHEARS

Fiskars Grass Shears feature the ingenious Servo-System™, which prevents the blades from jamming to guarantee non-interrupted, efficient cutting. The ergonomic, lightweight design is comfortable and user-friendly, and the flexible cutting head, adjustable by up to 360°, allows to easily reach even the more awkward angles. The blades are of hardened stainless steel, the handles of fiberglass reinforced polyamide and the shears 113680 and 113690 are provided with a thumb-operated lock mechanism.

GRASS SHEARS

Product Name: GS46	Article N°	Weight	Length	Retail Box	EAN Code
Servo-System™ Grass Shear, long	113690	654 g	1120 mm	4	 6 411501 966902
	<ul style="list-style-type: none"> < Cutting angle adjustable 360° < Thumb-operated locking mechanism < Ergonomic in use 				
Product Name: GS42	Article N°	Weight	Length	Retail Box	EAN Code
Servo-System™ Grass Shear	113680	263 g	322 mm	4	 6 411501 966803
	<ul style="list-style-type: none"> < Cutting angle adjustable 360° < Thumb-operated locking mechanism < Ergonomic in use 				
Product Name: GS53	Article N°	Weight	Length	Retail Box	EAN Code
PowerLever™ Grass and Hedge Shear	113710	1376 g	899 mm	4	 6 411502 9671063
	<ul style="list-style-type: none"> < Cuts up to 10 mm at the base of the blade < Innovative and lightweight < For cutting grass, hedges and small bushes < The lever mechanism optimises the power output < Cutting head is adjustable 270° < Area of reach up to 2,5 m < Blade length: 220 mm < Handle length: 160 mm 				




Fiskars long handled Grass Shears allow the gardener to do the work from an upright position, to prevent unnecessary muscle strains and backaches.

HEDGE SHEARS

LIGHTWEIGHT AND
SLEEK DESIGN

Lightweight FiberComp™
handles and gear mechanism

Stainless steel blades with
PTFE-coating on upper
blade for less friction















PowerGear™ features two gear
mechanisms: one that distributes power
and a second that stabilizes the structure



HEDGE SHEARS

Fiskars Hedge Shears are suitable for different cutting needs in the garden; hedge trimming, trimming around bushes and edges etc. The unique gear mechanism and the lever system enable heavy cutting. The lightweight and the sleek design makes cutting easy and light. Handles of FiberComp™ reinforced polyamide and grips of FiberComp™ reinforced plastic (PP).

HEDGE SHEARS


Product Name: HS92	Article N°	Weight	Length	Retail Box	EAN Code
PowerGear™ Hedge Shear	114770	730 g	588 mm	4	 6 411501 967701
	<ul style="list-style-type: none"> < Stainless steel blades with PTFE-coating on upper blade for less friction < The unique progressive gear system increases cutting power 3,5 : 1 < Cushion stoppers to protect hand muscles < Handle length: 160 mm 				
					
Product Name: HS72	Article N°	Weight	Length	Retail Box	EAN Code
PowerGear™ Hedge Shear	114790	630 g	570 mm	4	 6 411501 147905
	<ul style="list-style-type: none"> < Stainless steel blades with PTFE-coating on upper blade for less friction < The unique progressive gearing system increases cutting power 3,0 : 1 < Lightweight 				
					
Product Name: HS52	Article N°	Weight	Length	Retail Box	EAN Code
PowerLever™ Hedge Shear	114750	630 g	544 mm	4	 6 411501 967503
	<ul style="list-style-type: none"> < The unique lever system increases cutting power 2,5 : 1 < Lightweight 				
					



ADVICE: When you buy a hedge shears, a simpler and quicker way to evaluate the best tool is the "Pencil test". Match the efficiency of different hedge shears using the blade tips for cutting a pencil and the result will be that not so many shears pass the test. Fiskars hedge shears extend their cutting performance to the blade tips, reducing energy and reducing effort when working in your garden.

WEED PULLERS

WITH EJECTION SYSTEM FOR A
CLEAN AND EFFICIENT RESULT



Length can be adjusted


























Deep-reaching stainless steel claws



WEED PULLERS

The Fiskars Weed Puller is a great invention for removing weeds, such as dandelions, from the garden. The tool is easy and comfortable to use: no digging or bending down is required and no toxics are needed. The Weed Puller's deep-reaching stainless steel claws grab the weed's root from multiple directions to pull it out of the ground. The ejection system allows a clean and efficient result. The new Telescopic member of the range can be adjusted in length according to the user's height, so the same tool can be used by all grown-up members of the family – small and tall gardeners alike.

WEED PULLERS

Product Name: W82	Article N°	Weight	Length	Retail Box	EAN Code
Weed Puller Telescopic	139920	1700 g	990 mm	4	 6 411501 399205
	<ul style="list-style-type: none"> < Deep-reaching stainless steel claws grab the root from multiple directions < Leverage point from the ground level < Ejection system helps to release weed after pulling < Removes weeds without the use of toxic < Comfortable working posture, no digging required < Length can be adjusted up to 1190 mm <div style="display: flex; justify-content: space-around; align-items: center;">      </div> <div style="display: flex; justify-content: space-around; align-items: center;">     </div>				
Product Name: W52	Article N°	Weight	Length	Retail Box	EAN Code
Weed Puller	139910	917 g	998 mm	4	 6 411501 969101
	<ul style="list-style-type: none"> < Deep-reaching stainless steel claws grab the root from multiple directions < Leverage point from the ground level < Ejection system helps to release weed after pulling < Removes weeds without the use of toxic < Comfortable working posture, no digging required <div style="display: flex; justify-content: space-around; align-items: center;">      </div> <div style="display: flex; justify-content: space-around; align-items: center;">   </div>				 

Multi action 139910



Weed pullers can easily be cleaned under running water.

REEL MOWER

ADVANCED DESIGN

REVOLUTIONARY PERFORMANCE





The Momentum™ Reel Mower is easy to push, has a great cutting power and perfect cut range




MomentumTM REEL MOWER

Reel mowers are a smart choice. They are good for your lawn, good for your health, good for the environment, and good for your budget.

Fiskars new MomentumTM, the world's most advanced reel mower, provides solutions to the problems inherent in traditional reel mowers. The Fiskars MomentumTM mower combines patent pending technology with superior ergonomics to deliver a reel mower with best in class cutting performance for a superior mowing experience. Compared with traditional reel mowers, the MomentumTM mower is easier to push, has more cutting power, StaySharpTM blades, a greater cut range, closer side edging, superior ergonomics and is easier to adjust. In fact, the MomentumTM mower beats all other reel mowers in every one of these important areas.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Momentum TM Reel Mower	113880	23,5 kg	1220 mm	1	  6 411501 138804



- < Exclusive StaySharpTM cutting system cuts grass without the blades touching to help reduce push force by 30% in long grass and provide long lasting performance without annual sharpening
- < Patent pending InertiaDriveTM technology delivers twice the cutting power to blast through twigs, weeds and tough spots that would jam other reel mowers
- < Patent pending VersaCutTM design provides best in class cutting capabilities – with cut height settings from 2,5 cm - 10 cm and the closest side edging of any reel mower
- < Best in class convenience features include an ergonomic, height adjustable handle with a padded grip, a quick and easy one-touch cut height adjustment system, and a forward throw grass discharge chute for mess-free operation

QuikFit™

CONNECT WITH SIMPLICITY



Unique interchangeable head system



QuikFit™










Renowned for innovative functionality, Fiskars is dedicated to produce garden tools that set new standards for the industry. Strong, lightweight, high performance tools make garden work more productive, which allows for more creativity and time to enjoy. Fiskars new QuikFit™ provides a full range of opportunities with one single shaft, as each head completes the perfect tool for every specialised task.









reddot design award
winner 2010




TIP: Fiskars QuikFit™ Locking system - winner of the Red Dot Award: Product Design 2010. The **QuikFit™** mechanism ensures effortless change of heads for rakes, cultivators, hoes, weeders, saws etc. The heads attach to the shaft and the device is immediately ready for your use.




HEADS - CULTIVATORS




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
3 Prong Cultivator 	136511	417 g	305 mm	125 mm	6	  5 905568 540423
<p>< For cultivating, scarifying, aerating and breaking-up soil. Suitable for seedbed preparation and maintenance</p> <p>< Blade of hardened steel</p>						
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
3 Prong Hoe 	136512	507 g	305 mm	125 mm	6	  5 905568 540416
<p>< Dual tool for cultivating, scarifying, aerating and breaking-up soil. Suitable for seedbed preparation and maintenance.</p> <p>< Blade of hardened steel</p>						
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Push-Pull Weeder 	139970	358 g	250 mm	155 mm	6	  5 905568 540409
<p>< For weeding; loosens the soil simply by pushing and pulling back and forth</p> <p>< Carbon steel head</p>						

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Lawn Spiker	136524	512 g	305 mm	205 mm	2	  6 411501 365248
	<ul style="list-style-type: none"> < Used for aerating smaller lawns where access is narrow, which allows nutrients to penetrate the lawn and helps seed, fertilizer, water, air and light to reach the grass roots < Blade of hardened steel 					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Hoe	136503	254 g	250 mm	185 mm	6	  5 905568 540379
	<ul style="list-style-type: none"> < Efficient tool for removing weed between rows of plants, or breaking up the soil < Blade of stainless steel 					


Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
3 Functions Hoe	136513	241 g	315 mm	130 mm	6	  5 905568 540430
	<ul style="list-style-type: none"> < For working around stem and narrow spaces < Blade is sharpened on three sides allowing cultivation in different angles < Blade of hardened steel 					



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Dutch Hoe (130 mm)	136502	241 g	295 mm	125 mm	6	  5 905568 540362
	<ul style="list-style-type: none"> < Sharply ground weeding blade for removing weed, breaking up soil, creating seed rows, or removing moss from the patio < Hardened painted boron steel head 					



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Grubber	136517	320 g	280 mm	85 mm	6	
 	<ul style="list-style-type: none"> < For cultivating and aerating in garden and flower beds < Carbon steel 					




HEADS - RAKES



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Soil Rake (14 prongs)	135511	428 g	205 mm	360 mm	6	
	<ul style="list-style-type: none"> < For raking, levelling, or smoothing seedbeds covering a wider area < 14 spikes of hardened carbon steel 					



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Soil Rake (16 prongs)	135512	493 g	205 mm	400 mm	6	
	<ul style="list-style-type: none"> < For raking, levelling, or smoothing seedbeds covering a wider area < 16 spikes of hardened carbon steel 					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Leaf Rake (small)	135551	170 g	310 mm	220 mm	6	
 	<ul style="list-style-type: none"> < Convenient small leaf rake for clearing around narrow beds and borders < Tines work in the pulling direction providing more comfort and a reduced need of force < 11 soft and flexible tines of high quality PBT plastic that withstand bending 					





Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Leaf Rake (20 prongs)	135201	445 g	470 mm	430 mm	6	 6 411501 352019
	<ul style="list-style-type: none"> < For removing loose moss and grass cuttings from the lawn < 20 flexible steel springs 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Leaf Rake (large)	135013	290 g	320 mm	520 mm	6	 6 411501 350138
	<ul style="list-style-type: none"> < Wide tools for gathering fallen leaves and grass cuttings < Tines work in the pulling direction providing more comfort and a reduced need of force < 25 soft and flexible tines of high quality PBT plastic that withstand bending 					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Aerator Rake (single edge)	135513	961 g	270 mm	365 mm	2	 5 905568 540324
	<ul style="list-style-type: none"> < For removing moss and thatch from lawn areas < Hardened carbon steel 					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Gather Rake	135514	1017 g	175 mm	570 mm	2	 5 905568 540331
	<ul style="list-style-type: none"> < A wide tool for gathering leaves and cutting waste from lawn areas < Hardened carbon steel 					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Rose Rake	135501	233 g	225 mm	245 mm	6	
	<ul style="list-style-type: none"> < Unique head shape allows working between plants and stems without damaging plants. Ideal for narrow bed layouts. < 10 teeth of hardened boron steel 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Universal Rake	135051	260 g	152 mm	410 mm	6	
	<ul style="list-style-type: none"> < For raking and cleaning long loose grass and for working the soil. For making planting beds, levelling the ground and sand, packing the soil for seeds. The essential tool for founding the lawn and finishing the surface before seeding. < 12 FiberComp™ teeth with a special angle for ergonomic posture 					
						




HEADS - EGDERS AND KNIFE HEADS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Patio Knife	136521	136 g	250 mm	70 mm	6	
	<ul style="list-style-type: none"> < Ideal tool for removing grass, moss and weed from between slabs, block paving, wall corners and stairs < Blade of hardened boron steel 					







Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Dual Wheel Rotary Lawn Edger	136523	488 g	350 mm	160 mm	2	
	<ul style="list-style-type: none"> < The sharp blades of the lawn edger cut off overhanging grass smoothly for clean edges < Sharpened blade. Dual wheel helps to shape the surface or edges perfectly 					
















Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Lawn Edge Trimmer	136526	398 g	260 mm	195 mm	6	 5 905568 540454
	<ul style="list-style-type: none"> < For clearing the space between the lawn and hard surfaces by stepping on the blade, driving it deep into the lawn. For edging the borders < Hardened boron steel head with flat top 					




HEADS - BROOMS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Patio Broom	135531	640 g	350 mm	470 mm	2	 5 905568 540447
	<ul style="list-style-type: none"> < For sweeping large areas on terrace and patios < Wide scrubbing brush with robust bristles. Body material PP plastic 					




HEADS - NURSERY TOOLS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Weed Extractor	137522	225 g	328 mm	35 mm	6	 5 905568 375223
 	<ul style="list-style-type: none"> < For removing weeds such as dandelions and burdocks. Practical in narrow bed layouts < Boron steel 					
Standard Fork	137552	215 g	273 mm	77 mm	6	 5 905568 375520
 	<ul style="list-style-type: none"> < For transplanting, cultivating and weeding < Boron steel 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Wire Fork	137542	260 g	295 mm	78 mm	6	 5 905568 375421
 	<ul style="list-style-type: none"> < For transplanting, cultivating and weeding < Carbon steel 					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Trowel	137512	260 g	318 mm	73 mm	6	 5 905568 375124
 	<ul style="list-style-type: none"> < For planting and transplanting < Boron steel 					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Angled 3 Prong Cultivator	136515	235 g	305 mm	90 mm	6	 5 905568 365156
 	<ul style="list-style-type: none"> < For root-protective loosening and aerating of plant beds to optimize nutrient distribution < Carbon steel 					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
3 Prong Cultivator	136516	240 g	273 mm	56 mm	6	 5 905568 365163
 	<ul style="list-style-type: none"> < For root-protective loosening and aerating of plant beds to optimize nutrient distribution < Carbon steel 					
Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Double Patio Scraper	137562	220 g	187 mm	53 mm	6	 5 905568 375629
 	<ul style="list-style-type: none"> < Versatile usage on patios and for removing grass, moss and weeds from between tiles and slabs < Dual usage in cultivating plant beds < Boron steel blades with carbon steel thong 					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Double Hoe	137572	205 g	187 mm	53 mm	6	 5 905568 375728
 	<ul style="list-style-type: none"> < Versatile usage with dual functionality For breaking up soil and cultivating plant beds as well as weeding < Boron steel blades with carbon steel thong 					

HEADS - SAWS











Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Curved Saw	136527	330 g	550 mm	6	 5 905568 365279
 	<ul style="list-style-type: none"> < Branch hook and pull saw < Designed for reach tasks, suitable for usage with the telescopic shaft 136032 < Hook-end blade brings steadiness and keeps saw from slipping while the lower cutting knife ensures a clean and precise cut from below < FiberComp™ slider and adapter, hardened steel blade, steel cutting knife 				



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Straight Saw	136528	295 g	485 mm	6	 5 905568 365286
 	<ul style="list-style-type: none"> < For versatile sawing tasks in the garden < Especially designed for usage with the 30 cm handle 136012 < FiberComp™ slider and adapter, hardened steel blade 				

HEADS - SNOW TOOLS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Pusher	143210	470 g	320 mm	360 mm	2	 6 411501 432100
 	<ul style="list-style-type: none"> < Ideal for clearing snow from steps and patios < Scoop of PP plastic with aluminium list 					

SHAFTS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Telescopic Graphite Shaft  	136032	1670 g	2300 mm	4	 5 905568 360120
			<ul style="list-style-type: none"> < Especially designed for high-off tasks in the garden with the reach of up to six metres < A special automatic lock to ease the tools immediate use < Dual locking system for maximum safety < Lightweight aluminium < Adjustable up to 4000 mm 		
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Terracotta Shaft 	136002	475 g	1450 mm	6	 5 905568 340478
			<ul style="list-style-type: none"> < Hardened aluminium shaft with soft-grip handle for optimal comfort < The shaft is teardrop-shaped and has a special feature that automatically locks the slider for immediate use < Painted shaft of hardened aluminium < Hanging loop for easy storage 		
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Graphite Shaft 	136001	475 g	1450 mm	6	 5 905568 340461
			<ul style="list-style-type: none"> < Hardened aluminium shaft with soft-grip handle for optimal comfort < The shaft is teardrop-shaped and has a special feature that automatically locks the slider for immediate use < Painted shaft of hardened aluminium < Hanging loop for easy storage 		
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Medium Graphite Shaft  	136022	290 g	845 mm	6	 5 905568 360229
			<ul style="list-style-type: none"> < Drop profiled shape featuring a mid position sleeve and soft grip handle for optimal comfort < A special feature of the shaft automatically locks the slider for immediate tool use < Hanging loop for easy storage < Graphite painted shaft of hardened aluminium 		

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Small Handle	136012	165 g	305 mm	6	 5 905568 360120
  <ul style="list-style-type: none"> < Practical handle with a sturdy and comfortable grip < A special feature of the shaft automatically locks the slider for immediate tool use < Especially designed for usage with the nursery tools < Hanging loop for easy storage < Aluminium drop shaped frame with FiberComp™ and a soft touch handle 					

ADAPTOR

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Universal Adaptor	130000	71 g	171 mm	6	 6 411501 300003
 <ul style="list-style-type: none"> < Universal adaptor for connecting a variety of interchangeable heads produced by optional manufacturers < Lightweight FiberComp™ 					

NURSERY TOOLS

LIGHTWEIGHT
ERGONOMIC DESIGN

Rounded edges to avoid excessive damage to soil and roots

Lightweight ergonomic design





















Extra durable FiberComp™ material







NURSERY TOOLS





The Premium Planters have a lightweight FiberComp™ frame combined with robust stainless steel on the blade and prongs. This provides excellent functionality that is given a final touch by the supremely comfortable SoftGrip™ handle. The FiberComp™ Nursery Tools are lightweight and practical featuring nice inlay graphics on the surface. They can tolerate temperatures ranging from -40° to +150° and are 100% recyclable.





PREMIUM PLANTERS





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Trowel  	137200	143 g	278 mm	4	 6 411501 372000
	<ul style="list-style-type: none"> < For planting and transplanting even in hard ground < Robust stainless steel blade < Hanging hole for easy storage  				
Transplanter  	137210	109 g	280 mm	4	 6 411501 372109
	<ul style="list-style-type: none"> < For planting and weeding even in hard ground < Practical in narrow bed layouts and balconies < Robust stainless steel blade < Hanging hole for easy storage  				
Cultivator  	137220	154 g	256 mm	4	 6 411501 372208
	<ul style="list-style-type: none"> < For aerating and loosening soil < Practical for cleaning and smoothing small areas < Robust stainless steel prongs endure heavy soil < Hanging hole for easy storage  				
Weed Fork  	137230	124 g	242 mm	4	 6 411501 372307
	<ul style="list-style-type: none"> < For root-protective planting and weeding < Robust stainless steel prongs endure heavy soil < Hanging hole for easy storage  				





NURSERY TOOLS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Trowel	137000	96 g	291 mm	4	 6 411503 460101
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Transplanter	137010	82 g	291 mm	4	 6 411503 460200
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Cultivator	137020	89 g	276 mm	4	 6 411503 460309
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Weed Fork	137030	89 g	263 mm	4	 6 411503 460409
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Planter's Hoe	137040	168 g	322 mm	4	 6 411503 460508
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				

RAKES

















LIGHTWEIGHT ALUMINIUM HANDLE
WITH 5 DIFFERENT HEADS






RAKES

With Fiskars ingenious rake system, a lightweight aluminum handle is attachable to 5 different heads, through a simple, secure locking mechanism. The innovative shape of the Large Leaf Rake's teeth has been meticulously studied to prevent branches and leaves from getting stuck. The exchangeable rake system is easy to transport and store and the durable heads are rust free and easy to clean.

IN-LOCK RAKES

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
 <p>Universal Rake (with sliding wings)</p>	135050	270 g	175 mm	410 mm	10	  6 411501 478214
						<ul style="list-style-type: none"> < 12 teeth, equipped with a drag and sliding wings < For raking long loose grass and for working with soil < Wings easy to attach and remove < Spare wings available 
 <p>Large Leaf Rake</p>	135010	230 g	228 mm	511 mm	15	  6 411501 477215
						<ul style="list-style-type: none"> < Wide rake for working on larger grounds < Improved geometry of teeth prevents branches and leaves from getting caught 
 <p>Leaf Rake</p>	135020	196 g	212 mm	415 mm	10	  6 411501 477116
						<ul style="list-style-type: none"> < 25 long, elastic and dense teeth < For efficient raking of lawns 
 <p>Small Leaf Rake</p>	135030	46 g	180 mm	117 mm	15	  6 411503 476614
						<ul style="list-style-type: none"> < 7 long and elastic teeth < For difficult places, between plants and under bushes 

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Universal Rake	135060	250 g	175 mm	410 mm	10	 6 411501 350602
	<ul style="list-style-type: none"> < 12 teeth for raking long loose grass and for working soil < The head shape is specifically designed to be maneuvered more easily, without the teeth getting caught in the (raked) surface 					


Product Name	Article N°	Weight	Length		Retail Box	EAN Code
Handle	135000	350 g	1600 mm		10	 6 411503 444415
	<ul style="list-style-type: none"> < Handle with hanging hole for convenient storage < Handle fits to articles 135010, 135020, 135030, 135050 and 135060 					

ErgoPlus^(TM)

OUTSTANDING COMFORT

Terracotta finish combined with orange gel padded handle for maximum comfort

A 26° lifting angle minimise strain



The shaft is made from durable steel tubing to ensure optimal strength















ErgoPlus™

Fiskars ErgoPlus™ range is designed using the principles of ergonomics to promote a supremely comfortable garden digging experience. Both elegantly comfortable and stylish, the new range showcases a terracotta finish combined with orange gel padded handles for maximum comfort, taking the range to the next level of ergonomics.

The ergonomic shaft is designed with an optimised lifting angle to minimise strain and is made from durable steel tubing to ensure maximum strength.


The durable blade is made of boron steel for extra strength and the head is welded to the handle for an extra strong and long lasting connection.

The added comfort is the gel padded handle which is shock absorbent and has the anthropometrically correct grip size and shape. This combined with the 17° handle angle, ensures a comfortable natural positioning for the hand.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Spade (Straight) 	131401	2000 g	1250 mm	4	  5 905568 540546
< Straight cutting edge for slicing and cutting grass tufts and moving and mixing soil < Lifting angle 26°					
Garden Spade (Pointed) 	131411	1870 g	1250 mm	4	  5 905568 540553
< Pointed cutting edge to open the soil, stir and turn the vegetable bed after harvest < Lifting angle 26°					
Shovel 	132401	2200 g	1315 mm	2	  5 905568 540577
< Large scoop for shovelling and moving soil, sand and other loose materials < Lifting angle 40°					
Garden Fork 	133401	2160 g	1215 mm	4	  5 905568 540560
< For breaking down soil after digging or for moving crops and plants and material that is too bulky for a spade (e.g a pile of leaves)					

TELESCOPIC


PERFECT WORKING POSTURE





TELESCOPIC

With Fiskars Telescopic range the whole family can use the same tools. The length is easily adjustable and the tools suit users of different height. You will always have the right working posture for you. The spades and the fork are very lightweight, suitable also for persons with less strength. The spade blades and the fork head are made of durable boron steel. Good design and size of the grip will not obstruct your work. New smoked grey colour in the blade and the shaft.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Telescopic Garden Spade, pointed	131300	1900 g	1050-1250 mm	4	
	<ul style="list-style-type: none"> < Sharpened for easy digging and cutting of roots < Shaft angle 13° 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Telescopic Garden Spade, straight	131310	1950 g	1054-1253 mm	4	
	<ul style="list-style-type: none"> < Sharpened edge for easy digging and edging the lawn < Shaft angle 13° 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Telescopic Garden Fork	133320	1800 g	1058-1256 mm	4	
	<ul style="list-style-type: none"> < 4 prongs < Sharp and firm for easy working also with hard and stony soil < Shaft angle 13° 				




The adjustable length of the shaft can be perfectly matched to different user's height giving them the right working posture, so the same tool can be used by all green-fingered members of the family – small and tall gardeners alike.

GARDEN LIGHT

ERGONOMIC HANDLES

LIGHTWEIGHT DESIGN



Flexible head can be turned 360°

Drop shaped soft grip handle for optimal grip





GARDEN LIGHT




Fiskars Garden Light family includes tools, which reduce the back strain and make the garden work lighter. Garden Light tools have lightweight, plastic coated aluminium shafts and ergonomic handles or drop shaped soft grips for optimal grip. Blades, spikes or rake heads are made of durable materials: steel or special durable plastic. Paying strict attention to detail, Fiskars launches an improvement of the Garden Light range, adding a polyester tag to the handle for hanging. The new loop helps keeping good order in the garden shed or to hang the tools more easily in the shops.




GARDEN LIGHT




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Light Round Spade	131500	1260 g	1130 mm	5	
	<ul style="list-style-type: none"> < Lightweight garden spade for universal garden work < Plastic coated shaft of hardened aluminium < Blade of hardened boron steel < Ergonomic handle with comfortable, soft plastic coating 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Light Pointed Spade	131510	1190 g	1130 mm	5	
	<ul style="list-style-type: none"> < Lightweight garden spade for digging and planting < Plastic coated shaft of hardened aluminium < Blade of hardened boron steel < Ergonomic handle with comfortable, soft plastic coating 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Light Shovel	132500	1600 g	1230 mm	5	
	<ul style="list-style-type: none"> < Lightweight garden spade for lighter gardening work < Plastic coated shaft of hardened aluminium < Blade made of steel < Ergonomic handle with comfortable, soft plastic coating 				


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Light Digging Fork	133500	1380 g	1130 mm	5	
	<ul style="list-style-type: none"> < Lightweight digging fork for cultivating the soil < Plastic coated shaft of hardened aluminium < Prongs of boron steel < Ergonomic handle with comfortable, soft plastic coating 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Light Iron Rake	135510	810 g	1530 mm	5	
	<ul style="list-style-type: none"> < Lightweight rake for smoothing and moving of soil < 14 spikes of hardened carbon steel < Plastic coated shaft of hardened aluminium < Drop shaped soft grip handle for optimal grip < Hanging loop for easy storage 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Light Broom	135530	1173 g	1670 mm 460 mm	5	
	<ul style="list-style-type: none"> < Lightweight multipurpose broom ideal for cleaning large surfaces or places with difficult access < Flexible head can be turned 360° < Plastic coated shaft of hardened aluminium < Drop shaped soft grip handle for optimal grip < Hanging loop for easy storage 				

ERGONOMIC

















FOR A GOOD WORKING POSTURE



ERGONOMIC



This ergonomically designed range of spades and forks guarantees a good working posture. The long handle and the optimal lifting angle minimises strain on back and shoulders and the bent grip gives the hand a natural working posture. Tubular steel shaft with plastic coating insulates from cold and gives a firm grip. The 17° handle angle allows a natural hand position. The head is welded to the handle for a durable connection. The spade blades have been sharpened for better penetration into the soil.

ERGONOMIC RANGE

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Garden Spade, straight  	131400	2000 g	1250 mm	195 mm	4	  5 905568 020017
<ul style="list-style-type: none"> < Sharpened blade < For planting and working with soil and for edging the lawn < Lifting angle 26° 						
Garden Spade, pointed  	131410	1870 g	1250 mm	195 mm	4	  5 905568 020024
<ul style="list-style-type: none"> < Sharpened blade < For digging in stony, clayey and hard soil < Lifting angle 26° 						
Garden Fork  	133400	2160 g	1215 mm	205 mm	4	  5 905568 902108
<ul style="list-style-type: none"> < Firm prongs for loosening hard and stony soil 						
Compost Fork  	133430	1835 g	1250 mm	225 mm	4	  5 905568 902504
<ul style="list-style-type: none"> < Long prongs for poking the compost and for twigs, potato tops etc. 						


Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Shovel	132400	2200 g	1315 mm	220 mm	4	 5 905568 020031
 IMPROVED	<ul style="list-style-type: none"> < Ergonomic handle with comfortable, soft and plastic coating < For sand, gravel and other construction materials < Lifting angle 40° 					

ErgoComfort



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
ErgoComfort Spade pointed	131412	1750 g	1170 mm	4	 5 905568 024169
 NEW	<ul style="list-style-type: none"> < For digging and removing roots and grass clods < Sharpened edge for easy cutting of roots < Stepping surface for additional leverage 				



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
ErgoComfort Spade round	131402	1900 g	1170 mm	4	 5 905568 024060
 NEW	<ul style="list-style-type: none"> < For digging, planting and turning of ground < Sharpened edge for easy lawn edging < Stepping surface for additional leverage 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
ErgoComfort Shovel	132402	2150 g	1270 mm	4	 5 905568 022103
 NEW	<ul style="list-style-type: none"> < For shoveling of sand, soil and other garden materials 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
ErgoComfort Garden Digging Fork	133422	2100 g	1220 mm	4	 6 411503 312554
 NEW	<ul style="list-style-type: none"> < Firm prongs for loosening hard and stony soil < Suitable for moving garden waste and clippings 				



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
ErgoComfort Compost Fork	133432	1800 g	1270 mm	4	 6 411503 322508
	< Long prongs for poking the compost and for twigs, potato tops etc.				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
ErgoComfort Manure Fork	133442	2000 g	1290 mm	4	 6 411503 322555
	< Firm prongs for manure work				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
ErgoComfort Large Hay Fork	133452	1900 g	1290 mm	4	 6 411503 330220
	< Wide prongs for easy pitching of hay				



LANDSCAPING TOOLS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Pick 200	171010	2950 g	900 mm	3	 6 411501 710109
	<ul style="list-style-type: none"> < One small peen side for digging < One pick side for removing stones, tree stumps, etc. < Diamond-shape tip and sharpened peen < Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort < Forged carbon steel, hardened and tempered < Oval socket 				

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
Pick Matlock	171012	4000 g	1492 mm	720 mm	6	 6 411501 710123
	<ul style="list-style-type: none"> < One extra-large peen side for digging, cutting roots, etc. < One pick side for removing stones, tree stumps, etc. < Diamond-shape tip and sharpened peen < Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort < Forged carbon steel, hardened and tempered < Round socket 					


CLASSIC

BEAUTIFUL TRADITIONAL STYLE



CLASSIC


Fiskars Classic is a range with beautiful, traditional style. Shafts are made of lacquered ash wood and heads of boron steel.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Classic Leaf Rake	135900	900 g	1703 mm	6	



< For removing leaves and grass


6 411503 475013

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Classic Universal Rake	135910	1250 g	1536 mm	6	



< For smoothing and moving of soil


6 411503 474016

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Classic Potato Hoe	136130	1136 g	1230 mm	6	



< For digging up potatoes

5 905568 055194

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Classic Edging Iron	136140	1135 g	1042 mm	6	



< For edging of borders in the garden

5 905568 055200

KIDS




DURABLE AND SAFE TO USE

CE approved plastic head for ultimate safety





KIDS

Kids range is durable and safe to use. Made for working with!


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Shovel	138000	290 g	820 mm	5	
	<ul style="list-style-type: none"> < Head made of plastic for safety < CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland) 			 5 702261 700303	

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Spade	138010	190 g	810 mm	5	
	<ul style="list-style-type: none"> < Head made of plastic for safety < CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland) 			 5 702261 700310	

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Rake	138020	220 g	710 mm	5	
	<ul style="list-style-type: none"> < Head made of plastic for safety < CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland) 			 5 702261 700327	

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Leaf Rake	138030	230 g	830 mm	5	
	<ul style="list-style-type: none"> < Head made of plastic for safety < CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland) 			 5 702261 700334	

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Broom	138040	320 g	770 mm	5	 5 702261 700044
	<ul style="list-style-type: none"> < Head made of plastic for safety < CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland) 				


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Children Hoe	138090	230 g	750 mm	5	 5 702261 700273
	<ul style="list-style-type: none"> < Head made of plastic for safety < CE approved (EN 71-1,2,3 and 9 by TÜV Rheinland) 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Kids Watering Can	136090	165 g	210 mm	9	 5 702261 700051
	<ul style="list-style-type: none"> < 1 liter capacity < Plastic 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Gloves for Children	136080	30 g	190 mm	12	 3 359901 888888
	<ul style="list-style-type: none"> < 100% cotton < Palm with PVC picots 				




COLOURS




STRONG AND LIGHTWEIGHT
COLOURFUL









COLOURS




Fiskars ergonomically designed nursery tools for planting, cultivating, weeding and seeding indoors as well as outdoors, are easy to clean and have rounded edges to avoid excessive damage to soil and roots. The fiberglass reinforced polyamide tools can lift up to 35 kg loads, tolerate temperatures ranging from -40° to +150°, and are 100% recyclable. Nice inlay graphics added to the surface of the planters.




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Trowel	137007	96 g	291 mm	24	
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Transplanter	137015	82 g	291 mm	24	
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Cultivator	137025	89 g	276 mm	24	
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Weed Fork	137035	89 g	263 mm	24	
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				

















Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Planter's Hoe	137045	168 g	322 mm	12	
	<ul style="list-style-type: none"> < Durable, can lift up to 35 kg loads < Can be sharpened < Hanging hole for easy storage 				  6 4 11501 370457

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
Anvil Pruner	111135	120 g	187 mm	18 mm	24	
	<ul style="list-style-type: none"> < Anvil of strong special plastic reduces shock in hand and fingers when cutting < Suitable for cutting dry and hard wood 				  6 4 11501 111357	

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
Bypass Pruner	111145	141 g	180 mm	18 mm	24	
	<ul style="list-style-type: none"> < Bypass blades allow cutting very close to the stem < Suitable for cutting fresh wood 				  6 4 11501 111456	

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerLever™ Bypass Pruner	111345	132 g	173 mm	20 mm	15	
	<ul style="list-style-type: none"> < For cutting fresh green wood and branches in the garden < Bypass blades enable cutting close to the stem 				  6 4 11501 113450	

Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerLever™ Anvil Pruner	111335	128 g	173 mm	20 mm	15	
	<ul style="list-style-type: none"> < For cutting dry and had branches < Suitable also for long-term cutting 				  6 4 11501 113351	

Product Name	Article N°	Weight	Length	Retail Box	EAN Code	
Floral Snip 	111165	58 g	143 mm	15	  6 4 1 1 5 0 1 1 1 1 6 5 4	
			<ul style="list-style-type: none"> < For cutting flowers, herbs and small sprigs < Cut-and-hold action especially suitable for cutting nettles and plants with thorns 			
Product Name	Article N°	Weight	Length	ø	Retail Box	EAN Code
PowerGear™ Lopper 	112177	375 g	387 mm	35 mm	12	  6 4 1 1 5 0 1 1 2 1 7 7 6
			<ul style="list-style-type: none"> < Unique gear action increases cutting power 2,3 : 1 < Extremely lightweight 			
Product Name	Article N°	Weight	Length	Retail Box	EAN Code	
PowerLever™ Hedge Shear 	114757	630 g	544 mm	9	  6 4 1 1 5 0 1 1 4 7 5 7 8	
			<ul style="list-style-type: none"> < The unique lever system increases cutting power 2,5 : 1 < Lightweight 			
Product Name	Article N°	Weight	Length	Retail Box	EAN Code	
Servo-System™ Grass Shear 	113605	263 g	322 mm	12	  6 4 1 1 5 0 1 1 3 6 0 5 3	
			<ul style="list-style-type: none"> < Cutting angle adjustable 360° < Thumb-operated locking mechanism < Ergonomic in use 			

AXES & FORESTRY TOOLS

NEXT GENERATION AXES

Secure connection between the head and handle ensures that the axe head will stay in place.

Ultra light FiberComp™ shaft to ensure durability

SoftGrip™ handle for a firm hold



Head and handle are perfectly balanced for maximum safety

























AXES







Fiskars next generation axes are built upon 20 years of experience, enhanced process and strict attention to details. We have enhanced the blade geometry and ensured the perfect balance between head and shaft for the most safe, efficient and comfortable use. All axes are easily identifiable by the product name now printed on the handle. The ultralight and durable Fibercomp™ handle minimizes fatigue and makes the axe virtually unbreakable. The optimized anti-shock surface structure offers a comfortable, firm grip with just the right feel. The hooked end of the handle prevents the axe from slipping: it allows the hand to slide down easily when it should, but ensures it stops at the end. The new blade geometry and rounder edges ensures easy removal from the log when splitting wood. While the cutting bevel angle for chopping axes has been kept at 30, the bevel angle for splitting is 35 on the cutting convex cutting angle. The convex shape strengthens the edge to make it less sensitive to fracture.







All axes come with a brand new sheath for easy handling and protection of the blade.

UNIVERSAL CHOPPING AXES

FOR ALL WOODCRAFT, CARPENTRY, PRUNING, CUTTING AND LOGGING







Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Camping Axe X5  <p>reddot design award winner 2010</p> <p>NEW</p>	121121	480 g	228 mm	4	  6 411501 211217
<ul style="list-style-type: none"> < For hikers and outdoor people < A small, light axe that can be easily carried in your bag or on your belt < Blade weight: 390 g < With canvas sheath <div style="display: flex; justify-content: space-around; align-items: center;">         </div>					
Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Chopping Axe X7  <p>reddot design award winner 2010</p> <p>NEW</p>	121420	640 g	355 mm	4	  6 411501 214201
<ul style="list-style-type: none"> < For universal cutting tasks < For campers, hikers and outdoor people as well as being practical in the car, boat and holiday house < Blade weight: 470 g < With plastic sheath for easy carrying and storage <div style="display: flex; justify-content: space-around; align-items: center;">         </div>					







Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Carpenter's Axe X10	121440	980 g	440 mm	4	 6 4 1 1 5 0 1 2 1 4 4 0 9
  	<ul style="list-style-type: none"> < Specially designed for carpenters, construction workers, house owners < Blade weight: 760 g 				




Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Chopping Axe X15	121460	1520 g	599 mm	4	 6 4 1 1 5 0 1 2 1 4 6 0 7
  	<ul style="list-style-type: none"> < Specially designed for forestry work < Wide and slim blade helps to cut live wood branches and tree limbs < With plastic sheath for easy carrying and storage < Blade weight: 1046 g 				




SPLITTING AXES

FOR SPLITTING LOGS INTO FIREWOOD. DIFFERENT SIZES CATER FOR ALL DIFFERENT SIZES OF LOGS


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Splitting Axe X11	122440	1075 g	443 mm	4	 6 4 1 1 5 0 1 2 2 4 4 0 8
  	<ul style="list-style-type: none"> < For splitting small logs and chopping fire wood < Can be easily held in one hand < Blade weight: 840 g < With plastic sheath for easy carrying and storage 				





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Splitting Axe X17	122460	1570 g	599 mm	4	 6 4 1 1 5 0 1 2 2 4 6 0 6
  	<ul style="list-style-type: none"> < For splitting medium sized logs < Blade weight: 1086 g < With plastic sheath for easy carrying and storage 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Splitting Axe X25	122480	2430 g	722 mm	2	 6 4 1 1 5 0 1 2 2 4 8 0 4
 reddot design award winner 2010 NEW	<ul style="list-style-type: none"> < For splitting large sized logs < Blade weight: 1830 g < With plastic sheath for easy carrying and storage 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Splitting Axe X27	122500	2600 g	915 mm	2	 6 4 1 1 5 0 1 2 2 5 0 0 9
 reddot design award winner 2010 NEW	<ul style="list-style-type: none"> < Longer shaft for more power with heavy splitting duties < Blade weight: 1830 g < With plastic sheath for easy carrying and storage 				




WEDGES

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Splitting Wedge	120020	2200 g	220 mm	4	 6 4 1 1 5 0 1 2 0 0 2 0 4
	<ul style="list-style-type: none"> < Helicoidally shaped which makes the wood burst more easily; no need to use several wedges < Rounded head to avoid material fragmentation < Anti return slot < Forged steel: C40, hardness: 36-42 HRC 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Helicoidal Splitting Wedge SAFE-T	120021	2400 g	240 mm	4	 6 4 1 1 5 0 1 2 0 0 2 1 1
 reddot design award winner 2009	<ul style="list-style-type: none"> < Highly resistant polyamide striking surface + metal ring < Reduces the risk of flying particles: no need to maintain the striking surface to remove burring < Reduces the risk of RSI (Repetitive Strain Injury): dampens vibrations when struck  				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Spare Striking Surface	122151	300 g	650 mm	1	
	<ul style="list-style-type: none"> < Replaceable surface for Helicoidal Splitting Wedge SAFE-T 120021. 				




SHARPENER FOR AXES





Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Axe and Knife Sharpener	120000	63 g	160 mm	4	
	<ul style="list-style-type: none"> < Regular maintenance keeps your Fiskars axe and knife sharp and safe < Ceramic grinding stones sharpen all axe and knife blades at the correct angle < Safety guard protects hands and fingers while sharpening < Non-slip pads underneath give a stable base for sharpening < The tool opens easily for cleaning 				





TIP: Fiskars Axe and Knife Sharpener




Axe sharpening is easily done with Fiskars patented, user-friendly sharpener for axes, brush hooks and knives. Place the sharpener on a flat surface, put the blade in the groove and move it back and forth a few times while pressing down gently. **N.B.** Regular use of the sharpener keeps the axes sharp and safe!




FORESTRY TOOLS

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Brush Hook X3	126003	450 g	505 mm	4	
	<ul style="list-style-type: none"> < For trimming trees and thinning out thicker branches 				
					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Log Hook	126020	420 g	235 mm	4	  6 411503 190008
	<ul style="list-style-type: none"> < For lifting and moving light timber < Use of double hooks or together with log tongs recommended < Hardened carbon steel with ground tip < Handle of thermoplastic rubber guarantees good grip 				


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Log Tongs	126030	459 g	288 mm	4	  6 411503 190602
	<ul style="list-style-type: none"> < Hardened boron steel with ground tip < Handle of thermoplastic rubber guarantees good grip < Lever mechanism with epoxy coating < Widest grip range 195 mm 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Carrying Sheath	126040	127 g	308 mm	4	  6 411503 190015
	<ul style="list-style-type: none"> < Made of plastic < For Log Hook 126020 and Log Tong 126030 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Felling Lever with Turning Hook	126050	1287 g	768 mm	4	  6 411503 194525
	<ul style="list-style-type: none"> < Drop-forged, hardened boron steel < Forged in one piece of steel for superior strength < Two step leverage action < Turning hook with ground tip 				

SAWS & KNIVES










EXTRA SHARPNESS AND OPTIMAL SAWING EFFICIENCY




SAWS & KNIVES

Fiskars saws come in a variety of styles and sizes, and are primarily used to prune branches of over 5 cm in diameter. The blade of hardened steel ensures longer life and extra sharpness and the double pointed razor-sharp teeth cut on both push and pull strokes for optimal sawing efficiency.









SAWS

Product Name: SW84	Article N°	Weight	Length	ø	Retail Box	EAN Code
Fixed Blade Saw	123840	410 g	490 mm	120 mm	4	 6 411501 238405
	<ul style="list-style-type: none"> < Large cutting capacity up to 120 mm < Highly efficient tooth profile enable fast and accurate sawing < Soft grip, ergonomic curved angle for comfortable use < Cuts on the pull stroke < Blade: 330 mm 					
Product Name : SW65	Article N°	Weight	Length	ø	Retail Box	EAN Code
Big 10" Garden Saw with belt clip	123850	201 g	556 mm	120 mm	4	 6 411501 968500
	<ul style="list-style-type: none"> < Large cutting capacity up to 120 mm < Blade 255 mm comparable to many fixed blade branch saws < Cuts on the pull stroke < Retractable blade 					
Product Name : SW63	Article N°	Weight	Length	ø	Retail Box	EAN Code
Garden and Camping Saw with belt clip	123830	95 g	355 mm	70 mm	4	 6 411501 968333
	<ul style="list-style-type: none"> < Very efficient toothing for sawing of fresh wood < Blade: 160 mm < Cuts on the pull stroke < Retractable blade 					



TIP: For safe transportation and easy access, retract the saw blade and clip it.





BOW SAWS













Product Name: SW30	Article N°	Weight	Length	Retail Box	EAN Code
21" Bow Saw	124800	575 g	620 mm	4	 5 702264 141004
	<ul style="list-style-type: none"> < Curved nose enables cutting in difficult positions < Cuts on both push and pull stroke with unique « planetoothing » < Plastic protector for safe transportation 				
Product Name: SW31	Article N°	Weight	Length	Retail Box	EAN Code
24" Bow Saw	124810	635 g	695 mm	4	 5 702264 141011
	<ul style="list-style-type: none"> < Excellent for sawing stems and thicker branches < Cuts on both push and pull stroke with unique « planetoothing » < Plastic protector for safe transportation 				

SPARE PARTS FOR BOW SAWS



KNIVES

Product Name: K40	Article N°	Weight	Length	Retail Box	EAN Code
Utility Knife	125860	70 g	218 mm	4	 6 411502 870628
	<ul style="list-style-type: none"> < General purpose knife with plastic sheath < Ergonomically designed plastic handle with finger protection < Blade of stainless steel, 100 mm long 				

Product Name: K62	Article N°	Weight	Length	Retail Box	EAN Code
Hooked Grafting Knife	125880	50 g	170 mm	4	 8 008 220 020 473
	<ul style="list-style-type: none"> < For taking cuttings, picking flowers and vegetables and cutting laterals < Blade of stainless steel < Handle of recycled plastic attached with a brass rivet 				
Product Name: K61	Article N°	Weight	Length	Retail Box	EAN Code
Grafting Pocket Knife	125890	50 g	170 mm	4	 8 008 220 020 480
	<ul style="list-style-type: none"> < For cutting of small side shoots, pruning of weak growth and picking flowers and vegetables < Blade of stainless steel < Handle of recycled plastic attached with a brass rivet 				
Product Name: K60	Article N°	Weight	Length	Retail Box	EAN Code
Grafting Penknife	125900	50 g	170 mm	4	 8 008 220 020 497
	<ul style="list-style-type: none"> < Ideal for grafting and making of wooden canes for holding small plants and bushes < Blade of stainless steel < Handle of recycled plastic attached with a brass rivet 				

CONSTRUCTION TOOLS

INNOVATIONS FOR SAFETY AND EFFICIENCY



Fibreglass core and elastomeric anti-slip and anti-vibration handle









Rounded edges on the striking surface



CONSTRUCTION TOOLS

Fiskars ergonomic and powerful tools are designed to reduce strain and fatigue.

SLEDGE HAMMERS









Product Name	Article N°	Weight	Length	Retail Box	EAN Code
 <p>Sledge Hammer XXL</p>	120028	6130 g	900 mm	2	  6 411501 200280
 <p>Sledge Hammer XL</p>	120030	5180 g	900 mm	2	  6 411501 200303
 <p>Sledge Hammer L</p>	120040	3900 g	750 mm	4	 6 411501 200402

- < Rounded edges on the striking surface: delays burring and lessens the risk of chipping
- < Rubber miss-hit guard: lessens jarring from miss-hits
- < Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort
- < Forged carbon steel, hardened and tempered







- < Rounded edges on the striking surface: delays burring and lessens the risk of chipping
- < Rubber miss-hit guard: lessens jarring from miss-hits
- < Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort
- < Forged carbon steel, hardened and tempered

- < Rounded edges on the striking surface: delays burring and lessens the risk of chipping
- < Fibreglass core and elastomeric anti-slip and anti-vibration handle: greater resistance and comfort
- < Forged carbon steel, hardened and tempered




SAWS

Product Name: SW62	Article N°	Weight	Length	ø	Retail Box	EAN Code
Builder's Saw with belt clip	123820	99 g	355 mm	70 mm	4	 6 4 1 1 5 0 1 9 6 8 2 0 3
	<ul style="list-style-type: none"> < Fine toothing for clean cutting of wood strips and boards < Blade: 160 mm < Cuts on the pull stroke < Retractable blade 					
Product Name: K20	Article N°	Weight	Length		Retail Box	EAN Code
Mineral Wool Knife	125870	54 g	420 mm		4	 6 4 1 1 5 0 2 8 7 9 0 2 7
	<ul style="list-style-type: none"> < Ergonomically designed handle with finger protection < Blade of stainless steel 					


ErgoComfort CONSTRUCTION

Product Name	Article N°	Weight	Length		Retail Box	EAN Code
ErgoComfort Digging Spade long	131911	2200 g	1270 mm		4	 6 4 1 1 5 0 3 2 0 1 5 2 0
 NEW	<ul style="list-style-type: none"> < Sharpened edge for digging in stony, clayey ground and hard soil < Equipped with a special plastic coated sleeve on the shaft for more comfort < Stepping surface for additional leverage 					
Product Name	Article N°	Weight	Length		Retail Box	EAN Code
ErgoComfort Digging Spade	131921	2050 g	1130 mm		4	 6 4 1 1 5 0 3 2 0 1 5 5 1
 NEW	<ul style="list-style-type: none"> < Sharpened edge for digging in stony, clayey ground and hard soil < Stepping surface for additional leverage 					
Product Name	Article N°	Weight	Length		Retail Box	EAN Code
ErgoComfort Concrete Shovel	132911	2300 g	1220 mm		4	 6 4 1 1 5 0 3 2 2 1 5 5 9
 NEW	<ul style="list-style-type: none"> < For working with sand, gravel, concrete and other construction material 					


BRUSH / SCRAPER



Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Garden Light Broom Scraper	135580	1500 g	1600 mm	320 mm	4	 6 411501 355805
	<ul style="list-style-type: none"> < 2 tools in 1: Brush broom with scraper for any outdoor tasks < 1,4 mm synthetic hair allows powerful sweeping 					



OTHER TOOLS



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Concrete Shovel	132900	1900 g	1084 mm	4	 6 411503 221016
	<ul style="list-style-type: none"> < For sand or concrete < Wooden handle 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code	
Multi Purpose Scraper	136801	1900 g	1600 mm	3	 6 411501 368010	
	<ul style="list-style-type: none"> < For spreading, levelling and scraping bitumen, general materials, cement etc. < Folded blade in extra-hard, tempered steel: maximum strength under bending and resistance to wear; lighter than most traditional models; reinforced socket < Multi-purpose blade: doubles for work in road mending and tarmac laying < Wooden shaft 					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Levelling Scraper	136800	1930 g	1850 mm	3	 6 411501 368003
	<ul style="list-style-type: none"> < For pushing or dragging asphalt, also useful for spreading concrete < Longer shaft for a more ergonomic working position (reduces back strain) < Aluminium < Wooden shaft 				


Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Heavy Duty Scraper	136802	1500 g	1250 mm	5	 6 411501 368027
	<ul style="list-style-type: none"> < For scraping and cleaning from panels and formwork < Inclined blade: 2 working angles < Socket reinforced by 2 buttresses < Rounded corners: does not scratch the surfaces < Ultra-hardened steel blade 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Crow Bar	126070	1500 g	600 mm	4	 6 411503 701105
	<ul style="list-style-type: none"> < Designed for prying loose boards and drawing nails < Nail-puller side: shape designed for optimum performance < Crowbar side: lever arm features a progressive shape and reduces user fatigue < Forged carbon steel, hardened and tempered 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Iron Bar	126080	7000 g	1500 mm	4	 6 411503 720014
	<ul style="list-style-type: none"> < For levering, moving loads, dislodging stones, digging etc. < Octagonal cross-section for better grip < Sharpened diamond-shaped point for improved penetration < Forged steel 				

SNOW TOOLS










LIGHT AND EASY SNOW WORK





SNOW TOOLS



Fiskars offers a wide range of snow tools such as spades, sledges, and shovels for all kinds of snow work, both for home and professional use. Fiskars Snow Light tools are made of lightweight materials in order to save your back and to make the work lighter. The Snow Light range features aluminium shafts with ergonomic plastic coating for comfortable snow work.



SNOW SLEDGES

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Professional Snow Sledge 	143040	7000 g	1480 mm	830 mm	6	  6 411503 237956
						<ul style="list-style-type: none"> < Steel tube reinforced scoop of polyethylene plastic < Welded edge < New surface structure < Reflectors on the handles
Foldable Snow Sledge 	143050	3950 g	1400 mm	749 mm	6	  6 411503 237857
						<ul style="list-style-type: none"> < Due to long shaft, sledge is very easy and light to use < Foldable shaft enables easy transportation and storage < New edge, sharper profile and more durable material < Reflectors on the handles < Storage size 720 mm
Snow Sledge 	143020	4000 g	1492 mm	720 mm	6	  6 411503 237802
						<ul style="list-style-type: none"> < Lightweight snow sleigh for easy snow work < Injection moulded scoop < New edge, sharper profile and more durable material < Improved handle angle and additional bend for improved use and comfort-ability < Longer and thicker handle




SNOW PUSHERS AND SHOVELS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Pusher	143000	1520 g	1520 mm	533 mm	6	 6 411503 237758
	<ul style="list-style-type: none"> < Blade of special plastic with a reinforced edge < Black aluminium shaft 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Pusher	143010	1700 g	1759 mm	533 mm	6	 6 411503 237604
	<ul style="list-style-type: none"> < Blade of cold-resistant plastic (PP) reinforced with an aluminium strip < Especially suitable for a snow layer of approx. 5 cm < Rolls the snow in front of the pusher < The long shaft with ergonomically designed grip gives an ergonomic working posture < Black aluminium shaft 					


Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow and Grain Shovel	142000	1400 g	1268 mm	310 mm	6	 6 411503 235280
	<ul style="list-style-type: none"> < Blade of high quality aluminium < Shaft of birch wood < Grip of polypropylene 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow and Grain Shovel	142010	2000 g	1161 mm	331 mm	4	 6 411503 235501
	<ul style="list-style-type: none"> < Blade of hardened aluminium < Birch wood shaft < Grip of polypropylene 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Spade	141000	1400 g	1310 mm	350 mm	6	 6 4 1 1 5 0 3 2 3 5 8 0 8
	<ul style="list-style-type: none"> < Ergonomically designed handle and blade of special plastic, with reinforced edge of aluminium < Wet snow does not stick to the blade < Redesigned sloop < Composite shaft 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Ice Iron	140000	1400 g	1475 mm	175 mm	6	 6 4 1 1 5 0 3 2 3 9 0 1 5
	<ul style="list-style-type: none"> < Painted blade of hardened boron steel < Wooden shaft < Excellent for scraping ice or stripping bark from trees 					

SNOW LIGHT TOOLS

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Light Professional Snow Pusher	143080	1800 g	1480 mm	600 mm	2	 7 3 1 7 7 9 0 4 9 3 0 1 5
	<ul style="list-style-type: none"> < Aluminium shaft with ergonomic plastic coating < Aluminium hardened blade 					

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Light Snow Pusher	143060	1600 g	1622 mm	532 mm	3	 5 9 0 5 5 6 8 8 0 0 4 3 5
	<ul style="list-style-type: none"> < Aluminium shaft with ergonomic plastic coating < Aluminium blade 					




Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Light Snow Pusher	145020	1730 g	1500 mm	545 mm	3	 7 3 1 7 7 9 2 3 5 9 0 2 9
	<ul style="list-style-type: none"> < Aluminium shaft with ergonomic plastic coating < Plastic blade, reinforced with aluminium strip 					


Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Light Snow Spade	142070	1050 g	1310 mm	350 mm	3	 7 317794 925000
	<ul style="list-style-type: none"> < Aluminium shaft with ergonomic plastic coating < Plastic blade, reinforced with aluminium strip < Redesigned sloop 					

CAR AND CAMPING SPADES



Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Car Spade	131900	850 g	850 mm	6	 6 411503 239905
	<ul style="list-style-type: none"> < Efficient spade for the car < Short wooden handle, fits in small space < Wet snow does not stick to the blade 				

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Snow Light Car Spade	141020	750 g	715 mm	255 mm	3	 7 317794 310004
	<ul style="list-style-type: none"> < Aluminium shaft with ergonomic plastic coating < Aluminium blade 					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code	
Safety Camping and Car Spade	131520	479 g	700 mm	6	 6 411503 270007	
	<ul style="list-style-type: none"> < A lightweight spade for camping and gardening < Floats in water < Durable aluminium scoop for stiffness and high tensile strength < Hexagonal shaft for good grip < The plastic (PP) handle is well resistant to low temperatures 					

Product Name	Article N°	Weight	Length	Retail Box	EAN Code	
Foldable Spade	131320	1016 g	246-590 mm	4	 6 411503 275019	
	<ul style="list-style-type: none"> < Handy and practical for camping, sports etc. < Works as a spade and as a hoe < Canvas sheath for safe transportation and storage < Durable spade of hardened boron steel, hardened aluminium and special plastic < Easy and silent to fold and unfold 					

MAINTENANCE & ACCESSORIES

Product Name	Article N°	Weight	Length	↔	Retail Box	EAN Code
Maintenance Set	110990	135 g	195 mm	104 mm	4	 6 411501 969903
	<ul style="list-style-type: none"> < Includes a maintenance guide book, a diamond file and oil < Instructions on sharpening, oiling, washing, storage etc. in pictures and symbols < The diamond file is long-lasting and suitable for hardened steel. Little sharpening makes a great difference! < Oil reduces friction and protects from corrosion 					

Well cared for garden tools perform better and last longer. A tool can be made as good as new and ready for the next use in just a few minutes. Fiskars Care Kit contains all the necessary equipment and instructions needed for maintenance of your gardening tools:



Instructions

(how/when to sharpen, oil, wash, store, etc.)



Diamond File

(long-lasting and suitable for hardened steel)





Oil

(reduce friction and protect blades against corrosion)

Sharpening: With time, blades become blunt and begin to lose their cutting capacity. When cutting marks are no longer tidy and strands and bark start getting stuck to the blade, it is time to sharpen the tool. Working with sharp tools benefit both the gardener and the gardening object: sharp tools demand less effort from the user and clean cuts promote faster healing of the plants. The easiest way to sharpen the blade is using a Diamond File. **Greasing:** Blades, joints and springs should be greased on a regular basis with just a few drops of oil. **Springs:** If the tool has springs, the blades should be securely locked before storage to maintain the spring tension.

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Garden Gloves	160000	110 g	260 mm	10	 6 411501 600004
	<ul style="list-style-type: none"> < Suitable for chopping wood, sawing and other work in the garden < Split leather, palm, black drill cotton with full cotton lining inside for more comfort 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Ladies Garden Gloves	160001	105 g	292 mm	10	 6 411501 6000011
 	<ul style="list-style-type: none"> < Suitable for chopping wood, sawing and other work in the garden < Split leather, palm, black drill cotton with full cotton lining inside for more comfort 				

Product Name	Article N°	Weight	Length	Retail Box	EAN Code
Tool hanging system	161000	875 g	935 mm	5	 6 411501 610003
	<ul style="list-style-type: none"> < Suitable for 10 different garden tools < Flexible hooks facilitating the storage of stick, nursery and cutting tools < Space-saving, perfect for garages, small cellar rooms, etc 				

Fiskars QUALITY

“Fiskars Quality since 1649”

According to the strict Finnish standards for design, Fiskars has a history of using only exclusive quality, durable materials for the finest end result. Before entering the market, each product stands subject to extensive operational tests, where blade sharpeners and maintenance kits ensure the best performance and preservation of frequently used tools. With peace of mind, Fiskars guarantees the quality of all of its products.



A lifelong commitment to quality

Quality has always been one of Fiskars' core values, to which the company stands firm on having a holistic approach throughout its entities and throughout the product's lifecycle. Delivering a quality end product is merely the basis that extends into top service levels for customers and consumers alike.

Anytime.....anywhere

When properly used and maintained, Fiskars garden tools shall remain free of defects in material and workmanship. Any exception to the rule will simply be repaired, replaced or substituted by a product of equal value. Replacement tools or spare parts are offered when returning the tool to the retailer, or contacting the local customer service department.

AWARDS



reddot design award
Design Zentrum
Nordrhein-Westfalen
Germany

Reddot 2000 • Best of the best	Universal Telescopic Garden Cutter	p. 21
Reddot 2001 • Best of the best	PowerGear™ Hedge Shear	p. 26
Reddot 2002	PowerLever™ Hedge Shear	p. 26
Reddot 2002	PowerLever™ Grass & Hedge Shear	p. 24
Reddot 2002	PowerLever™ Pruners	p. 9
Reddot 2003	Grass Shear	p. 23
Reddot 2003	Telescopic Spades & Fork	p. 50
Reddot 2004	Weed puller	p. 27
Reddot 2006	Grass Shear, long	p. 24
Reddot 2006	Universal Rake	p. 47
Reddot 2009	Splitting Wedge SAFE-T	p. 71
Reddot 2009 • Best of the best	PowerStep™ Pruner	p. 7
Reddot 2009	PowerStep™ Lopper	p. 17
Reddot 2010	ErgoPlus	p. 48
Reddot 2010	QuikFit	p. 31
Reddot 2010 • Best of the best	Axes	p. 69



design award
Industrie Forum
Industrial Design
Hannover
Germany

IF 1994 • Excellent Design Top 10	Axes	p. 69
IF 1994 • Good Industrial Design	Planters Garden Tools	p. 42
IF 1994 • Good Industrial Design	Ergonomic Spades & Forks	p. 55
IF 1996 • Good Industrial Design	PowerGear™ Lopper	p. 17
IF 1996 • Good Industrial Design	Foldable Spade	p. 87
IF 1996 • Good Industrial Design	Floral Snips	p. 67
IF 1997 • Good Industrial Design	PowerGear™ Pruner	p. 7
IF 1998	Universal Garden Cutter	p. 21
IF 1999 • Good Industrial Design	Garden and Camping Saw	p. 75
IF 2001	PowerGear™ Hedge Shear	p. 26
IF 2002	PowerLever™ Hedge Shear	p. 26
IF 2002	PowerLever™ Grass & Hedge Shear	p. 24
IF 2002	PowerLever™ Pruners	p. 9
IF 2003 • Product Design	Grass Shear	p. 23
IF 2003 • Gold Medal	Telescopic Spades & Fork	p. 50



GOOD DESIGN
The Chicago
Athenaeum
USA

Good Design 1997	PowerGear™ Lopper	p. 17
Good Design 1997	PowerGear™ Pruner	p. 7
Good Design 1998	Universal Cutter	p. 21
Good Design 1999	Garden & Camping Saw	p. 75
Good Design 2002	PowerLever™ Grass & Hedge Shear	p. 24
Good Design 2002	PowerGear™ Hedge Shear	p. 26
Good Design 2002	PowerLever™ Pruners	p. 9



fennia prize
Honorary Mention
Finland

Fennia Prize 03	PowerLever™ Hedge Shear	p. 26
Fennia Prize 03	PowerLever™ Grass & Hedge Shear	p. 24
Fennia Prize 03	PowerLever™ Pruners	p. 9
Fennia Prize 09	PowerStep™ Pruner	p. 7
Fennia Prize 09	PowerStep™ Lopper	p. 17



Focus way of life 2002
 Focus open 2009 • Gold medal
 Focus open 2009 • Silver medal

PowerLever™ Pruners
 PowerStep™ Pruner
 PowerStep™ Lopper

p. 9
 p. 7
 p. 17



Pro Finnish Design 1994
 Pro Finnish Design 1997
 Pro Finnish Design 1997

Axes
 PowerGear™ Lopper
 PowerGear™ Pruner

p. 69
 p. 17
 p. 7



1994 • High Design Quality
 1996 • High Design Quality
 1999 • High Design Quality

Utility Knife
 PowerGear™ Lopper
 Garden & Camping Saw

p. 76
 p. 17
 p. 75

1987 • Finnish Design 6th Exhibition • Honourable Mention
 1988 • Blue Ribbon, England • One of the best products
 1988 • Modernité et Innovation, France • Best products
 1988 • ION-prize, The Netherlands • Good Industrial Design
 1988 • Formland, Denmark • One of the best products
 1991 • Retailer's Choice Award, England
 1996 • Trophée de la Nouveauté, Paris
 1996 • Int. Consumer Goods Fair, Brno • Gold Medal
 1997 • Int. Consumer Goods Fair, Brno • Gold Medal
 1998 • Innovative New Product Award, Canada
 1999 • Trophée de la Nouveauté, Paris
 2000 • Popular Mechanics, Chicago • Editors Choice

Axe and Knife Sharpener
 Axe and Knife Sharpener
 Axe and Knife Sharpener
 Axe and Knife Sharpener
 Axe and Knife Sharpener
 Ergonomic Spades & Forks
 PowerGear™ Pruner
 PowerGear™ Lopper
 PowerGear™ Pruner
 PowerGear™ Pruner
 Universal Telescopic Garden Cutter
 Universal Telescopic Garden Cutter

p. 72
 p. 72
 p. 72
 p. 72
 p. 72
 p. 55
 p. 7
 p. 17
 p. 7
 p. 7
 p. 21
 p. 21

PICTOGRAMS

EaseCut™

2x
EaseCut™

25x
EaseCut™

3x
EaseCut™

35x
EaseCut™

EaseCut™

Indicates how many times the cutting power is multiplied by.

USAGE AREA



Bypass blade

Best for making clean cuts to fresh, living growth.



Anvil blade

Best for cutting dry, hard growth even in rough places.



Snip blade

Best for cutting thin steel plates, plastic, tube, rope and hose etc. (Not recommended for cutting branches)



Hook Head

Optimal blade geometry for heavy cutting of fresh wood.



Scissor head

Optimal blade geometry for precision cutting of fresh wood.



Splitting axe

The splitting axe has a unique wedge-shaped blade that easily slices into the wood, for easier, faster splitting.



Chopping axe

The chopping axe has a thin, wide edge that ensures a clean, easy cut through fresh, resinous wood.



Brush hook

The brush hook has a unique blade design with optimal thickness for trimming underbrush and even small trees.



Fine tothing

Best for ensuring a clean cut of dry wood strips and boards.



Efficient tothing

Best for highly efficient sawing of fresh wood.

PRODUCT MATERIAL



FiberComp™

Indicate that the component has strong/durable and lightweight properties due to its reinforced fibre-glass construction.



PBT

The component has lightweight, flexible and hard-wearing properties due to its polymer construction.



Genuine leather

The component is made of tough genuine leather.



CrMov

The blade is highly durable and stays sharp due to its special CrMov steel construction.



Aluminium

The component has lightweight, strong properties due to its hardened aluminium construction.



Stainless steel tube

The component is mechanically strong and corrosion resistant due to its stainless steel construction.



Boron steel

The component sharp and corrosion resistant due to its stainless steel construction.



Steel gear mechanism

The mechanically strong and effective steel mechanism enhances the cutting power.



PTFE coating

Corrosion resistant, non-stick blade coating reduces friction to make cutting easier.

PRODUCT FEATURES



Cutting capacity

Shows the maximum cutting diameter.



Spare parts

Indicates that replacable spare parts are available for this product.



Plus parts

Indicates that the features of this product can be expanded with additional parts.



Anti shock

The anti-shock system improves comfort by absorbing the vibrations transferred from the handles.



Softgrip™

The product has a comfortable SoftGrip™ handle which enhances its ergonomic design.



Fingerloop handle

Loop handle design prevents slipping and protects fingers.



Power tip

The cutting power is distributed evenly all the way to the tip of the blade.



Micro tip

The product is equipped with thin and sharp blades for precision cutting.



Saw teeth

The geometry of the saw teeth means that they cut on both push and pull-strokes.



Telescopic

Indicates that the length of the product can be adjusted seamlessly, for improved working position or better reach.



Female

Optimal design for female use.



Male

Optimal design for male use.



Ambidextrous

Indicates that the product is intended for both right- and lefthanded use.



Right handed product

Indicates that the product geometry is intended for right handed use.



Hand size

Indicates what hand size is most suitable for using this product. The product is suitable for small hands.



Weather proof

The product withstands all types of weather.



Vegetables

For cutting and picking vegetables.



Flowers

Indicates what hand size is most suitable for using this product. The product is suitable for small hands.



Grass

For cutting grass.



Hedges and bushes

For straight cutting of hedges and bushes.



Pot plants

For precision cutting of pot plants.



Bonsai plants

For cutting bonsai plants.



Herbs

For precision cutting of delicate herbs.



Fish

For gutting fish.



Grafting

For cutting of small side shoots, laterals and pruning of weak growth.



Carving

For peeling bark for grafting.



Grafting

For various grafting tasks.



Sharpening wooden canes

For sharpening of wooden canes to support small bushes and plants.



Building site

For effortless cutting of rockwool and fibers.



Whittling

For whittling wood.

EDUCATION

CHOPPING VS. SPLITTING



Chopping axe – The Universal Chopping Axe’s thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.



Splitting axe – The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

ANVIL VS. BYPASS



Bypass: Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.



Anvil: Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

WHICH TOOL FOR WHICH TASK

Picking the right tool for the job means less work for you and ensures that your plants heal faster.

Pruners work well for the smaller cutting jobs


Pruners work well for the smaller cutting jobs

Universal Cutters are ideal for those hard-to-reach tree limbs

Loppers are the best choice for larger stems

Saws are primarily used to prune branches of over Ø 50 mm

Axes are for chopping thicker branches or splitting wood logs



NOTES

A series of horizontal dotted lines for writing notes.



Made in Finland

Founded in the small village of Fiskars, Finland 1649, the company has grown into a large multinational corporation, celebrated for a history of products accommodating the strict Finnish standards for quality and design. Following its tradition to drive innovation of tools that reduce the effort, fatigue and strains so often associated with gardening, Fiskars ergonomic, high performance cutting and landscaping tools are designed to do the hard work, so you don't have to!

Fiskars Brands Finland Oy Ab / Exports
Hämeentie 135 A, FIN 00560 Helsinki, Finland,
Tel. +358 204 3910, Fax +358 204 395 170
exports.emea@fiskars.com - www.fiskars.com